COMPASS 2018

PRODUCT NAVIGATION



EUNSTOPPABLES

WÄGNER

WAGNER – your partner for surface finishing equipment



Facades, walls, furniture, doors, steel structures, mobile phones, car wheel rims and controls, leather sofas and radiators — there are hardly any objects which cannot be surface finished. Clearly along with function, durability and attractiveness, the surface of an object is its definition. Your customers, as professionals all want to achieve a high level quality finish. WAGNER can help support your business with high quality professional equipment which is both time saving and cost effective.

WAGNER surface finishing equipment is used not only in contracting but also in industry and home improvements — from small paint spraying systems, through professional painters' equipment right up to industrial painting plant for wet and powder coating. Industrial adhesive, sealing and potting technology including injection molding, are also part of the company product portfolio. Throughout the world WAGNER is known as a leading manufacturer of equipment for the machine application of paints, varnishes and plasters.

Different application areas characterise the product range of the contractor sector:

Small projects: Spraying units for repair and touch-up work. Ideal for all projects in the renovation and new construction sector when using the unit irregular and rare. Good price-performance ratio.

Building trade: Units for Painters and Plasterers. Ideal for all interior and exterior applications, for a wide range of surfaces, walls, ceiling radiators and door frames. Powerful screw pumps for heavy aggregated material.

Wood and metal work: Spray units for painting a wide range of objects such as stairs, floors, kitchens, furniture and railings with water diluted or solvent based paints.

Corrosion and structural protection: Applying protective coatings with airless technology and electric or petrol-driven piston pumps, as well as processing injections with diaphragm — or screw pumps.

Preparing: Power tools for the removal of paint and wallpaper.

The range for each stretches from small entry level units through all rounder units right up to specialised plant. Comprehensive accessories guarantee an optimal match to the object in question.

WAGNER develops numerous product innovations in close contact with users, paint manufacturers and scientific institutions. Our 1500 square metre technology centre in Markdorf plays an important role in practical research and relaying knowledge. For example interegional master classes to consolidate the training for the painting trade have taken place here for years. We provide a comprehensive Service Network and also a large number of specialist advisers to help you in an instant.



Compass Guide

The compass is an aid to help guide you through the wide range of WAGNER products. To help you quickly find your way around, here are a few explanations about how our product catalogue has been designed. Find the perfect product to suit your customers' requirements in just a few steps.

Step 1 The right application area

Each branch is assigned to a special section listing all the relevant products and accessories.

Step 2 Comparison of technical data

At the start of each section you can find an overview matrix where you can compare the technical data of all products in the respective section.

Step 3 Size of object and material

Everything right at one glance - get an overview: directly underneath the technical data spread sheet on the same page you can see for which materials and object sizes the products are suitable. Make together with your client the perfect choice which exactly meets his individual needs.

Step 4 How the technology works

On the next page, following to the big overview you find a summary of the technology characteristics in comparison offerd in the chapter. In addition you can see which spraying method matches the device technology and application area best. The following product pages are grouped by spraying method and within that by device technology.

Step 5 The right accessories

The compass offers three ways to search for accessories:

- 1 Within one chapter: Your customer requires additional accessories for his device for the same area of application, e.g. enamel projects? All the accessories can be found in a separate section, at the end of each spraying method e.g. airless. In this way, you can extend Spraypacks for your customers in the same core area.
- 2 Within one chapter: Your customer would like to extend the application scope of the device that he has already purchased or would like a new device for several different applications such as emulsion and enamel applications? In this case, please head directly to "Conversion accessories" which can be found at the end of each technology section, e.g. piston pumps. There you can find a list of accessories to expand the device's field of application.
- 3 You are an expert and search for something very specific? In the last chapter you will find the whole accessories programme sorted by spraying method.

All prices are subject to statutory VAT and recommended list prices which are intended to serve as a guide.







| Small projects and sporadic spraying |
|---|
| Building trade – Interior walls and facades |
| Building trade — Plaster, fillers and bitumens |
| Building trade – Temperature controlled spraying |

| Building trade – Lacquers and wood preservatives |
|---|
| |

| Wood and metal work | (Explosion | protection) |
|---------------------|------------|-------------|
|---------------------|------------|-------------|

| Corrosion and | structura | protection |
|---------------|-----------|------------|
|---------------|-----------|------------|

| Preparing – |
|----------------------------|
| Paint or wallpaper removal |

| - | | • | |
|---|-------|-------|--|
| Δ | CCASS | ories | |

| rvic |
|------|

Contents Compass 2018

wagner-group.com 3

Key

Spraying method



XVLP / HVLP

Low-pressure spraying uses a high volume of air and low air pressure (up to 0.07 bar). With the FineSpray method, the material is completely atomised at the outlet of the nozzle. The low pressure of the material with the high volume of air ensures slightly larger material droplets and therefore less spray mist.



FineSpray

FineSpray is a compressed air-driven spraying method. At the outlet of the nozzle, the material is mixed with a current of ring-shaped air around the nozzle. This atomises the material in very fine droplets to produce an extremely good spray pattern. As this method creates a lot of overspray, we recommend that the procedure is carried out in spraying booths.



AirCoat

In the AirCoat process (airless + air), the material is forced through the nozzle at a relatively low pressure (3 -12 MPa) by a piston or diaphragm pump, and compressed air (0.05 - 0.25 MPa) is used to assist in the atomisation process. This is possible thanks to the central air supply (air cap) that is located directly at the nozzle aperture and surrounds the sprayed material like an envelope.



Airless

Unlike the case of air atomisation, airless atomisation technology atomises the material using the pressure of the material alone, i.e. without the use of any air. An electric, pneumatic or petrol-driven pump pressurises the material and forces a defined quantity of material through a nozzle aperture at up to 25 MPa. During this process, the material is diffused into a finely atomised spray jet. Although airless technology is particularly suitable for the application of emulsions, this spray process is also often used for painting jobs on building sites.



Plaster spraying

When applying plaster with machines the high viscosity material is transported along the hose to the spraying lance using a screw pump. By adding compressed air at the end of the spraying lance, the material is atomised.

Technologies



Piston pump

Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.



Diaphragm pump

The material is transported by means of a stroke movement in the diaphragm. Products featuring this technology are robust and yet easy to handle units for construction site use. Electrically driven diaphragm pumps can be used as both Airless and AirCoat Spraypacks.



Double diaphragm pump

The material is transported by means of a stroke movement of two diaphragms working in opposite directions. This creates a very low-pulse material flow. This also allows you to work with materials which are particularly sensitive to shearing and moisture, and with premixed 2K materials. WAGNER double diaphragm pumps are explosion-proof and operated by compressed air which means that they can be used in workshops.



Turbine

Low-pressure spraying (HVLP/XVLP) uses a high volume of air and low air pressure (up to 0.07 MPa). The atomised air generated in the turbine flows through an air hose to the paint cup at the spray gun, where it then builds up pressure. This delivers the coating material through the standpipe to the nozzle and atomises the remaining air.



Screw pumps

Screw pumps use displacement mechanisms to deliver the material. Two components, the rotor and the stator, are used for this. The rotor rotates and thus transports the material gently to the cavities of the stator. This technology can be used to transport extremely heavy materials, for example, for machine application of plaster, where the material is transported along the hose to the spraying lance using a screw pump. By adding compressed air at the end of the spraying lance, the material is atomised.

Drive



Electric

Simply connect to the hose and you're ready. WAGNER's electric motors are environmentally-friendly and use energy efficiently with an optimum multiplication ratio.



Pneumatic

With the pneumatic drive, the motors are driven by compressed air. This means that they are explosion proof and the pumps can also be used in areas with high Ex protection requirements.



Petrol-driven

Petrol-driven devices are ideal for hard to reach sites where a power supply is not yet available. The brand fuel-driven motor is extremely reliable and durable.

Other



Explosion-protection

All devices marked with this symbol are suitable for use in potentially explosive areas in accordance with guideline 94/4/CE (ATEX 95). You can find precise details for the explosion protection identifications of the particular unit in the applicable operating manual and on the model plate.



TempSpray

The TempSpray heating systems are heated by means of an electric heating element located inside the hose, directly in the flow of paint. The material is heated to the required temperature uniformly along the whole length of the hose (continuously regulated from 20° to 60°C). This reduces the paint's viscosity, resulting in improved application. All TempSpray systems can be adapted to WAGNER Airless units.

wagner-group.com



Fast and simple. Efficient technology also for small jobs.

Perfect surfaces are demanded also for repair and renovation jobs. These can easily be achieved with machine techniques. Our small machines are even profitable for surfaces under 50 m². Even for irregular and rare usage spraying is more efficient than using a roller or brush. And a professional appearance is guaranteed.

wagner-group.com 7 wagner-group.com

1

r

2

_

3

4

5

6

7

The following pump technologies are available in this chapter


NEW

| | FinishControl 3500 | FinishControl 5000 | ControlPro 350 Extra Skid version | ControlPro 350 Extra Cart version |
|-------------------------------|--------------------|-----------------------|--------------------------------------|--------------------------------------|
| Spraying method | | | < | |
| Product image (may differ) | | | | |
| Art. No. | 2341501 | 2316090 | 2371061 | 2371065 |
| Cat. | DPXVLP | DPXVLP | DPPPE | DPPPE |
| Technology | % | % | đ | ₽ |
| Weight | 2.3 kg | 8 kg | 7.6 kg | 13 kg |
| Motor output | 0.7 kW | 1.4 kW | 0.6 kW | 0.6 kW |
| Drive | * | | | ST. |
| Voltage | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz |
| Max. nozzle size | - | - | 0.019" | 0.019" |
| Max. operating pressure | 0.2 bar, 0.02 MPa | 0.275 bar, 0.0275 MPa | 110 bar, 11 MPa | 110 bar, 11 MPa |
| Max. delivery rate | - | - | 1.5 l/min | 1.5 l/min |

| Material | FinishControl 3500 | FinishControl 5000 | ControlPro 350 Extra Skid version | ControlPro 350 Extra Cart version |
|--|--------------------|--------------------|--------------------------------------|--------------------------------------|
| Release agent, oils, greases | S | S | S | S |
| Glazes, stains and impregnating agents | S | S | S-M | S-M |
| Undercoats, primers, fillers, synthetic resin- based paints, acrylic paints | S | S | S-M | S-M |
| Emulsion and latex paints | S | S | S | S |

Suitable for following object sizes: $S = less than 200 \text{ m}^2$, $M = 200 \text{ m}^2 - 800 \text{ m}^2$, $L = over 800 \text{ m}^2$, - = not suitable

| Turbine | Piston pump |
|---------|-------------|
| | |



Product comparison







FinishControl 3500 Spraypack



The hand-held XVLP device

- Always available: As the smallest in its class, it is available on every construction site -The practical shoulder strap makes it easy to transport
- Flexible: Ideal for renovation and repair work and projects of up to 50 m²
- Everything included: The practical carry case provides enough space for transporting the device and two filled spray attachments in an upright position
- Not suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|--------|
| FinishControl 3500 Spraypack | 2341501 | DPXVLP |
| Turbine housing with handle | 2350780 | |
| StandardSpray spray attachment | 2321879 | |
| Carrying case, for FC 3500 | 2341100 | |
| Air filters, 3 pieces, for FinishControl 3500 | 2343947 | |
| Filling hopper, 3 pieces, for FinishControl spray attachments | 2324745 | |
| Carrying strap, for FC 3500 | 2341187 | |
| Strap holder FinishControl 3500, incl. screws | 2343948 | |
| Cleaning brush | 514209 | |



FinishControl 5000 Spraypack



An all-rounder for projects up to 50 m²

The entry-level answer for professional coating using spray technology

- Universally suitable for use with varnishes, lacquers and emulsion paints, thanks to a modular spraying attachment system for simple material changes
- Total control directly on the gun
- Extremely compact and practical
- Not suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|--------|
| FinishControl 5000 Spraypack | 2316090 | DPXVLP |
| FinishControl 5000, basic unit | 2322444 | |
| Air hose including handle, for FinishControl 5000 | 2314573 | |
| StandardSpray spray attachment | 2321879 | |

XVLP accessories

| praying | g attachments XVLP | Article no. | Cat. |
|---------|--|-------------|--------|
| 2 | FineSpray spray attachment | 2321877 | DPXVZI |
| 1 | StandardSpray spray attachment | 2321879 | DPXVZU |
| 1 | WallSpray spray attachment | 2321880 | DPXVZU |
| Filters | | Article no. | Cat. |
| | Air filters, 3 pieces, for FC 5000 | 2322446 | DPXVE |
| 1 | Air filters, 3 pieces, for FinishControl 3500 | 2343947 | DPXVE |
| 90 | Feed tube filter, coarse, 5 pcs, for FinishControl spray attachments | 2324249 | DPXVE |
| 00 | Feed tube filter, fine, 5 pcs, for FinishControl spray attachments | 2324248 | DPXVE |
| Hoses | | Article no. | Cat. |

| Hoses | | Article no. | Cat. |
|----------|---|-------------|--------|
| S | Air hose including handle, for FinishControl 5000 | 2314573 | DPXVET |

| Cleaning and storage | Article no. | Cat. |
|-----------------------------|-------------|--------|
| Carrying case, for FC 3500 | 2341100 | DPXVET |
| Carrying strap, for FC 3500 | 2341187 | DPXVET |





ControlPro 350 Extra Spraypack -**Skid version**

The compact airless device with maximum control

- Up to 55% less overspray mist thanks to reduced spraying pressure
- · Direct intake from the original container: for fast, clean painting
- Maximum control: soft spray pattern makes paint application easier
- Valve depressor: for high levels of operating safety and easy start-up
- Handy carrying handle and compact design: make changing working location easy

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| ControlPro 350 Extra Spraypack - Skid version | 2371061 | DPPPE |
| HEA Control Pro metal gun | 517101 | |
| ControPro HEA hose; 15 m | 517802 | |
| ControlPro HEA Tip 311 | 517311 | |
| ControlPro HEA Tip 515 | 517515 | |
| ControlPro HEA Tip 619 | 517619 | |
| ControlPro nozzle extension, 30 cm, G-thread, with holder without nozzle | 517700 | |
| ControlPro HEA inline filter | 517202 | |





ControlPro 350 Extra Spraypack -**Cart version**



- Up to 55% less overspray mist thanks to reduced spraying pressure
- Direct intake from the original container: for fast, clean painting
- · Maximum control: soft spray pattern makes paint application easier
- Valve depressor: for high levels of operating safety and easy start-up
- · Handy cart and compact design: make changing working location easy

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| ControlPro 350 Extra Spraypack - Cart version | 2371065 | DPPPE |
| HEA Control Pro metal gun | 517101 | |
| ControPro HEA hose; 15 m | 517802 | |
| ControlPro HEA Tip 311 | 517311 | |
| ControlPro HEA Tip 515 | 517515 | |
| ControlPro HEA Tip 619 | 517619 | |
| ControlPro nozzle extension, 30 cm, G-thread, with holder without nozzle | 517700 | |
| ControlPro HEA inline filter | 517202 | |

Cleaning and storage

Cleaning brush

Tanos Systainer

Can Adapter, for FinishControl

Feed tube, emulsion

Feed tube, standard

Nozzle seal, for FinishControl

Turbine housing with handle

Container seal, for all XVLP spray attachments

Container with cover, 1000 ml, stainless steel, for FinishControl spray attachments

Container with cover, 1400 ml, for WallPaint spray attachments

Filling hopper, 3 pieces, for FinishControl spray attachments

Other

Cleaning kit for HVLP and XVLP spraying guns

Cleaning set, for XVLP spray attachments

Strap holder FinishControl 3500, incl. screws

Article no.

514209

2354639

935364

2343948

2340218

Article no.

2350692

2319223

2322451

2324749

2323674

2319222

2324745

2323934

2350780

Cat.

DHET

DHZU

DPZU

DPXVET

DPXVZU

Cat.

DPXVZU

DPXVET

DPXVET

DPXVET

DPXVET

DPXVET

DPXVET


DPXVET


DPXVET

ControlPro 350 Extra accessories

| Control | ro 350 Extra accessories | Article no. | Cat. |
|---------|--|-------------|------|
| | ControlPro HEA Tip 211 | 517211 | DHZU |
| | ControlPro HEA Tip 311 | 517311 | DHZU |
| -0 | ControlPro HEA Tip 313 | 517313 | DHZU |
| F | ControlPro HEA Tip 413 | 517413 | DHZU |
| 0 | ControlPro HEA Tip 515 | 517515 | DHZU |
| | ControlPro HEA Tip 517 | 517517 | DHZU |
| | ControlPro HEA Tip 619 | 517619 | DHZU |
| Do | ControlPro Tip guard | 517200 | DHZU |
| | ControPro HEA hose; 15 m | 517802 | DHZU |
| * | ControlPro nozzle extension, 30 cm, G-thread, with holder without nozzle | 517700 | DHZU |
| * | ControlPro nozzle extension, 60 cm, G-thread, with holder without nozzle | 517701 | DHZU |
| 5 | Double seal set, 5 pieces, for TradeTip 3 nozzles | 556037 | DPZU |
| 11 | ControlPro HEA inline filter | 517202 | DHET |

Notes





Now for some colour — Nothing transforms a building faster than a new coat of paint. Your customers in the painting trade take on not only small renovation jobs but also new-build and large-scale projects. Whether for external walls or indoor work — in this section, you will find units for every size of object. So that paint jobs can be completed in record time.

wagner-group.com 17 wagner-group.com

HeavyCoat 950

(E) = Electric

(G) = Petrol-driven

(E) = 2332184(G) = 2332186

DPHC đ

(E) = 83 kg(G) = 76 kg

(E) = 3.6 kW2.19 kW (G) = 4.1 kW

0

ProSpray 3.39

Emulsion

2351261

DPPS

đ

50 kg

| * | |
|---------------|---------------|
| 230 V / 50 Hz | 230 V / 50 Hz |
| 0.039" | 0.052" |

| 221 bar, 22.1 MPa | 250 bar, 25 MPa |
|-------------------|-------------------|-------------------|-------------------|-------------------|--|
| 2.6 l/min | 3 l/min | 3.8 l/min | 4.5 l/min | 5 l/min | (A) = 6.6 l/min (B) = 8 l/min |
| 25.000 mPas | 25.000 mPas | 25.000 mPas | 25.000 mPas | 30.000 mPas | 50.000 mPas |

ProSpray 3.25

(A) = Skid version

(B) = Cart version

(A) = 2308259

(B) = 2308260

DPPS

(A) = 17.9 kg

(B) = 27.4 kg

1.1 kW

230 V / 50 Hz

0.027"

ProSpray 3.29

2308261

DPPS

đ

43.5 kg

1.72 kW

230 V / 50 Hz

0.029"

ProSpray 3.31*

2308262

DPPS

ď

43.5 kg

1.84 kW

230 V / 50 Hz

0.032"

ProSpray 3.34

2308263

DPPS

đ

47.6 kg

1.95 kW

230 V / 50 Hz

0.034"

| ProSpray 3.25 | ProSpray 3.29 | ProSpray 3.31 | ProSpray 3.34 | ProSpray 3.39 Emulsion | HeavyCoat 950 E/G |
|---------------|---------------|---------------|---------------|---------------------------|----------------------|
| S-M | S-M | M-L | M-L | M-L | M-L |
| - | S | S-M | M-L | M-L | M-L |

| | A LUICH ESSICIENCY | | | A LUICH EEEICIENCY | I I I I I I I I I I I I I I I I I I I | |
|-------------------------------|--------------------------------|-----------------|-----------------|----------------------|---------------------------------------|---------------------------|
| | HEA HIGH EFFICIENCY | | | HEA HIGH EFFICIENCY | HEA HIGH EFFICIENCY | |
| | SuperFinish 23 Plus Emulsion | SuperFinish 27 | SuperFinish 31 | ProSpray 3.20 HEA | ProSpray 3.21 HEA | ProSpray 3.23 Emulsion |
| | (A) = Skid version | | | | | |
| | (B) = HEA; Cart version | | | | | |
| Spraying method | $ \leftarrow $ | | $ \leftarrow $ | | ≪ | |
| Product image (may differ) | | | | | | |
| Art. No. | (A) = 2341493 (B) = 2384153 | 341051 | 341022 | 2384151 | 2384152 | 2308258 |
| Cat. | DPFSF | DPFSF | DPFSF | DPPS | DPPS | DPPS |
| Technology | • | © | © | đ | đ | đ |
| Weight | (A) = 24 kg (B) = 29 kg | 40 kg | 43 kg | 13.6 kg | 17.9 kg | 17.7 kg |
| Motor output | 1.3 kW | 1.5 kW | 1.7 kW | 1 kW | 1.03 kW | 1.03 kW |
| Drive | | N. C. | | N. | | * |
| Voltage | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz |
| Max. nozzle size | 0.023" | 0.027" | 0.031" | 0.021" | 0.023" | 0.024" |
| Max. operating pressure | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa | 207 bar, 20.7 MPa | 221 bar, 22.1 MPa | 221 bar, 22.1 MPa |
| Max. delivery rate | 2.6 l/min | 3 l/min | 3.5 l/min | 1.6 l/min | 2 l/min | 2.3 l/min |
| Max. viscosity | 20.000 mPas | 25.000 mPas | 25.000 mPas | 20.000 mPas | 20.000 mPas | 20.000 mPas |

| Material | SuperFinish 23 Plus Emulsion | SuperFinish 27 | SuperFinish 31 | ProSpray 3.20 HEA | ProSpray 3.21 HEA | ProSpray 3.23 Emulsion |
|------------------------------------|---------------------------------|----------------|----------------|----------------------|----------------------|---------------------------|
| Emulsion, facades and latex paints | S-M | S-M | M-L | S | S | S-M |
| Fabric adhesives (interior) | - | S-M | M-L | - | - | - |

Suitable for following object sizes: $S = less than 200 \text{ m}^2$, $M = 200 \text{ m}^2 - 800 \text{ m}^2$, $L = over 800 \text{ m}^2$, - = not suitable

wagner-group.com

The following pump technologies are available in this chapter



SuperFinish 23 Plus Emulsion Spraypack - Skid version



Compact - light and yet robust

- · Compact: Smallest in its class, mobile and light
- For small emulsion jobs up to 200 m²
- Robust: Ideal for demanding construction site use
- PumpRunner: Perfect for clean, tidy transport
- Use with 20 m hoses guaranteed with any material

| Dia | phra | agm | pum | ıμ |
|-----|------|-----|-----|----|
|-----|------|-----|-----|----|





Piston pump

The material is transported by means of a stroke movement in the diaphragm. Products featuring this technology are robust and yet easy to handle units for construction site use. Electrically driven diaphragm pumps can be used as both Airless and AirCoat Spraypacks.

Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.

- Flexible material intake: It is possible to use small amounts with a hopper or apply the material directly
- The pressure can be continuously regulated from 0 to 25 MPa
- Ease of maintenance

from the original container

- Very low wear
- Low operating costs
- WAGNER quality: Long stroke technology and extremely robust design

- Perfect for high-viscosity materials
- Optimal suction performance
- High delivery volumes, including with high-viscosity
- High material pressure: long hose lengths possible
- Use of large nozzle sizes possible
- · WAGNER quality: Extra durable packings





| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 23 Plus Emulsion Spraypack - Skid version | 2341493 | DPFSF |
| Basic unit, SF 23 Plus - Skid version | 2334424 | |
| Suction system, for SF 23 Plus, incl. PumpRunner | 2342879 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 23 Plus Emulsion Spraypack - Skid version, 110 V | 2346425 | DPFSF |
| Basic unit, SF 23 Plus - Skid version | 2334424 | |
| Suction system, for SF 23 Plus, incl. PumpRunner | 2342879 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |



SuperFinish 23 Plus HEA Spraypack

Compact - light and yet robust

- Innovative, low-pressure airless technology: up to 55% less overspray
- Compact: Smallest in its class, mobile and light
- For small emulsion jobs up to 200 m²
- Robust: Ideal for demanding construction site use
- PumpRunner: Perfect for clean, tidy transport
- Use with 20 m hoses guaranteed with any material

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 23 Plus HEA Spraypack | 2384153 | DPFSF |
| Basic unit, SF 23 Plus on cart | 2334444 | |
| Suction system, for SF 23 Plus, incl. PumpRunner | 2342879 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Pressure gauge set assy. HEA(MPa) | 2383995 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| HEA ProTip 519 | 554519 | |

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 23 Plus Emulsion Spraypack - Cart version, 110 V | 2346426 | DPFSF |
| Basic unit, SF 23 Plus on cart | 2334444 | |
| Suction system, for SF 23 Plus, incl. PumpRunner | 2342879 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |



SuperFinish 27 Spraypack

The versatile solution - For almost any job up to 800 m²

- Particularly long service life: Tried and trusted diaphragm technology with QLS technology
- Flexible: Small volume processing with top-mounted container or work directly from the original container
- Perfect for site work: Robust cart and large wheels make manoeuvring on the construction site a simple task


| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 27 Spraypack | 341051 | DPFSF |
| Basic unit, SF 27 | 341050 | |
| QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra | 341263 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D20, 115 / 421 | 271046 | |

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 27 Emulsion Spraypack - Cart version, 110 V | 341115 | DPFSF |
| Basic unit, SF 27 | 341050 | |
| QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra | 341263 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D20, 115 / 421 | 271046 | |



SuperFinish 31 Spraypack

The powerful all-rounder



- Flexible: Small volume processing with top-mounted containers or working directly from the original container
- No compromises: High performance ensures you're always on the safe side

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 31 Spraypack | 341022 | DPFSF |
| Basic unit, SF 31 | 341005 | |
| QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra | 341263 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D20, 115 / 421 | 271046 | |

HEA HIGH EFFICIENCY A I R L E S S.

Accessories for conversion (diaphragm pumps)

| Airless rollers | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

| Barrel / container processing (for SF 27 / SF 31) | Article no. | Cat. |
|---|-------------|--------|
| Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| Suction system for containers, with suction filter, 3.5 m | 97083 | DPZU |
| Blind plug for C-coupling | 97305 | DPZU |
| 2x replacement seal for suction system | 9971529 | DPZU |
| Coupling spanner with thermally insulated handle (2x) | 9100099 | DPPCZU |
| Large volume containers | 2309956 | DPZU |
| Container Connector SF27/SF31 | 2371930 | DPZU |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

| Airless painting applications | Article no. | Cat. |
|---|-------------|--------|
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories" | 554XXX | DPTIP |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine | 97022 | DPFILT |
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | DPHOSE |
| HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | DPHOSE |
| HP hose DN3, 27 MPa, NPS 1/4", 10 m | 2301052 | ILZU |
| HP hose DN4, 27 MPa, NPS 1/4", 10 m | 2302374 | DPHOSE |
| 5 litre hopper, M36x2 | 341265 | DPZU |



ProSpray 3.20 HEA Spraypack

The compatible piston pump for Airless beginners

- Innovative, low-pressure airless technology: up to 55% less overspray
- Optimum value-for-money: Ideal for all users who mostly spray-coat small surfaces
- Robust and simple: Impact-protected on/off switch, durable, easily accessible packing and other user-friendly details
- Casing optimized for construction site applications: Practical hose reel for transport
- Innovative ProSpray product features: New packings inlet valve and more

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.20 HEA Spraypack | 2384151 | DPPS |
| ProSpray 3.20 Spraypack | 532004 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Pressure gauge set assy. HEA(MPa) | 2383995 | |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | |
| HEA ProTip 517 | 554517 | |

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.20 Spraypack, 110 V | 532009 | DPPS |
| Basic unit, PS 3.20 | 532008 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | |
| TradeTip 3 nozzle, 419 | 553419 | |







ProSpray 3.21 HEA Spraypack



Small and compact - for object sizes up to 200 m²

Compact paint spraying unit ideal for objects of up to 200 m². For spraying emulsion paints, undercoats, fillers, primers and latex paints. With Digi-Trac control.

- Innovative, low-pressure airless technology: up to 55% less overspray
- Optimum value-for-money: Ideal for all users who mostly spray-coat small surfaces
- For trouble-free operation: Integrated high-pressure filter
- Compact design with outstanding performance data: 0.023" nozzle size, 2.0 l/min Max. delivery rate, 16 kg weight
- · With flexible suction system for simple intake directly from the original container
- Innovative ProSpray product features: Piston lubricated at the touch of a button inlet valve depressor for outstandingly reliable operation - and much more

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.21 HEA Spraypack | 2384152 | DPPS |
| Basic unit, PS 3.21 | 558004 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Pressure gauge set assy. HEA(MPa) | 2383995 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| HEA ProTip 517 | 554517 | |
| Scope of delivery | Article no. | Cat. |
| ProSpray 3.21 Spraypack, 110 V | 2311375 | DPPS |
| Basic unit, PS 3.21 | 558004 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |



ProSpray 3.23 Emulsion Spraypack



The expert for small-area emulsion jobs

- Including flexible suction system for intake directly from the original container
- Easy to handle: Compact design for ease of transport and space-saving storage
- Innovative ProSpray product features: Maintenance-free, brushless motor piston lubricated at the touch of a button inlet valve depressor for outstandingly reliable operation and much more.

| Scope of delivery | Article no. | Cat. |
|--|-----------------------|------|
| ProSpray 3.23 Emulsion Spraypack | 2308258 | DPPS |
| Basic unit, PS 3.23 | 558001 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |
| Cropp of delivery | Article no. | Cat. |
| Scope of derivery | ALUCIE IIV. | cut. |
| | 2311376 | DPPS |
| . , | | |
| ProSpray 3.23 Emulsion Spraypack, 110 V Basic unit, PS 3.23 | 2311376 | |
| Scope of delivery ProSpray 3.23 Emulsion Spraypack, 110 V Basic unit, PS 3.23 HP hose DN6, 27 MPa, NPSM 1/4", 15 m Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 2311376 558001 | |



ProSpray 3.25 Spraypack - Skid version



A compact emulsion unit for medium-sized objects

- Lightweight: Just 17.9 kg
- Two versions: Available on trolley or as a compact Skid version
- Innovative ProSpray product features: Steering, information and control directly on the device - piston oiled at the touch of a button - inlet valve depressor for high operating reliability - and more.

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.25 Spraypack - Skid version | 2308259 | DPPS |
| Basic unit, PS 3.25 - Skid version | 558002 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |
| Scope of delivery | Article no. | Cat. |
| ProSpray 3.25 Spraypack - Skid version, 110 V | 2311377 | DPPS |
| Basic unit, PS 3.25 - Skid version | 558002 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |



2SpeedTip, D10, 111 / 419

Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger

ProSpray 3.25 Spraypack - Cart version



538043 271045

A compact emulsion unit for medium-sized objects

- Lightweight: Just 27.4 kg
- Two versions: Available on trolley or as a compact Skid version
- Innovative ProSpray product features: Steering, information and control directly on the device - piston oiled at the touch of a button - inlet valve depressor for high operating reliability - and more.

| Scope of delivery | Article no. | Cat. |
|---|-----------------------|------|
| ProSpray 3.25 Spraypack - Cart version | 2308260 | DPPS |
| Basic unit, PS 3.25 on cart | 558003 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |
| Scope of delivery | Aut: da na | C-4 |
| Scope of delivery | Article no. | Cat. |
| ProSpray 3.25 Spraypack - Cart version, 110 V | 2311378 | DPPS |
| . , | | |
| ProSpray 3.25 Spraypack - Cart version, 110 V | 2311378 | |
| ProSpray 3.25 Spraypack - Cart version, 110 V Basic unit, PS 3.25 on cart | 2311378 558003 | |





ProSpray 3.29 Spraypack

Solid airless pump for emulsion work up to 800 m²

- Stable, low-maintenance unit
- Ideally equipped for emulsion work up to 800 m²
- Innovative ProSpray product features: Steering, information and control directly on the device - tilting carriage - integrated high-pressure filter - and more.

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.29 Spraypack | 2308261 | DPPS |
| Basic unit, PS 3.29 | 558005 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |



ProSpray 3.31 Spraypack

A reliable unit for large-area emulsion work



- · No-maintenance brushless motor
- High coverage performance together with easy operation
- Innovative ProSpray product features: Steering, information and control directly on the device - tilting carriage - integrated high-pressure filter - and more.

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.31 Spraypack | 2308262 | DPPS |
| Basic unit, PS 3.31 | 558006 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D20, 115 / 421 | 271046 | |
| 6 | A did | |

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.31 Spraypack, 110 V | 2311380 | DPPS |
| Basic unit, PS 3.31 | 558006 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| 2SpeedTip, D20, 115 / 421 | 271046 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |



ProSpray 3.34 Spraypack

A technology masterpiece for high-viscosity materials such as flame retardants and corrosion-proofing products

This high-performance piston pump is ideally suited for large building sites where it is also able to handle high-viscosity materials

- For large building sites: Powerful and robust
- Faster than ever: Quick-change fluid section for ease of servicing and shorter reaction
- Innovative ProSpray product features: Steering, information and control directly on the device - tilting carriage - integrated high-pressure filter - and more.

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.34 Spraypack | 2308263 | DPPS |
| Basic unit, PS 3.34 | 558007 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D20, 115 / 421 | 271046 | |

















Powerful emulsion unit for large areas

- More power: Greater suction performance thanks to the low position of the suction valve
- Twice as fast with emulsion: Parallel two-gun operation possible
- Innovative ProSpray product features: Tilting carriage change paints without using tools,

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.39 Emulsion Spraypack | 2351261 | DPPS |
| Basic unit, PS 3.39 | 558008 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D40, 117 / 427 | 271048 | |
| Double connector A = 1/4" NPS x 3/8" NPT | 812-003 | |
| Double connector A = 3/8" NPT x A = 1/2" NPS | 815-005 | |

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| ProSpray 3.39 Emulsion Spraypack, 110 V | 2311382 | DPPS |
| Basic unit, PS 3.39 | 558008 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, D40, 117 / 427 | 271048 | |
| Double connector A = 1/4" NPS x 3/8" NPT | 812-003 | |
| Double connector A = 3/8" NPT x A = 1/2" NPS | 815-005 | |



HeavyCoat 950 E Spraypack / 230 V

Power pack for heavy materials

• Versatile in use thanks to high delivery capacity

the swivelling SwingCart pump unit etc.

- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 950 E Spraypack / 230 V | 2332184 | DPHC |
| Basic unit, HC 950 E | 528501 | |
| HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, D40, 117 / 427 | 271048 | |



HeavyCoat 950 G Spraypack / Petrol



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 950 G Spraypack / Petrol | 2332186 | DPHC |
| Basic unit, HC 950 G | 528500 | |
| HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, D40, 117 / 427 | 271048 | |

Accessories for conversion (piston pumps)

| Airless rollers | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

| Processing of large volumes | Article no. | Cat. |
|---|-------------|--------|
| Adapter, for container suction system, for PS 30 / PS 34 | 340255 | DPET |
| Adapter for container suction system; for PS 3.39 | 524252 | DPET |
| Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| Blind plug for C-coupling | 97305 | DPZU |
| Suction system for containers, with suction filter, 3.5 m | 97083 | DPZU |
| Large volume containers | 2309956 | DPZU |
| Large volume container, incl. sack support and roller press | 2309960 | DPZU |
| Large volume container incl. sack support, roller press and adaptor set for HeavyCoat | 2309955 | DPZU |
| Press table incl. guide rail for roller | 2323178 | DPZU |
| Adapter set for large volume container, for PS 3.25 | 2312155 | DPZU |
| Adapter set for large volume container, for PS 3.29 - PS 3.34 | 2312156 | DPZU |
| Adapter set for large volume container, for PS 3.39 | 2312157 | DPZU |
| Coupling spanner with thermally insulated handle (2x) | 9100099 | DPPCZU |
| Container Connector PS 39/HC | 2383128 | DPZU |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying" and the chapter spraying and the chapter

| Airless painting applications | Article no. | Cat. |
|---|-------------|--------|
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories" | 554XXX | DPTIP |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine | 97022 | DPFILT |
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| 5 litre hopper; for PS 3.20 / PS 3.21 / PS 3.23 / PS 3.25 skid-mounted | 704-453 | DPZU |

Airless accessories

| Guns | | Article no. | Cat. |
|------------|--|-------------|-------|
| 河 | Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| 河 | Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| 竹 | Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| n | Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALC |
| | Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | DPALC |
| 3 | Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder | 502166 | DPALO |
| E36 | Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | DPALO |
| 11/1 | Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder | 2341126 | DPALO |
| | Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8" | 296441 | DPAL |
| | Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16" | 296443 | DPAL |
| | Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8" | 296442 | DPAL |
| <i>*</i> 0 | Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16" | 296444 | DPAL |
| Nozzle e | ktensions | Article no. | Cat. |
| | ClearSpray valve, G-thread | 0521012A | DPAL |
| | ClearSpray valve, F-thread | 0521012F | DPALO |
| 9 | Nozzle extension, 15 cm, G-thread, with holder without nozzle | 556074 | DPAL |
| 8 | Nozzle extension, 15 cm, F-thread, with holder, without nozzle | 556051 | DPAL |
| 1 | Nortle extension 20 cm. C. thread with helder without partle | 554075 | DDAL |

Nozzle extension, 30 cm, G-thread, with holder without nozzle

556075

DPALG

Cat.

DPTIP

Article no.

9990XX

| 8 | Nozzle extension, 30 cm, F-thread, with holder, without nozzle | 556052 | DPALG |
|--|---|-------------|-------|
| | Nozzle extension, 45 cm, G-thread, with holder without nozzle | 556076 | DPALG |
| 8 | Nozzle extension, 45 cm, F-thread, with holder, without nozzle | 556053 | DPALG |
| 8 | Nozzle extension, 60 cm, G-thread, with holder without nozzle | 556077 | DPALG |
| 6 | Nozzle extension, 60 cm, F-thread, with holder, without nozzle | 556054 | DPALG |
| | Knee joint with screw (G-thread) | 286908 | DPET |
| d | Knee joint, F-thread, for nozzle extension | 97009 | DPZU |
| | Nozzle extension, 1 m with swivelling knee joint; F-thread | 96015 | DPALG |
| | Nozzle extension, 2 m with swivelling knee joint; F-thread | 96016 | DPALG |
| | Nozzle extension, 3 m with swivelling knee joint; F-thread | 96017 | DPALG |
| | Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |
| O ge | SpeedShield | 538905 | DPZU |
| Nozzles | | Article no. | Cat. |
| A STATE OF THE PROPERTY OF THE | Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| 7 | Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| 7 | Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| - | TwinTip nozzles; a summary table can be found in the final chapter, "Accessories" | 1009XXX | DPTIP |

| Nozzle holder | Article no. | Cat. |
|--|-------------|--------|
| Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles | 289390 | DPTIP |
| Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles | 289391 | DPTIP |
| Double seal set, 5 pieces, for TradeTip 3 nozzles | 556037 | DPZU |
| Nozzle holder, for low overspray, for TwinTip nozzles | 1006001 | ILET |
| Saddle seal, for nozzle holder, for TwinTip nozzles | 1006700 | ILPCZU |
| Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |

Adjustable fan tip nozzles; a summary table can be found in the final chapter, "Accessories"

| Gun filter | insert | Article no. | Cat. |
|------------|---|-------------|--------|
| 1 | Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| | Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| \ | Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| | Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium | 97024 | DPFILT |
| \ | Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse | 89323 | DPFILT |

Nozzle extensions

Cat.

Article no.

Nozzles

| 110363 | | Al title liv. | cat. |
|--------|--|---------------|--------|
| | HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | DPHOSE |
| | HP hose DN10, max. 25 MPa, NPSM 3/8", 30 m | 2336584 | DPHOSE |
| | HP hose DN6, 27 MPa, M16x1.5, 30 m | 9984562 | DPHOSE |
| 9 | HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 30 m | 9984575 | DPHOSE |
| | HP hose DN6, max. 27 MPa, M16x1.5, 15 m | 9984507 | DPHOSE |

| Hose whips | Article no. | Cat. |
|---|-------------|--------|
| Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE | 9984458 | DPHOSE |

| Hose reels | Article no. | Cat. |
|--|-------------|------|
| Coupling sleeve I = 1/4"NPS x A = M16x1.5 | 34041 | ILZP |
| Hose reel HR30; M16x1.5; for SF 27 / SF 31 | 341910 | DPZU |
| Hose reel HR45, incl. 30 m HP hose DN6, for all diaphragm and piston pumps | 341912 | DPZU |

Two transition fittings (Art. No. 34041) are required for connection of the hose reel.

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

| Gun filter insert | Article no. | Cat. |
|---|-------------|--------|
| Gun filter green, set of 10 pieces, 30 MA, 0.56 mm MW, coarse | 97025 | DPFILT |

| High-pressure filter (for SuperFinish) | Article no. | Cat. |
|---|-------------|-------|
| HP-filter HF-01, for diaphragm pumps | 97120 | DPZU |
| High-pressure filter pads (for ProSpray / high-pressure filter HF-01) | Article no. | Cat. |
| Filter cartridge 30 MA for ProSpray / high-proscure filter HE-01 | 730_067_30 | ND711 |

| підп-ріс | essure filter paus (for Prospray / filight-pressure filter fir-01) | Al title liv. | cat. |
|----------|---|---------------|------|
| 0 | Filter cartridge, 30 MA, for ProSpray / high-pressure filter HF-01 | 730-067-30 | DPZU |
| | Filter cartridge, 60 MA, for ProSpray / high-pressure filter HF-01 | 730-067 | DPZU |
| | Filter cartridge, 100 MA, for ProSpray / high-pressure filter HF-01 | 730-067-10 | DPET |
| 1 | Supporting shell, for ProSpray / high-pressure filter HF-01 | 757-105 | DPET |
| | Supporting disc, for ProSpray / high-pressure filter HF-01 | 702-251 | DPET |

| High-pre | ssure filter pads (for HeavyCoat) | Article no. | Cat. |
|----------|--|-------------|------|
| (MA) | Filter cartridge, 0 MA, for HeavyCoat / LineCoat | 930-004 | DPET |
| (600) | Filter cartridge, 5 MA, for HeavyCoat / LineCoat | 349431 | DPET |
| | Filter cartridge, 50 MA, for HeavyCoat / LineCoat | 930-006 | DPET |
| 1 | Filter cartridge, 100 MA, for HeavyCoat / LineCoat | 930-007 | DPET |

| | 2 |
|--|---|
| | |

| Suction s | ystem (for SuperFinish) | Article no. | Cat. |
|-----------|--|-------------|------|
| 7 | Suction system, for SF 23 Plus, incl. PumpRunner | 2342879 | DPET |
| | Filter DN25 MW = 1.0 mm, for SF 23 Plus | 2323325 | ILZU |
| r | QuickClean suction system, for SF 21 / SF 23 / SF 1500 | 341262 | DPZU |
| 7 | QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra | 341263 | DPZU |
| 670 | Filter for suction system, M38x1.5 1 mm MW (SF 27 / SF 31 / SF 1750 and F 500) | 341435 | DPET |
| | Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| 0 | Suction system for containers, with suction filter, 3.5 m | 97083 | DPZU |
| | Suction system; flexible; for emulsion; DN25 | 34630 | DPZU |
| | Filter basket; for flexible suction system; for emulsion; 0.8 mm MW | 36580 | DPET |
| 0 | Metex filter support cage | 34950 | DPZU |
| V | Filter bag for emulsions, for Metex filter support cage, 5 pieces | 34951 | DPZU |

| systems (for ProSpray) | Article no. | Cat. |
|--|--|--|
| Suction hose, for rigid suction system, for PS 3.29 / PS 26 on cart | 705-054 | DPET |
| Intake elbow for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on trolley | 451-241 | DPET |
| Return hose for rigid suction system, for PS 3.29 / PS 26 on trolley | 702-239 | DPET |
| Return hose for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart | 800-904 | DPET |
| Clamp for rigid suction system, PS 3.29 / PS 26 / PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart | 730-334 | DPET |
| Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| Blind plug for C-coupling | 97305 | DPZU |
| Suction system for containers, with suction filter, 3.5 m | 97083 | DPZU |
| Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose | 250243 | DPFILT |
| Suction hose, flexible, for PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 on stand or cart | 704-300A | DPET |
| Filter for suction system, PS 3.21 / P 20 | 295565 | DPET |
| Filter for suction system, MA 10, PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 | 700-805 | DPET |
| Filter for suction system, MA 10, PS 3.31 / PS 3.34 / PS 30 / PS 34 | 349602 | DPET |
| Metex filter support cage | 34950 | DPZU |
| | 34951 | DPZU |
| | Suction hose, for rigid suction system, for PS 3.29 / PS 26 on cart Intake elbow for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on trolley Return hose for rigid suction system, for PS 3.29 / PS 26 on trolley Return hose for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart Clamp for rigid suction system, PS 3.29 / PS 26 / PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart Clamp for rigid suction system, PS 3.29 / PS 26 / PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart Blind plug for C-coupling Suction system for containers, with suction filter, 3.5 m Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose Suction hose, flexible, for PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 on stand or cart Filter for suction system, PS 3.21 / P 20 Filter for suction system, MA 10, PS 3.23 / PS 3.25 / PS 3.29 / PS 3.29 / PS 22 / PS 24 / PS 26 Filter for suction system, MA 10, PS 3.31 / PS 3.34 / PS 30 / PS 34 | Suction hose, for rigid suction system, for PS 3.29 / PS 26 on cart 705-054 Intake elbow for rigid suction system, for PS 3.29 / PS 26 on trolley 815-241 Return hose for rigid suction system, for PS 3.29 / PS 26 on trolley 702-239 Return hose for rigid suction system, for PS 3.29 / PS 26 on trolley 702-334 Clamp for rigid suction system, For PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart 800-904 Clamp for rigid suction system, PS 3.29 / PS 26 / PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart 730-334 Suction system for containers, C-coupling, curved connection, 1.4 m 97082 Blind plug for C-coupling 97305 Suction system for containers, with suction filter, 3.5 m 97083 Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose 250243 Filter for suction system, PS 3.21 / P 20 295565 Filter for suction system, MA 10, PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 on stand or cart 704-300A Filter for suction system, MA 10, PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 Filter for suction system, MA 10, PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 Filter for suction system, MA 10, PS 3.31 / PS 3.34 / PS 30 / PS 34 349602 |

Cat.

Article no.

| Article no. | Cat. |
|-------------|--------------------------------------|
| 349580 | DPET |
| 349907 | DPZU |
| 349252 | DPET |
| 342205 | DPZU |
| 97305 | DPZU |
| 9991651 | DPZU |
| | 349580 349907 349252 342205 |

| Hopper | Article no. | Cat. |
|------------------------|-------------|------|
| 20 litre hopper, M36x2 | 341266 | DPZU |

| Large volume containers | Article no. | Cat. |
|---|-------------|------|
| Adapter set for large volume container, for PS 3.25 | 2312155 | DPZU |
| Adapter set for large volume container, for PS 3.29 - PS 3.34 | 2312156 | DPZU |
| Adapter set for large volume container, for PS 3.39 | 2312157 | DPZU |
| Container Connector PS 39/HC | 2383128 | DPZU |
| Container Connector SF27/SF31 | 2371930 | DPZU |
| Large volume container incl. sack support, roller press and adaptor set for HeavyCoat | 2309955 | DPZU |

| T | Large volume container, incl. sack support and roller press | 2309960 | DPZU |
|---------------|--|-------------|------|
| × 1 | Large volume containers | 2309956 | DPZU |
| - | Press table incl. guide rail for roller | 2323178 | DPZU |
| Connecto | ors / double connectors | Article no. | Cat. |
| | Double connector $A = 1/4^{\prime\prime} \times 1/4^{\prime\prime}$ | 34038 | DPZU |
| An in-depth s | ummary of all nozzles can be found in the final chapter, "Accessories". | | |
| Cleaning | / storage / preserving / operating materials | Article no. | Cat. |
| | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZU |
| | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZU |
| | EasyGlide, special oil, 118 ml | 508619 | DPET |
| | Hydraulic oil Divinol 1 litre, for diaphragm pumps | 21061 | DPET |
| 1 | PumpRunner, for SF 23 Plus / SF 27 / SF 31 / PS 3.25 / PS 3.29 / PS 3.34 | 2306987 | DPZU |
| | TipClean, container incl. special cleaner | 97108 | DPZU |
| | TipClean, container incl. special cleaner, box (24 pieces) | 97109 | DPZU |
| | TipClean, refill bottle, 1 liter | 97110 | DPZU |
| | | | |

Large volume containers


| Tools | | Article no. | Cat. |
|-------|--|-------------|------|
| ^ | Adjusting spanner | 9991114 | DPZU |
| - > | Double open ended spanner for inlet valve for SF 21 / SF 23 | 344340 | DPET |
| 1 | Double open-ended spanner for inlet valve, for SF 27 / SF 31 | 341434 | DPET |
| - | Strap spanner for HP filters | 349720 | DPET |

| Other | Article no. | Cat. |
|--|-------------|-------|
| FI-Protection PRCD 230 V / 16 A | 9956257 | DPZU |
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |
| Pressure gauge set assy. HEA(MPa) | 2383995 | DPZU |


Notes

Pictures may differ from the original product.

Pictures may differ from the original product.



wagner-group.com 43



Clean application. The intelligent, energy-saving solution.

Whether you are handling fillers, plaster or adhesives – applying these materials is truly hard work. The transport of the material in multi-storey buildings is tiring and dirt and mess are guaranteed. With WAGNER's machine technology, things are a lot easier. This makes it possible to pump the material automatically to heights of up to 30 m. This not only ensures a flawless surface but also optimises construction site logistics.

wagner-group.com 45 wagner-group.com

Product comparison





| | ProSpray 3.39 Filler | HeavyCoat 750 (E) = Electric (G) = Petrol-driven | HeavyCoat 750 E SSP | HeavyCoat 950 (E) = Electric (G) = Petrol-driven | HeavyCoat 970 (E) = Electric (G) = Petrol-driven |
|---|----------------------|--|------------------------|--|--|
| Spraying method | | | < | | |
| Product image (may differ) | | The state of the s | | | |
| Art. No. | 2308264 | (E) = 2371027 (G) = 2371029 | 2371028 | (E) =2332184 (G) = 2332186 | (E) = 2332191 (G) = 2332192 |
| Cat. | DPPS | DPHC | DPHC | DPHC | DPHC |
| Technology | đ | đ | đ | đ | đ |
| Weight | 50 kg | (E) = 85 kg (G) = 81 kg | 86 kg | (E) = 83 kg (G) = 76 kg | (E) =100 kg (G) = 88 kg |
| Motor output | 2.19 kW | (E) = 3.1 kW (G) = 4.1 kW | 3.1 kW | (E) = 3.6 kW (G) = 4.1 kW | (E) = 5.5 kW (G) = 6 kW |
| Drive | | | * | * | * |
| Voltage | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | (E) = 230 V / 50 Hz | (E) = 400 V / 50 Hz |
| Max. nozzle size | 0.039" | 0.043" | 0.043" | 0.052" | 0.056" |
| Max. operating pressure | 221 bar, 22.1 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa |
| Max. delivery rate | 5 l/min | (E) = 6 l/min (G) = 7.6 l/min | 6.0 l/min | (E) = 6.6 l/min (G) = 8 l/min | (E) = 10 l/min (G) = 12 l/min |
| Max. viscosity | 30.000 mPas | (E) = 50.000 mPas (G) = 65.000 mPas | 50.000 mPas | 50.000 mPas | 65.000 mPas |
| Max. grain size | - | - | - | - | - |
| Material | ProSpray 3.39 Filler | HeavyCoat 750 E/G | HeavyCoat 750 E SSP | HeavyCoat 950 E/G | HeavyCoat 970 E/G |
| Flame retardant, corrosion protection, fabric adhesives | S | М | М | М | L |
| Fillers, Airless spraying fillers | S | М | М | М | L |
| Structural waterproofing (bituminous coatings, thick coating materials) | - | М | М | М | L |
| Plaster (brush rendering / concrete contact primer, final coat) | - | - | - | - | - |

| Flame retardant, corrosion protection, fabric adhesives | S | М | М | М | L |
|--|---|---|---|---|---|
| Fillers, Airless spraying fillers | S | M | M | М | L |
| Structural waterproofing (bituminous coatings, thick coating materials) | - | М | М | М | L |
| Plaster (brush rendering / concrete contact primer, final coat) | - | - | - | - | - |
| Reinforcing stopper, bonded thermal insulation system adhesives / fillers, mineral renders | - | - | - | - | - |

Suitable for following object sizes: $S = less than 200 m^2$, $M = 200 m^2 - 800 m^2$, $L = over 800 m^2$, - = not suitable

| HeavyCoat 950 SSP | HeavyCoat 970 SSP | PlastCoat 830 E | PlastCoat 1030 E | PlastMax | PlastCoat HP 10 |
|--|--|--|------------------|---------------|--|
| (E) = Electric (G) = Petrol-driven | (E) = Electric (G) = Petrol-driven | | | | |
| | < | | | | 4 |
| | | | | | |
| (E) = 2332187 (G) = 2332189 | (E) = 2332193 (G) = 2332194 | 2308305 | 2361588 | 2361587 | 2367228 |
| DPHC | DPHC | DPPC | DPPC | DPPC | DPPC |
| đ | R | S. S | CE TO | E | C. C |
| (E) = 84 kg (G) = 76 kg | (E) = 103 kg (G) = 88 kg | 47 kg | 59 kg | 178 kg | 80 kg |
| (E) = 3.6 kW (G) = 4.1 kW | (E) = 5.5 kW (G) = 6 kW | 1.8 kW | 2.2 kW | 3.0 kW | 2.2 kW |
| | * 1 | | * | F | |
| (E) = 230 V / 50 Hz | (E) = 400 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz |
| 0.052" | 0.056" | - | - | - | 0.045" |
| 250 bar, 25 MPa | 250 bar, 25 MPa | 40 bar, 4 MPa | 40 bar, 4 MPa | 40 bar, 4 MPa | 120 bar / 12 MPa |
| (E) = 6.6 l/min (G) = 8 l/min | (E) = 10 l/min (G) = 12 l/min | 12 l/min | 15 l/min | 15 l/min | 6 l/min |
| 50.000 mPas | 65.000 mPas | - | - | - | - |
| - | - | K3 mm | K6 mm | K6 mm | - |
| | | | | | |


| HeavyCoat 950 E/G SSP | HeavyCoat 970 E/G SSP | PlastCoat 830 E | PlastCoat 1030 E | PlastMax | PlastCoat HP 10 |
|--------------------------|--------------------------|-----------------|------------------|----------|-----------------|
| М | L | S-M | M-L | M-L | M-L |
| М | L | S-M | M-L | + | S-M |
| М | L | S-M | M-L | M-L | - |
| - | - | S-M | M-L | M-L | - |
| - | - | S-M | M-L | M-L | - |

wagner-group.com 47 46 wagner-group.com

The following pump technologies are available in this chapter

Piston pump

Screw pump





ProSpray 3.39 Filler Spraypack

Entry-level filler unit

- More power: Greater suction performance thanks to the low position of the suction valve
- The most powerful pump in the ProSpray family: Even able to cope with Airless spraying
- · Innovative ProSpray product features: Tilting trolley change paints without using tools,

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| ProSpray 3.39 Filler Spraypack | 2308264 | DPPS |
| Basic unit, PS 3.39 | 558008 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | |
| 2SpeedTip, S10, 235 / 527 | 271049 | |
| Connector 3/8" x 1/2" | 814-005 | |



HeavyCoat 750 E Spraypack / 230 V



New compact power pack for heavy material

- · Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such as bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- · Maximum user-friendliness thanks to simple operation

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 750 E Spraypack / 230 V | 2371027 | DPHC |
| Basic unit; HC 750 E | 537004 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, S10, 235 / 527 | 271049 | |
| | | |

HeavyCoat 750 G Spraypack / **Petrol**



New compact power pack for heavy material

- · Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such as bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- · Maximum user-friendliness thanks to simple operation

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 750 G Spraypack / Petrol | 2371029 | DPHC |
| Basic unit; HC 750 G | 537006 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, S10, 235 / 527 | 271049 | |



NEW

HeavyCoat 750 E SSP Spraypack / 230 V



New compact power pack for heavy material

- Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- · Powerful: constant performance for the application of heavy, filled and high-viscosity materials such as bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- · Maximum user-friendliness thanks to simple operation

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 750 E SSP Spraypack / 230 V | 2371028 | DPHC |
| Basic unit; HC 750 E SSP | 537009 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Connector 3/8" x 1/2" | 814-005 | |
| 2SpeedTip, S10, 235 / 527 | 271049 | |
| Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | |



HeavyCoat 950 E Spraypack / 230 V



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 950 E Spraypack / 230 V | 2332184 | DPHC |
| Basic unit, HC 950 E | 528501 | |
| HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, D40, 117 / 427 | 271048 | |



HeavyCoat 950 G Spraypack / **Petrol**



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Article no. | Cat. |
|-------------|--|
| 2332186 | DPHC |
| 528500 | |
| 2336583 | |
| 179732 | |
| 0502081A | |
| 271048 | |
| | 2332186 528500 2336583 179732 0502081A |



HeavyCoat 970 E Spraypack / 400 V



All-round Xtra speed for XL projects

With a delivery volume of 10 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 10 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 970 E Spraypack / 400 V | 2332191 | DPHC |
| Basic unit, HC 970 E | 528509 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, S20, 243 / 539 | 271050 | |



HeavyCoat 970 G Spraypack / **Petrol**



All-round Xtra speed for XL projects

With a delivery volume of 12 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 12 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 970 G Spraypack / Petrol | 2332192 | DPHC |
| Basic unit, HC 970 G | 528508 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, S20, 243 / 539 | 271050 | |



HeavyCoat 950 E SSP Spraypack / 230 V



Power pack for heavy materials

- Equipped with shovel piston for enhanced performance (SSP)
- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 950 E SSP Spraypack / 230 V | 2332187 | DPHC |
| Basic unit, HC 950 E SSP | 528503 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | |
| 2SpeedTip, S20, 243 / 539 | 271050 | |



HeavyCoat 950 G SSP Spraypack / 🗹 🖥 **Petrol**



Power pack for heavy materials

- Equipped with shovel piston for enhanced performance (SSP)
- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 950 G SSP Spraypack / Petrol | 2332189 | DPHC |
| Basic unit, HC 950 G SSP | 528502 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | |
| 2SpeedTip, S20, 243 / 539 | 271050 | |



HeavyCoat 970 E SSP Spraypack / 400 V



All-round Xtra speed for XL projects

With a delivery volume of 12 l/min, the HC 970 is WAGNER's most powerful hydraulically-

- Equipped with shovel piston for enhanced performance (SSP)
- The perfect choice for large areas and intensive usage
- · Maximised capacity: With a delivery volume of 12 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 970 E SSP Spraypack / 400 V | 2332193 | DPHC |
| Basic unit, HC 970 E SSP | 528507 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | |
| 2SpeedTip, S20, 243 / 539 | 271050 | |



HeavyCoat 970 G SSP Spraypack / **Petrol**



All-round Xtra speed for XL projects

With a delivery volume of 12 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- Equipped with shovel piston for enhanced performance (SSP)
- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 12 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 970 G SSP Spraypack / Petrol | 2332194 | DPHC |
| Basic unit, HC 970 G SSP | 528506 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | |
| 2SpeedTip, S20, 243 / 539 | 271050 | |

Accessories for conversion (piston pumps)

| Airless emulsion applications | Article no. | Cat. |
|--|-------------|--------|
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | DPALG |
| Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder | 502166 | DPALG |
| Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8" | 296441 | DPALG |
| Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16" | 296443 | DPALG |
| Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8" | 296442 | DPALG |
| Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16" | 296444 | DPALG |
| Nozzle extension, 15 cm, G-thread, with holder without nozzle | 556074 | DPALG |
| Nozzle extension, 15 cm, F-thread, with holder, without nozzle | 556051 | DPALG |
| Nozzle extension, 30 cm, G-thread, with holder without nozzle | 556075 | DPALG |
| Nozzle extension, 30 cm, F-thread, with holder, without nozzle | 556052 | DPALG |
| Nozzle extension, 45 cm, G-thread, with holder without nozzle | 556076 | DPALG |
| Nozzle extension, 45 cm, F-thread, with holder, without nozzle | 556053 | DPALG |
| Nozzle extension, 60 cm, G-thread, with holder without nozzle | 556077 | DPALG |
| Nozzle extension, 60 cm, F-thread, with holder, without nozzle | 556054 | DPALG |
| Nozzle extension, 1 m with swivelling knee joint; F-thread | 96015 | DPALG |
| Nozzle extension, 2 m with swivelling knee joint; F-thread | 96016 | DPALG |
| Nozzle extension, 3 m with swivelling knee joint; F-thread | 96017 | DPALG |
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| TwinTip nozzles; a summary table can be found in the final chapter, "Accessories" | 1009XXX | DPTIP |
| Adjustable fan tip nozzles; a summary table can be found in the final chapter, "Accessories" | 9990XX | DPTIP |
| Knee joint with screw (G-thread) | 286908 | DPET |
| Knee joint, F-thread, for nozzle extension | 97009 | DPZU |
| Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse | 89323 | DPFILT |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| HP hose DN6, 27 MPa, NPSM 1/4", 30 m | 9984575 | DPHOSE |
| Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE | 9984458 | DPHOSE |
| Double connector A = 1/4" x 1/4" | 34038 | DPZU |
| | | |

wagner-group.com wagner-group.com 55

| Airless rollers | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

| Processing of large volumes (for Dispersion mit PS 3.39/Heavy Coat) | Article no. | Cat. |
|---|-------------|------|
| Adapter for container suction system; for PS 3.39 | 524252 | DPET |
| Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| Suction system for containers, with suction filter, 3.5 m | 97083 | DPZU |
| Adapter set for large volume container, for PS 3.39 | 2312157 | DPZU |
| Large volume containers | 2309956 | DPZU |
| Inlet elbow, 2-C, for HeavyCoat | 349252 | DPET |
| Large volume container, incl. sack support and roller press | 2309960 | DPZU |
| Large volume container incl. sack support, roller press and adaptor set for HeavyCoat | 2309955 | DPZU |
| Press table incl. guide rail for roller | 2323178 | DPZU |
| Container Connector PS 39/HC | 2383128 | DPZU |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

| Corrosion and structural protection | Article no. | Cat. |
|---|-------------|--------|
| Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | DPALG |
| Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder | 2341126 | DPALG |
| HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | DPHOSE |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | DPHOSE |
| Double connector A = 1/2" x 3/8" (hose reducer) | 3203026 | ILZP |
| Transition fitting $I = M16x1.5 x A = 1/2$ " | 349256 | DPET |
| Large volume container incl. sack support, roller press and adaptor set for HeavyCoat | 2309955 | DPZU |
| Large volume containers | 2309956 | DPZU |
| Press table incl. guide rail for roller | 2323178 | DPZU |

| Conversion to petrol (for HeavyCoat devices 950/970) | Article no. | Cat. |
|--|-------------|------|
| Kit for conversion to petrol operation, 4.8 PS, Honda | 0290614A | DPET |
| Kit for conversion to petrol-driven operation, 8.5 PS, Honda | 0290456A | DPET |

| Conversion to electrical operation (for HeavyCoat devices 950/970) | Article no. | Cat. |
|--|-------------|------|
| Kit for conversion to electric motor, 230 V | 0528611A | DPZU |
| Kit for conversion to electric motor, 400 V | 0528612A | DPET |

| Texture-effect application | Article no. | Cat. |
|--|-------------|------|
| Texture-effect set for applying spray filler | 258720 | DPZU |

2

Л

5

6

7

10

| Guns | | Article no. | Cat. |
|----------|--|-------------|-------|
| | Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | DPALG |
| | Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder | 502166 | DPALG |
| Sign | Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | DPALG |
| 11 | Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder | 2341126 | DPALG |
| | Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8" | 296441 | DPALG |
| | Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16" | 296443 | DPALG |
| | Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8" | 296442 | DPALG |
| <i>*</i> | Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16" | 296444 | DPALG |

| Nozzle extensions | | Article no. | Cat. |
|-------------------|--|-------------|-------|
| _ | ClearSpray valve, G-thread | 0521012A | DPALG |
| | ClearSpray valve, F-thread | 0521012F | DPALG |
| 9 | Nozzle extension, 15 cm, G-thread, with holder without nozzle | 556074 | DPALG |
| 8 | Nozzle extension, 15 cm, F-thread, with holder, without nozzle | 556051 | DPALG |
| 8 | Nozzle extension, 30 cm, G-thread, with holder without nozzle | 556075 | DPALG |
| 8 | Nozzle extension, 30 cm, F-thread, with holder, without nozzle | 556052 | DPALG |
| | Nozzle extension, 45 cm, G-thread, with holder without nozzle | 556076 | DPALG |
| 6 | Nozzle extension, 45 cm, F-thread, with holder, without nozzle | 556053 | DPALG |
| 8 | Nozzle extension, 60 cm, G-thread, with holder without nozzle | 556077 | DPALG |
| 78 | Nozzle extension, 60 cm, F-thread, with holder, without nozzle | 556054 | DPALG |

| Nozzle ex | Nozzle extensions | | Cat. |
|-----------|--|--------|-------|
| 4 | Knee joint, F-thread, for nozzle extension | 97009 | DPZU |
| | Knee joint with screw (G-thread) | 286908 | DPET |
| | Nozzle extension, 1 m with swivelling knee joint; F-thread | 96015 | DPALG |
| | Nozzle extension, 2 m with swivelling knee joint; F-thread | 96016 | DPALG |
| | Nozzle extension, 3 m with swivelling knee joint; F-thread | 96017 | DPALG |
| | Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |

| Nozzles | Article no. | Cat. |
|--|-------------|-------|
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| TwinTip nozzles; a summary table can be found in the final chapter, "Accessories" | 1009XXX | DPTIP |
| Adjustable fan tip nozzles; a summary table can be found in the final chapter, "Accessories" | 9990XX | DPTIP |

| Nozzle holder | | Article no. | Cat. |
|---------------|--|-------------|--------|
| 2 | Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles | 289390 | DPTIP |
| 0 | Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles | 289391 | DPTIP |
| 5 | Double seal set, 5 pieces, for TradeTip 3 nozzles | 556037 | DPZU |
| > | Nozzle holder, for low overspray, for TwinTip nozzles | 1006001 | ILET |
| 000 | Saddle seal, for nozzle holder, for TwinTip nozzles | 1006700 | ILPCZU |

| Nozzle holder | | Article no. | Cat. |
|----------------|----------------------------|-------------|------|
| Adapter, G- to | F-thread, I=7/8", A=11/16" | 553300 | DPZU |

| High-pre | ssure filter pads (for ProSpray / high-pressure filter HF-01) | Article no. | Cat. |
|----------|---|-------------|------|
| 0 | Filter cartridge, 30 MA, for ProSpray / high-pressure filter HF-01 | 730-067-30 | DPZU |
| | Filter cartridge, 60 MA, for ProSpray / high-pressure filter HF-01 | 730-067 | DPZU |
| | Filter cartridge, 100 MA, for ProSpray / high-pressure filter HF-01 | 730-067-10 | DPET |
| | Supporting shell, for ProSpray / high-pressure filter HF-01 | 757-105 | DPET |
| | Supporting disc, for ProSpray / high-pressure filter HF-01 | 702-251 | DPET |

| High-pre | ssure filter pads (for HeavyCoat) | Article no. | Cat. |
|-----------|--|-------------|------|
| Carrier S | Filter cartridge, 0 MA, for HeavyCoat / LineCoat | 930-004 | DPET |
| () | Filter cartridge, 5 MA, for HeavyCoat / LineCoat | 349431 | DPET |
| | Filter cartridge, 50 MA, for HeavyCoat / LineCoat | 930-006 | DPET |
| | Filter cartridge, 100 MA, for HeavyCoat / LineCoat | 930-007 | DPET |

| Hoses | | Article no. | Cat. |
|-------|--|-------------|--------|
| 9 | HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | DPHOSE |
| | HP hose DN10, max. 25 MPa, NPSM 3/8", 30 m | 2336584 | DPHOSE |
| | HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | DPHOSE |
| | HP hose DN19, max. 25 MPa, NPSM 3/4", 15 m | 2336586 | DPHOSE |

| Hose whips | | Cat. |
|---|---------|--------|
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | DPHOSE |
| Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE | 9984458 | DPHOSE |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

| Suctions | Suction systems (for HeavyCoat) | | Cat. |
|----------|---|---------|------|
| - | Container suction system, incl. C-coupling adapter, for HeavyCoat | 349907 | DPZU |
| 0 | Inlet elbow, 2-C, for HeavyCoat | 349252 | DPET |
| | Inlet elbow, for HeavyCoat | 349580 | DPET |
| I | Intake elbow for fillers, for HeavyCoat | 2340003 | DPET |

| Processing of large volumes | | Cat. |
|---|---------|------|
| Press table incl. guide rail for roller | 2323178 | DPZU |
| Large volume containers | 2309956 | DPZU |

| Processing of large volumes | Article no. | Cat. |
|---|-------------|------|
| Large volume container, incl. sack support and roller press | 2309960 | DPZU |
| Large volume container incl. sack support, roller press and adaptor set for HeavyCoat | 2309955 | DPZU |
| Container suction system, incl. C-coupling adapter, for HeavyCoat | 349907 | DPZU |
| Container Connector PS 39/HC | 2383128 | DPZU |

| Double c | onnector (for connection to HD filter) | Article no. | Cat. |
|----------|--|-------------|------|
| | Double connector A = 1/4" NPS x 3/8" NPT | 812-003 | DPET |
| | Double connector A = 3/4"NPSM x 3/8"NPSM; 53 MPa | 9985783 | DPZU |
| | Double connector A = 3/8" NPT x A = 1/2" NPS | 815-005 | DPET |

| ors / double connectors | Article no. | Cat. |
|--|---|---|
| Double connector $A = 1/2^{\circ} \times 1/2^{\circ}$ (hose connector) | 3202901 | ILSET |
| Double connector A = 1/2" x 3/8" (hose reducer) | 3203026 | ILZP |
| Double connector A = 1/4"NPSM x 3/8"NPSM; 53 MPa | 367561 | DPZU |
| Double connector A = 1/4" x 1/4" | 34038 | DPZU |
| Double connector A = 1/4" x M16x1.5 | 34033 | DPZU |
| Double connector A = 3/4"NPSM x 1/2"NPSM; 53 MPa | 9985782 | DPZU |
| Double connector A = 3/8"NPS x 3/8"NPS; 53 MPa | 256343 | DPZU |
| | Double connector A = 1/2" x 1/2" (hose connector) Double connector A = 1/2" x 3/8" (hose reducer) Double connector A = 1/4"NPSM x 3/8"NPSM; 53 MPa Double connector A = 1/4" x 1/4" Double connector A = 1/4" x M16x1.5 Double connector A = 3/4"NPSM x 1/2"NPSM; 53 MPa | Double connector A = 1/2" x 1/2" (hose connector) 3202901 Double connector A = 1/2" x 3/8" (hose reducer) 3203026 Double connector A = 1/4"NPSM x 3/8"NPSM; 53 MPa 367561 Double connector A = 1/4" x 1/4" 34038 Double connector A = 1/4" x M16x1.5 34033 Double connector A = 3/4"NPSM x 1/2"NPSM; 53 MPa 9985782 |

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".

| Cleaning | g / storage / preserving / operating materials | Article no. | Cat. |
|----------|--|-------------|------|
| | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZU |
| | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZU |

| Cleaning | y / storage / preserving / operating materials | Article no. | Cat. |
|----------|--|-------------|------|
| | EasyGlide, special oil, 118 ml | 508619 | DPET |
| | Hydraulic oil 5 litre, for HeavyCoat | 349909 | DPET |
| | TipClean, container incl. special cleaner | 97108 | DPZU |
| | TipClean, container incl. special cleaner, box (24 pieces) | 97109 | DPZU |
| | TipClean, refill bottle, 1 liter | 97110 | DPZU |

| Tools | Article no. | Cat. |
|---|-------------|--------|
| Adjusting spanner | 9991114 | DPZU |
| Coupling spanner with thermally insulated handle (2x) | 9100099 | DPPCZU |
| Relief combination, for HeavyCoat | 349911 | DPZU |
| Strap spanner for HP filters | 349720 | DPET |

| Other | Article no. | Cat. |
|-----------------------------------|-------------|------|
| FI-Protection PRCD 230 V / 16 A | 9956257 | DPZU |
| Pressure gauge set assy. HEA(MPa) | 2383995 | DPZU |



PlastCoat 830 E Spraypack

High-performance plaster spraying system for large areas

- Professional coverage of large areas: powerful motor and integrated material container
- · Practical: Automatic stator extraction for easy cleaning
- Wide range of possibilities: Rounded off by accessories such as bag presses
- Easy to transport: Easy to dismantle
- Possibility to switch the pump on or off directly at the spray lance (electrically)

| Scope of delivery | Article no. | Cat. | Price in € |
|---|-------------|------|------------|
| PlastCoat 830 E Spraypack | 2308305 | DPPC | 4,090.00 |
| Basic unit, PC 830 E | 2308660 | | |
| Mortar hose DN25, M/V35, 10 m, including air hose and control cable | 2325197 | | |
| Spraying lance, automatic, incl. 6 mm nozzle | 2334115 | | |
| Pump lubricant 500 ml | 9992824 | | |
| Tool bag | 3799003 | | |
| Cleaning accessories | - | | |



PlastCoat 1030 E Spraypack



The power to handle large volumes – compact and versatile

- Compact and lightweight: 58 kg of weight with a delivery height of 20 m and delivery radius of 40 m, materials up to a grain size of 6 mm supported
- Easy cleaning for use on building sites: automatic stator extraction and automatic pres-
- For large surfaces and easy transport: integrated 50-litre plastic container, four wheels and a low overall height
- · Maintenance-free and robust: brushless DC motor for a high torque
- Closing the gun turns off pump (electric)

| Scope of delivery | Article no. | Cat. | Price in € |
|---|-------------|------|------------|
| PlastCoat 1030 E Spraypack | 2361588 | DPPC | 5,325.00 |
| Base unit; PC 1030 | 2360345 | | |
| Mortar hose DN25, M/V35, 10 m, including air hose and control cable | 2325197 | | |
| Spraying lance, automatic, incl. 6 mm nozzle | 2334115 | | |
| Pump lubricant 500 ml | 9992824 | | |
| Tool box, premium, without content | 348450 | | |
| Cleaning accessories | - | | |



PlastMax Spraypack

Mixing pump (230 V) for the economical application of mineral and paste-like materials

- Complete solution: Mixing, pumping and spraying with a single unit
- User-friendly and powerful: clearly arranged control panel including speed inverter and material flow rate (up to 20 l/min, depending on pump casing) and much more
- Easy transport and quick cleaning: the tiltable mixing chamber and the quick stator changing allow an easy cleaning. For transport the unit can be disassembled into four
- Easy to maintain and durable: self-priming water pump with stainless steel case and brass
- Integrated compressor (250 l/min suction power): dirt resistant and oil-free compressed air for low maintenance.

| Scope of delivery | Article no. | Cat. | Price in € |
|--|-------------|------|------------|
| PlastMax Spraypack | 2361587 | DPPC | 7,375.00 |
| Base unit; PlastMax | 2361594 | | |
| Mortar hose DN25, M/V25, 10 m incl. air hose | 2325182 | | |
| In-wall lance, pneumatic | 2334122 | | |
| Accessory box, complete, for PlastMax | 2362233 | | |



PlastCoat HP 10 Spraypack 230 V



High-pressure screw pump for paste-like materials

- High performance: The 230 V system is continuously adjustable and impresses with its high delivery power of max. 6 l/min (depending on the consistency of the materials being
- Compact and robust: Round stainless steel material hopper with a capacity of 40 l and tyres suitable for construction site use make the machine an ideal partner for daily use
- No additional compressor required: up to 120 bar working pressure
- Innovative product features: Hard-wearing, easy to clean, quiet operation and much
- Safety grate shields user from contact with rotating pump for maximum user protection
- Quiet and hard-wearing: low-maintenance, valve-less pump with quiet operation

| Scope of delivery | Article no. | Cat. | Price in € |
|--|-------------|------|------------|
| PlastCoat HP 10 Spraypack 230 V | 2367228 | DPPC | 7,040.00 |
| Basic unit; PlastCoat HP10 | 2367227 | | |
| Mortar hose (DN 19; 10 m) | 2368630 | | |
| Mobility hose (DN 13; 2.5 m) | 2368631 | | |
| Spray lance (without nozzle holder and nozzle) | 2368604 | | |
| TradeTip 3 nozzle, 643 | 553643 | | |
| TradeTip 3 nozzle holder | 289390 | | |

| Flow mixer | Article no. | Cat. |
|---|-------------|------|
| PlastMix 15 flow mixer | 2348669 | DPPC |
| PlastMix 15 flow mixer, PUR mixing tube, incl. booster pump | 2360039 | DPPC |
| PlastMix 15 flow mixer, incl. booster pump | 2351507 | DPPC |
| PlastMix 15 flow mixer; PUR mixing pipe | 2359240 | DPPC |

| Accessor | ies for PlastMax | Article no. | Cat. |
|----------|--|-------------|--------|
| W. | Accessory box, complete, for PlastMax | 2362233 | DPPC |
| | PlastMax Mixing shaft, light materials | 2366915 | DPPCZU |
| | PlastMax Turbo Mixer | 2371521 | DPPCET |
| | Rotor PlastMAX D5-2,5 | 2363614 | DPPCET |
| | Rotor PlastMax D4-1/2 | 2366947 | DPPCET |
| | Rotor PlastMax D4-1/4 | 2366951 | DPPCET |
| | Rotor PlastMax D8-1,5 | 2369949 | DPPCET |
| | Stator PlastMAX D5-2,5 | 2363615 | DPPCET |
| | Stator PlastMax D4-1/2 | 2366948 | DPPCET |
| | Stator PlastMax D4-1/4 | 2366952 | DPPCET |
| | Stator PlastMax D8-1,5 | 2369950 | DPPCET |

| ressories for PlastCoat HP 10 | Article no. | Cat. |
|--|-------------|--------|
| Cleaning and conservation agent (1 l) | 2368525 | DPPCET |
| Cleaning ball; for PlastCoat HP 10 (DN 20mm) | 2368524 | DPPCZU |
| Extension cable for remote operation (10 m) | 2368540 | DPPCZU |
| Extension cable for remote operation (20 m) | 2368544 | DPPCZU |
| Extension cable for remote operation (40 m) | 2368546 | DPPCZU |
| Extension cable for remote operation (5 m) | 2368535 | DPPCZU |
| Extension hose (DN 19, 10m) | 2368627 | DPPCZU |
| | | |

| Accessories for PlastCoat HP 10 | Article no. | Cat. |
|---|-------------|--------|
| Extension hose (DN 19, 20m) | 2368628 | DPPCZU |
| Extension hose (DN 19, 30m) | 2368629 | DPPCZU |
| Mobility hose (DN 13; 2.5 m) | 2368631 | DPPCZU |
| Mortar hose (DN 19; 10 m) | 2368630 | DPPCZU |
| PlastCoat HP10 sack press table | 2367229 | DPPCZU |
| Rotor and stator; complete; for PlastCoat HP 10 | 2367496 | DPPCZU |
| Spray lance (without nozzle holder and nozzle) | 2368604 | DPPCZU |

| Accessories for PlastMix 15 flow mixer | Article no. | Cat. |
|--|-------------|--------|
| Flow meter | 2349234 | DPPCZU |
| Mixing shaft, for PlastMix 15 | 2349436 | DPPCET |
| PUR mixing tube | 2359241 | DPPCET |
| Power cable, 6 m, for PlastMix 15 | 2349166 | DPPCET |
| Solenoid valve | 2349458 | DPPCET |
| Transport shaft, for PlastMix 15 | 2349434 | DPPCET |

| Spraying | lance | Article no. | Cat. |
|----------|-------------------------------|-------------|--------|
| - | Angle head 70° | 2337672 | DPPCZU |
| | Fill and dosing attachment | 2335388 | DPPCZU |
| 4 | Glue attachment | 2335394 | DPPCZU |
| 0 | In-wall lance, automatic | 2334121 | DPPCZU |
| | In-wall lance, pneumatic | 2334122 | DPPCZU |
| | Spray lance extension, 150 cm | 2339400 | DPPCZU |
| | | | |

| Spraying lance | Article no. | Cat. |
|--|-------------|--------|
| ———— Spray lance extension, 200 cm | 2334124 | DPPCZU |
| Spray lance extension, 80 cm | 2334123 | DPPCZU |
| Spraying lance, automatic, incl. 6 mm nozzle | 2334115 | DPPCZU |

| Nozzles | | Article no. | Cat. |
|--|--|-------------|--------|
| STATE OF THE PARTY | Angle head 70° | 2337672 | DPPCZU |
| | In-wall nozzle, 10 mm | 2362235 | DPPCZU |
| | In-wall nozzle, 12 mm | 2362236 | DPPCZU |
| | In-wall nozzle, 14 mm | 268746 | DPPCZU |
| | In-wall nozzle, 16 mm | 268747 | DPPCZU |
| | In-wall nozzle, 18 mm | 268748 | DPPCZU |
| *** | Texture nozzle set, stainless steel, 4/6/8/10 mm | 268905 | DPPCZU |
| | Texture nozzle, stainless steel, 04 mm | 268779 | DPPCZU |
| | Texture nozzle, stainless steel, 05 mm | 348915 | DPPCZU |
| | Texture nozzle, stainless steel, 06 mm | 268780 | DPPCZU |
| | Texture nozzle, stainless steel, 07 mm | 348916 | DPPCZU |
| | Texture nozzle, stainless steel, 08 mm | 268781 | DPPCZU |
| | Texture nozzle, stainless steel, 09 mm | 348917 | DPPCZU |
| | Texture nozzle, stainless steel, 10 mm | 268782 | DPPCZU |
| | Texture nozzle, stainless steel, 12 mm | 342327 | DPPCZU |
| | Texture nozzle, stainless steel, 15 mm | 342328 | DPPCZU |
| | | | |

| Hoses | Article no. | Cat. |
|-------------------------------|-------------|--------|
| Adapter fix connector V35/M25 | 342321 | DPPCET |

| 348920 | |
|---------|--|
| 340920 | DPPCET |
| 2311644 | DPPCET |
| 2324927 | DPPCZU |
| 2334131 | DPPCZU |
| 2325194 | DPPCZU |
| 2325193 | DPPCZU |
| 2325182 | DPPCZU |
| 2325197 | DPPCZU |
| 2363405 | DPPCZU |
| 2325199 | DPPCZU |
| 342215 | DPPCET |
| | 2324927 2334131 2325194 2325193 2325182 2325182 2325197 2363405 |

| Compress | ors | Article no. | Cat. |
|----------|--|-------------|--------|
| Ø. | Air compressor C 330/03 | 2337718 | DPPCZU |
| | VKM 592 compressor, with automatic switch-off, 230V / 50Hz | 2311921 | DPPCZU |

| Pump casings and pump worms | Article no. | Cat. |
|---|-------------|--------|
| Pump casing W10/2.5, 270x89, black, for PC 1030 / PC 25 / PC 35 | 348311 | DPPCET |

| Cleaning a | and storage | Article no. | Cat. |
|------------|------------------------------------|-------------|--------|
| مئن | Tool box, premium, without content | 348450 | DPPCET |

| ther | | Article no. | Cat. |
|----------|---|--|---|
| | Adapter machine plug to Harting | 2337504 | DPPCZ |
| | Cleaning and conservation agent (1 I) | 2368525 | DPPCE |
| | Cleaning ball; for PlastCoat HP 10 (DN 20mm) | 2368524 | DPPCZU |
| 0 | Control cable for automatic lance, 14 m | 2311692 | DPPCZU |
| | Extension cable for remote operation (10 m) | 2368540 | DPPCZl |
| | Extension cable for remote operation (20 m) | 2368544 | DPPCZU |
| | Extension cable for remote operation (40 m) | 2368546 | DPPCZl |
| | Extension cable for remote operation (5 m) | 2368535 | DPPCZl |
| | Extension hose (DN 19, 10m) | 2368627 | DPPCZU |
| | Extension hose (DN 19, 20m) | 2368628 | DPPCZU |
| | Extension hose (DN 19, 30m) | 2368629 | DDDC7I |
| | LACEISION NOSE (DIV 17, 3011) | 2300029 | DPPCZl |
| 文 | Height-adjustable sack press table | 2371563 | DPPCZU |
| 文 | | | |
| × | Height-adjustable sack press table | 2371563 | DPPCZU |
| × | Height-adjustable sack press table Mobility hose (DN 13; 2.5 m) | 2371563 2368631 | DPPCZU DPPCZU |
| 文 | Height-adjustable sack press table Mobility hose (DN 13; 2.5 m) Mortar hose (DN 19; 10 m) | 2371563 2368631 2368630 | DPPCZU DPPCZU DPPCZU |
| × | Height-adjustable sack press table Mobility hose (DN 13; 2.5 m) Mortar hose (DN 19; 10 m) Pump lubricant 500 ml | 2371563 2368631 2368630 9992824 | DPPCZU DPPCZU DPPCZU DPPCE |
| * | Height-adjustable sack press table Mobility hose (DN 13; 2.5 m) Mortar hose (DN 19; 10 m) Pump lubricant 500 ml Remote operation | 2371563 2368631 2368630 9992824 2368460 | DPPCZU DPPCZU DPPCZU DPPCZU DPPCZU |
| 文の | Height-adjustable sack press table Mobility hose (DN 13; 2.5 m) Mortar hose (DN 19; 10 m) Pump lubricant 500 ml Remote operation Rotor and stator; complete; for PlastCoat HP 10 | 2371563 2368631 2368630 9992824 2368460 2367496 | DPPCZU DPPCZU DPPCZU DPPCZU DPPCZU |
| 交 | Height-adjustable sack press table Mobility hose (DN 13; 2.5 m) Mortar hose (DN 19; 10 m) Pump lubricant 500 ml Remote operation Rotor and stator; complete; for PlastCoat HP 10 Seal, fix-coupling M27 | 2371563 2368631 2368630 9992824 2368460 2367496 342314 | DPPCZU DPPCZU DPPCZU DPPCZU DPPCZU DPPCZU |
| · * | Height-adjustable sack press table Mobility hose (DN 13; 2.5 m) Mortar hose (DN 19; 10 m) Pump lubricant 500 ml Remote operation Rotor and stator; complete; for PlastCoat HP 10 Seal, fix-coupling M27 Seal, fix-coupling M35 | 2371563 2368631 2368630 9992824 2368460 2367496 342314 9971531 | DPPCZU DPPCZU DPPCZU DPPCZU DPPCZU DPPCZU DPPCZU DPPCZU |


| Pump cas | sings and pump worms | Article no. | Cat. |
|----------|--|-------------|--------|
| - | Pump casing W10/3, 270x89, yellow, for PC 1030 / PC 25 / PC 35 | 348315 | DPPCET |
| | Pump casing W15/2, 270x89, brown, for PC 1030 / PC 25 / PC 35 | 348925 | DPPCZU |
| | Pump casing, for PC 430 / PC 830 | 2304954 | DPPCET |
| | Pump worm W10/2.5, Ø = 40 mm, L = 317 mm, black, for PC 1030 / PC 25 / PC 35 | 348312 | DPPCET |
| - | Pump worm W10/3, Ø = 40 mm, L = 320 mm, yellow, for PC 1030 / PC 25 / PC 35 | 348316 | DPPCET |
| 1 | Pump worm W15/2, Ø = 40 mm, L = 320 mm, brown, for PC 1030 / PC 25 / PC 35 | 348926 | DPPCZU |
| On. | Pump worm, for PC 830 | 2304986 | DPPCET |
| | Rotor D8-1,5 | 2385520 | DPPCET |
| | Stator D8-1,5 | 2385532 | DPPCET |


| Cleaning | and storage | Article no. | Cat. |
|----------|--|-------------|--------|
| ** | Bottle brush for cleaning interior of outlet unit and spraying lance | 342329 | DPPCET |
| | Brush with handle and cap | 9100095 | DPPCZU |
| 000 | Cleaning adapter M27GK | 342241 | DPPCZU |
| | Cleaning ball DN19, 25 mm | 342330 | DPPCET |
| | Cleaning ball DN27, 30 mm | 342331 | DPPCET |
| | Cleaning ball DN35, 40 mm | 342332 | DPPCET |
| 9 | Cleaning brush, 280 to 420 mm long | 348959 | DPZU |
| | Cleaning needle, for plaster spraying nozzles | 342916 | DPPCET |
| P | Tool bag | 3799003 | DHET |

 Other
 Article no.
 Cat.

 Toolbox, for PlastCoat
 348958
 DPPCET

Notes





Temperature controlled spraying. Optimised paint application.

Heating up the material in the hose of the TempSpray products improves the spray properties of many materials like impregnations and coatings up to airless spatula. To make coating materials sprayable they usually have to be diluted. Thanks to the heating hose system not only can the solvents be reduced but also the applied film thicknesses can be increased. But these are only a few of this innovative system's many advantages. TempSpray products can be adapted to all Airless units and thus offer a wide field of use.

wagner-group.com 75 wagner-group.com

Product comparison

| | TempSpray H 126 basic unit | TempSpray H 126 Spraypack | TempSpray H 226 basic unit | TempSpray H 226 Spraypack | TempSpray H 326 basic unit |
|-------------------------------|-------------------------------|------------------------------|-------------------------------|------------------------------|-------------------------------|
| Spraying method | - | | - | | - |
| Product image (may differ) | 00 | | 0, | TO. | 0, |
| Art. Nr. | 2311659 | 2311852 | 2311660 | 2311853 | 2311661 |
| Cat. | DPTS | DPTS | DPTS | DPTS | DPTS |
| Technology | - | - | - | | - |
| Weight | 3.2 kg | 3.2 kg | 13.2 kg | 13.2 kg | 16.8 kg |
| Drive | | M. | | | |
| Voltage | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz |
| Power connection cable | 4 m | 4 m | 6 m | 6 m | 6 m |
| Heater power | 0.6 kW | 0.6 kW | 1.3 kW | 1.3 kW | 1.1 kW |
| Material hose length | 10 m | 10 m | 15 m | 15 m | 30 m |
| Max. operating pressure | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa |
| Temperature controller | 20 – 60 °C | 20 – 60 °C | 20 – 60 °C | 20 – 60 °C | 20 – 60 °C |
| Max. Viscosity | 5.000 mPas | 5.000 mPas | 25.000 mPas | 25.000 mPas | 25.000 mPas |

| Material | TempSpray H 126 basic unit | TempSpray H 126 Spraypack | TempSpray H 226 basic unit | TempSpray H 226 Spraypack | TempSpray H 326 basic unit |
|--|-------------------------------|------------------------------|-------------------------------|------------------------------|-------------------------------|
| Wood impregnation, oils, stains, glazes, primers, undercoats, fillers, lacquers, 2K materials (watch the pot life) | + | + | - | - | - |
| Thick film materials, high solids, emulsion paints, latex paints, facade protections, roof coatings | - | - | + | + | + |
| Corrosion proofing, bituminous media, adhesives | - | - | - | - | + |
| Heavy corrosion proofings, Airless filler | - | + | - | + | - |

+ = suitable; - = not suitable

| TempSpray H 326, Spraypack | SuperFinish 23 Plus TS - Skid version | SuperFinish 23 Plus TS - Cart version | TempSpray H 126 AirCoat Spraypack |
|-------------------------------|--|--|--------------------------------------|
| \blacksquare | < | | < |
| *** | | | |
| 2311854 | 2341495 | 2341496 | - |
| DPTS | DPFSF | DPFSF | - |
| - | © | © | - |
| 23 kg | 29 kg | 29 kg | 3.5 kg |
| ** | | M. | |
| 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz |
| 6 m | 6 m | 6 m | 4 m |
| 1.1 kW | 1.3 kW | 1.3 kW | 0.6 kW |
| 30 m | 10 m | 10 m | 10 m |
| 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa |
| 20 – 60 °C | 20 – 60 °C | 20 – 60 °C | 20 – 60 °C |
| 25.000 mPas | 20.000 mPas | 20.000 mPas | 5.000 mPas |

| TempSpray H 326, Spraypack | SuperFinish 23 Plus TS - Skid version | SuperFinish 23 Plus TS - Cart version | TempSpray H 126 AirCoat Spraypack |
|-------------------------------|--|--|--------------------------------------|
| | | | |
| - | + | + | + |
| | | | |
| + | - | - | - |
| | | | |
| + | - | - | - |
| | | | |
| - | - | - | - |

_

3

.

5

6

8

9



TempSpray H 126

The material heater that simplifies your work – perfect surface finishes through reduced viscosity

- Easy to use: specially designed for paint jobs, easily adapted for use with all Airless devices
- Effortless operation: flexible, steel-reinforced DN6 hose
- Flexible: continuous temperature regulation from 20°C 60°C
- Lightweight: weighs only 3.5 kg

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| TempSpray H 126 Basic Unit, 10 m | 2311659 | DPTS |
| Scope of delivery | Article no. | Cat. |
| TempSpray H 126 Spraypack, 10 m | 2311852 | DPTS |
| TempSpray H 126 Basic Unit, 10 m | 2311659 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |



TempSpray H 226



- Practical material heater for emulsions
- Specially designed for emulsions, latex paints • Practical: trolley-mounted hose reel for simple transportation on building sites
- Flexible: for indoor and outdoor use, easily adapted to all Airless units

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| TempSpray H 226 Basic Unit, 15 m | 2311660 | DPTS |
| | | |
| Scope of delivery | Article no. | Cat. |
| TempSpray H 226 Spraypack,15 m | 2311853 | DPTS |
| TempSpray H 226 Basic Unit, 15 m | 2311660 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, D10, 111 / 419 | 271045 | |
| | | |



TempSpray H 326



The longest TempSpray of all time: for extended versatility and working radius

- Ideal for emulsions, masonary, facade paints
- Twice the working radius for indoor and outdoor work: 30 m heated hose
- Practical: large trolley-mounted hose reel for simple transportation on building sites

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| TempSpray H 326 Basic Unit, 30 m | 2311661 | DPTS |
| Scope of delivery | Article no. | Cat. |
| TempSpray H 326 Spraypack, 30 m | 2311854 | DPTS |
| TempSpray H 326 Basic Unit, 30 m | 2311661 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, D20, 115 / 421 | 271046 | |



SuperFinish 23 Plus TempSpray Spraypack - Skid version



Enamel specialist with heated hose

- · Perfect surface results thanks to heated hose
- Also ideal for highly viscous materials such as VOC enamels
- The TempSpray system heats the material directly in the hose, thereby ensuring perfect viscosity without thinning, as well as optimum paint application

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 23 Plus TempSpray Spraypack - Skid version | 2341495 | DPFSF |
| Basic unit, SF 23 Plus - Skid version | 2334424 | |
| 5 litre hopper, M36x2 | 341265 | |
| TempSpray H 126 Basic Unit, 10 m | 2311659 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |



SuperFinish 23 Plus TempSpray Spraypack - Cart version



Enamel specialist with heated hose

- Perfect surface results thanks to heated hose
- Also ideal for highly viscous materials such as VOC enamels
- The TempSpray system heats the material directly in the hose, thereby ensuring perfect viscosity without thinning, as well as optimum paint application

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 23 Plus TempSpray Spraypack - Cart version | 2341496 | DPFSF |
| Basic unit, SF 23 Plus on cart | 2334444 | |
| 5 litre hopper, M36x2 | 341265 | |
| TempSpray H 126 Basic Unit, 10 m | 2311659 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |



TempSpray H 126 AirCoat **Spraypack**



The material heater that simplifies your work perfect surface finishes through AirCoat technology and reduced viscosity

- Easy to use: specially designed for paint jobs, easily adapted for use with all AirCoat
- Effortless operation: flexible, steel-reinforced DN6 hose
- Flexible: continuous temperature regulation from 20°C 60°C
- Lightweight: weighs only 3.5 kg

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| TempSpray H 126 AirCoat Spraypack, 10 m | - | - |
| TempSpray H 126 Basic Unit, 10 m | 2311659 | |
| AirCoat gun AC 4600 Professional, incl. blue air cap and holder | 394156 | |
| Air hose DN6, 10 cm, for AirCoat applications, incl. cable tie | 344905 | |



Mobile units for building sites. Perfectly coated surfaces.

wagner-group.com

Is the finish wearing thin? When performing renovation work, in particular, there are numerous objects such as doors, radiators and window frames that often need a new coat of paint. For jobs such as these, WAGNER supplies small but robust units to ensure that your customers are ideally equipped for every application. For paints, glazes, stains or oils, there is an entry-level or professional device to meet every painter's needs.

5 Building trade – Lacquers and wood preservatives

wagner-group.com 83

Product comparison



| | FinishControl 3500 | FinishControl 5000 | FineCoat 9900 Plus | Finish 230 AirCoat compact | SuperFinish 23 Plus AirCoat (A) = Skid version (B) = Cart version |
|-------------------------------|--------------------|-----------------------|---------------------|-------------------------------|--|
| Spraying method | | | | | |
| Product image (may differ) | | | | | |
| Art. No. | 2341501 | 2316090 | 276048 | 2301689 | (A) = 2341489 (B) = 2341490 |
| Cat. | DPXVLP | DPXVLP | DPFC | DPFSF | DPFSF |
| Technology | % | ₩ | % | © | • |
| Weight | 2,3 kg | 8 kg | 10 kg | 40.6 kg | (A) = 24 kg (B) = 29 kg |
| Motor output | 0.7 kW | 1.4 kW | 1.5 kW | 0.56 kW | 1.3 kW |
| Drive | | | | | |
| Voltage | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz | 230 V / 50 Hz |
| Max. nozzle size | - | - | - | 0.019" | 0.023" |
| Max. operating pressure | 0.2 bar, 0.02 MPa | 0.275 bar, 0.0275 MPa | 0.72 bar, 0.072 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa |
| Max. delivery rate | - | - | - | 1.2 l/min | 2.6 l/min |
| Max. Viscosity | - | - | - | - | 20.000 mPas |

| Material | FinishControl 3500 | FinishControl 5000 | FineCoat 9900 Plus | Finish 230 AirCoat compact | SuperFinish 23 Plus AirCoat |
|---|--------------------|--------------------|--------------------|-------------------------------|--------------------------------|
| Release agent, oils, greases | S | S | S-M | S | S-M |
| Glazes, stains and impregnating agents | S | S | S-M | S | S-M |
| Undercoats, primers, fillers, synthetic resin-based paints, acrylic paints | S | S | S-M | S | S-M |

Suitable for following object sizes: $S = less than 200 \text{ m}^2$, $M = 200 \text{ m}^2 - 800 \text{ m}^2$, $L = over 800 \text{ m}^2$, - = not suitable

| SuperFinish 23 Plus AirCoat with compressor (A) = Skid version (B) = Cart version | Finish 230 | SuperFinish 17 ex Airless Enamel | SuperFinish 23 Plus Airless Enamel* (A) = Skid version (B) = Cart version | ProSpray 3.23 Enamel |
|---|-----------------|-------------------------------------|--|-------------------------|
| | < | | | |
| | A M | | | |
| (A) = 2353392 (B) = 2353393 | 311062 | 2364966 | (A) = 2341491 (B) = 2341492 | 2308273 |
| DPFSF | DPFSF | ILGR | DPFSF | DPPS |
| • | © | © | © | đ |
| (A) = 37 kg (B) = 42 kg | 17 kg | 15,4 kg | (A) = 24 kg (B) = 29 kg | 17.7 kg |
| 1.3 kW | 1.1 kW | 0,23 kW | 1.3 kW | 1.03 kW |
| ** | | P | | M. |
| 230 V / 50 Hz | 230 V / 50 Hz | - | 230 V / 50 Hz | 230 V / 50 Hz |
| 0.023" | 0.019" | 0.017" | 0.023" | 0.024" |
| 250 bar, 25 MPa | 260 bar, 26 MPa | 230 bar, 23 MPa | 250 bar, 25 MPa | 221 bar, 22.1 MPa |
| 2.6 l/min | 1.25 l/min | 1.6 l/min | 2.6 l/min | 2.3 l/min |
| 20.000 mPas | - | 15.000 mPas | 20.000 mPas | 20.000 mPas |

| SuperFinish 23 Plus AirCoat with compressor | Finish 230 | SuperFinish 17 ex Airless Enamel | SuperFinish 23 Plus Airless Enamel | ProSpray 3.23 Enamel |
|---|------------|-------------------------------------|---------------------------------------|-------------------------|
| S-M | S | S-M | S-M | S-M |
| S-M | - | S-M | S-M | S-M |
| S-M | S | S-M | S-M | S-M |



Article no.

2341501

2350780

2321879

2341100

2343947

2324745

2341187

2343948

514209

The hand-held XVLP device

- Always available: As the smallest in its class, it is available on every construction site. The practical shoulder strap makes it easy to transport
- Flexible: Ideal for renovation and repair work and projects of up to 50 m²
- Everything included: The practical carry case provides enough space for transporting the device and two filled spray attachments in an upright position
- Not suitable for use in potentially explosive atmospheres

Turbine Diaphragm pump Piston pump









Low-pressure spraying uses a high volume of air and low air pressure (up to 0.07 bar). The atomised air generated in the turbine flows through an air hose to the paint tank on the spray gun, where it then builds up pressure. This delivers the coating material through the standpipe to the nozzle to be atomized with the remaining air.

The material is transported by means of a stroke movement in the diaphragm. Products featuring this technology are robust and yet easy to handle units for construction site use. Electrically driven diaphragm pumps can be used as both Airless and AirCoat Spraypacks.

Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.

- Perfect as an entry-level device or for small projects (e.g. repair works)
- Easy to use
- Can be exactly matched to the characteristics of the object
- Large variety of materials through different spraying attachments and cup guns (quick colour changes are possible)
- Superbly fine spray pattern, even with water-based
- Easy to clean as only the spray attachment is filled with

- Flexible material intake: It is possible to use small amounts with a hopper or apply the material directly from the original container
- The pressure can be continuously regulated from 0 to 25 MPa
- Ease of maintenance
- Very low wear Low operating costs
- WAGNER quality: Long stroke technology and extremely robust design

- Perfect for high-viscosity materials
 - Optimal suction performance
 - High delivery volumes, including with high-viscosity
 - · High material pressure: long hose lengths possible
 - Use of large nozzle sizes possible
 - WAGNER quality: Extra durable packings



FinishControl 5000 Spraypack



An all-rounder for projects up to 50 m²

The entry-level answer for professional coating using spray technology

- · Universally suitable for use with varnishes, lacquers and emulsion paints, thanks to a modular spraying attachment system for simple material changes
- Total control directly on the gun
- · Extremely compact and practical
- Not suitable for use in potentially explosive atmospheres

| | accacinitation in the street | | · · · · · · · · · · · · · · · · · · · |
|-----------------|------------------------------|-----|---|
| | material | | FinishControl 5000 Spraypack |
| | | | FinishControl 5000, basic unit |
| Recommended | | 2 | Air hose including handle, for FinishControl 5000 |
| spraying method | | · · | StandardSpray spray attachment |
| | | | |



Scope of delivery

FinishControl 3500 Spraypack

StandardSpray spray attachment

Air filters, 3 pieces, for FinishControl 3500

Strap holder FinishControl 3500, incl. screws

Filling hopper, 3 pieces, for FinishControl spray attachments

Turbine housing with handle

Carrying case, for FC 3500

Carrying strap, for FC 3500

Cleaning brush

Scope of delivery

Article no. Cat. 2316090 **DPXVLP** 2322444 2314573 2321879

Cat. **DPXVLP**

XVLP accessories

| Spraying | g attachments XVLP | Article no. | Cat. |
|----------|--------------------------------|-------------|--------|
| 2 | FineSpray spray attachment | 2321877 | DPXVZU |
| | StandardSpray spray attachment | 2321879 | DPXVZU |
| 2 | WallSpray spray attachment | 2321880 | DPXVZU |

| Filters | Article no. | Cat. |
|--|-------------|--------|
| Air filters, 3 pieces, for FC 5000 | 2322446 | DPXVET |
| Air filters, 3 pieces, for FinishControl 3500 | 2343947 | DPXVET |
| Feed tube filter, coarse, 5 pcs, for FinishControl spray attachments | 2324249 | DPXVET |
| Feed tube filter, fine, 5 pcs, for FinishControl spray attachments | 2324248 | DPXVET |

| Hoses | Article no. | Cat. |
|---|-------------|--------|
| Air hose including handle, for FinishControl 5000 | 2314573 | DPXVET |

| Cleaning and storage | Article no. | Cat. |
|-----------------------------|-------------|--------|
| Carrying case, for FC 3500 | 2341100 | DPXVET |
| Carrying strap, for FC 3500 | 2341187 | DPXVET |

Pictures may differ from the original product.

| Cleaning | and storage | Article no. | Cat. |
|----------|---|-------------|--------|
| | Cleaning brush | 514209 | DHET |
| | Cleaning kit for HVLP and XVLP spraying guns | 2354639 | DHZU |
| | Cleaning set, for XVLP spray attachments | 935364 | DPZU |
| | Strap holder FinishControl 3500, incl. screws | 2343948 | DPXVET |
| | Tanos Systainer | 2340218 | DPXVZU |

| Other | | Article no. | Cat. |
|-------|---|-------------|--------|
| 7 | Can Adapter, for FinishControl | 2350692 | DPXVZU |
| | Container seal, for all XVLP spray attachments | 2319223 | DPXVET |
| | Container with cover, 1000 ml, stainless steel, for FinishControl spray attachments | 2322451 | DPXVET |
| | Container with cover, 1400 ml, for WallPaint spray attachments | 2324749 | DPXVET |
| | Feed tube, emulsion | 2323674 | DPXVET |
| | Feed tube, standard | 2319222 | DPXVET |
| Xn. | Filling hopper, 3 pieces, for FinishControl spray attachments | 2324745 | DPXVET |
| 0 | Nozzle seal, for FinishControl | 2323934 | DPXVET |
| | Turbine housing with handle | 2350780 | DPXVET |

Pictures may differ from the original product.



FineCoat 9900 Plus Spraypack



High-performance HVLP paint specialist in an easy-to-use design

- Compact and easy to use
- Permits precise adaptation to the object to be painted and provides an unmistakably fine spray pattern, even with water-based materials
- Wide range of applications both indoors and outdoors
- Not suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| FineCoat 9900 Plus Spraypack | 276048 | DPFC |
| Air hose assy. FC-9900 Plus | 277236 | |
| FineCoat gun; 1-litre pressure cup; incl. nozzle set No. 4; for FC 7000 / FC 8800 / FC 9900 | 277035 | |

HVLP accessories

| Guns | | Article no. | Cat. |
|------|--|-------------|------|
| P | Conversion kit FineCoat Split Gun, for gravity feed cup | 524045 | DPZU |
| T | FineCoat Split Gun; suction cup; 1000 ml | 524028 | DPZU |
| TE | FineCoat gun; 1-litre pressure cup; incl. nozzle set No. 4; for FC 7000 / FC 8800 / FC 9900 | 277035 | DPZU |
| () | FineCoat spraying lance WSL 60 with hopper; for liquid raw fibres; texture effects or plaster; only usable with quick release coupling (art. No. 0275 625) | 261024 | DPZU |
| T | Flocking gun WF-20; 20 mm; for the application of dry chips to a wet undercoat | 261025 | DPZU |
| 4 | Gravity feed cup, for FineCoat Split Gun, 600 ml | 524053 | DPZU |

| Nozzles | | Article no. | Cat. |
|---------|---|-------------|------|
| | Air cap, $d = 09 \text{ mm}$, RD45 | 261460 | DPET |
| 0 | Air cap, d = 12 mm, RD45 | 261461 | DPET |
| | Air cap, d = 14.5 mm, RD45 | 261462 | DPET |
| | Nozzle set, for FineCoat Split Gun, no. 2, Ø 0.8 mm | 529209 | DPZU |
| | Nozzle set, for FineCoat Split Gun, no. 3, Ø 1.3 mm | 529210 | DPZU |
| | Nozzle set, for FineCoat Split Gun, no. 4, Ø 1.8 mm | 529211 | DPZU |
| | Nozzle set, for FineCoat Split Gun, no. 5, Ø 2.2 mm | 529212 | DPZU |
| | Nozzle set, for FineCoat Split Gun, no. 6, Ø 2.4 mm | 529213 | DPZU |
| | Nozzle set, for FineCoat Split Gun, no. 7, Ø 2.6 mm | 529214 | DPZU |
| | Nozzle, d = 04 mm, 6KT.22, for WSL 50/60 | 261463 | DPZU |
| | Nozzle, d = 06 mm, 6KT.22, for WSL 50/60 | 261464 | DPZU |
| | Nozzle, d = 08 mm, 6KT.22, for WSL 50/60 | 261465 | DPZL |
| | Nozzle, d = 10 mm, 6KT.22, for WSL 50/60 | 261466 | DPZl |

 $Spray\ nozzle\ sets\ for\ Fine Coat\ guns\ (not\ SplitGun)\ can\ be\ found\ in\ the\ final\ chapter,\ "Accessories"$

Pictures may differ from the original product.


wagner-group.com 91

| Hoses | Article no. | Cat. |
|---|-------------|------|
| Air hose, 4.5 m, for FineCoat turbines incl. quick release coupling | 276233 | DPET |
| Air hose assy. FC-9900 Plus | 277236 | DPET |
| Air hose, 9 m, for FC Controller | 275249 | DPET |
| Hose pack, consisting of material and air hose DN10, 8.2 m | 261255 | DPET |
| Hose whip, 152 cm, for FineCoat | 524405 | DPET |

| Fi | ilters | Article no. | Cat. |
|----|-----------------------------------|-------------|------|
| | Filter kit, for FC 9900 / FC 9800 | 279938 | DPET |

| Other | | Article no. | Cat. |
|----------|--|-------------|------|
| | Cleaning kit for HVLP and XVLP spraying guns | 2354639 | DHZU |
| ② | Pressure gauge 0-4 bar, 1/8", for pressure tank FineCoat 9950 PP | 261342 | DPZU |
| 9 | Pressure tank insert, solvent resistant, plastic | 261374 | DPET |
| 5 | Quick release coupling | 275625 | DPET |
| | Remote pressure pot | 524232 | DPZU |
| | Service kit, for FC gun with pressure cup | 295981 | DPZU |

Notes



Pictures may differ from the original product. wagner-group.com 93



Finish 230 AirCoat compact Spraypack

Fully-featured mobile solution for painting tasks including built-in compressor

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Perfectly matching components: Little overspray and highly efficient application
- Extremely versatile and mobile: built-in, quiet-running, high-performance compressor
- · Particularly easy handling
- · Not suitable for use in potentially explosive atmospheres

| Scope of delivery | | Cat. |
|--|---------|------|
| Finish 230 AirCoat compact Spraypack | 2301689 | DPGR |
| Basic unit, F 230 AC compact | 550005 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| AirCoat gun AC 4600 Professional, incl. green air cap, holder and nozzle | 394152 | |



Scope of delivery Article no. Cat. SuperFinish 23 Plus AirCoat Spraypack - Skid version 2341489 DPFSF Basic unit, SF 23 Plus - Skid version 2334424 341265 5 litre hopper, M36x2 HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m 9984595 AirCoat gun AC 4600 Professional, incl. blue air cap and holder 394156

Particularly easy handling



Nozzle ACF3000 11/40

AirCoat regulator, fitting kit

SuperFinish 23 Plus AirCoat **Spraypack - Cart version**

SuperFinish 23 Plus AirCoat

Spraypack - Skid version

Mobile complete solution for enamel work

• The industry standard, quality-crafted by WAGNER

• Not suitable for use in potentially explosive atmospheres

• With AirCoat technology: Particularly fine atomisation for a perfect finish • Perfectly matching components: Little overspray and high application efficiency



379411 340250

Mobile complete solution for enamel work

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Perfectly matching components: Little overspray and high application efficiency
- · Particularly easy handling
- The industry standard, quality-crafted by WAGNER
- Not suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 23 Plus AirCoat Spraypack - Cart version | 2341490 | DPFSF |
| Basic unit, SF 23 Plus on cart | 2334444 | |
| 5 litre hopper, M36x2 | 341265 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| AirCoat gun AC 4600 Professional, incl. blue air cap and holder | 394156 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat regulator, fitting kit | 340250 | |



SuperFinish 23 Plus AirCoat Spraypack with compressor -**Skid version**

Mobile complete solution for surface coatings with compressor

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- · Perfectly matching components: Little overspray and high application efficiency
- · Particularly easy handling
- The industry standard, quality-crafted by WAGNER
- Not suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| SuperFinish 23 Plus AirCoat Spraypack with compressor - Skid version | 2353392 | DPFSF |
| Basic unit, SF 23 Plus - Skid version | 2334424 | |
| 5 litre hopper, M36x2 | 341265 | |
| HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m | 2302379 | |
| AirCoat gun AC 4600 Professional, incl. green air cap and holder | 394158 | |
| Nozzle ACF3000 11/40 | 379411 | |
| Compressor AirBoost 100, for SF 23 Plus | 2347935 | |
| | | |



SuperFinish 23 Plus AirCoat Spraypack with compressor -**Cart version**



Mobile complete solution for surface coatings with compressor

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- · Perfectly matching components: Little overspray and high application efficiency
- · Particularly easy handling
- The industry standard, quality-crafted by WAGNER
- Not suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| SuperFinish 23 Plus AirCoat Spraypack with compressor - Cart version | 2353393 | DPFSF |
| Basic unit, SF 23 Plus on cart | 2334444 | |
| 5 litre hopper, M36x2 | 341265 | |
| HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m | 2302379 | |
| AirCoat gun AC 4600 Professional, incl. green air cap and holder | 394158 | |
| Nozzle ACF3000 11/40 | 379411 | |
| Compressor AirBoost 100, for SF 23 Plus | 2347935 | |

Accessories for conversion (diaphragm pumps)

| Airless emulsion applications (for SF 23 Plus) | Article no. | Cat. |
|--|-------------|--------|
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium | 97024 | DPFILT |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| Suction system, for SF 23 Plus, incl. PumpRunner | 2342879 | DPET |

| Airless rollers (for SF 23 Plus) | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

| Airless painting applications | Article no. | Cat. |
|---|-------------|--------|
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories" | 554XXX | DPTIP |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine | 97022 | DPFILT |
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | DPHOSE |
| HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | DPHOSE |
| HP hose DN3, 27 MPa, NPS 1/4", 10 m | 2301052 | ILZU |

AirCoat accessories

Article no.

2302374 341265 Cat.

DPZU

DPHOSE

| Guns | | Article no. | Cat. |
|----------|--|-------------|------|
| F | AirCoat gun AC 4500, blue air cap and holder | 2368269 | ILZU |
| F/ | AirCoat gun AC 4500, green air cap and holder | 2368270 | ILZU |
| ff" | AirCoat gun AC 4500, red air cap and holder | 2368271 | ILZU |
| 3 | AirCoat gun AC 4600 Professional, incl. blue air cap and holder | 394156 | ILZU |
| I.h | AirCoat gun AC 4600 Professional, incl. blue air cap, holder and nozzle | 394150 | ILZU |
| 1 | AirCoat gun AC 4600 Professional, incl. green air cap and holder | 394158 | ILZU |
| İh | AirCoat gun AC 4600 Professional, incl. green air cap, holder and nozzle | 394152 | ILZU |
| T) | AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | ILZU |
| T) | AirCoat gun AC 4600 Professional, incl. red air cap, holder and nozzle | 394151 | ILZU |
| | | | |

| Nozzle extensions | Article no. | Cat. |
|---------------------------------|-------------|------|
| AirCoat nozzle extension: 30 cm | 394090 | ILZU |

| AirCoat | nozzles | Article no. | Cat. |
|---------|---|-------------|-------|
| | AirCoat nozzles AC4600 Prof./ GM3000 AC; an overview table can be found in the last chapter "Accessories" | 379XXX | ILTIP |

Airless painting applications

HP hose DN4, 27 MPa, NPS 1/4", 10 m

5 litre hopper, M36x2

| leaning | / storage / preserving / operating materials | Article no. | Cat. |
|---------|--|-------------|------|
| | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZU |
| | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZU |
| | EasyGlide, special oil, 118 ml | 508619 | DPET |

| Air caps | | Article no. | Cat. |
|----------|--|-------------|------|
| | Blue air cap for water-based materials (water-based paints), incl. union nut | 394911 | ILZU |
| | Green air cap for water-based materials and solvent-based materials (low air consumption), incl. union nut | 394912 | ILZU |
| | Red air cap for solvent-based materials, incl. union nut | 394910 | ILZU |
| Œ. | Union nut complete | 394921 | ILET |

| Gun filter insert | Article no. | Cat. |
|---|-------------|--------|
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine | 97022 | DPFILT |

| AirCoat | hoses | Article no. | Cat. |
|---------|--|-------------|--------|
| | Air hose, DN6, 1/4", 10 m, for HP double hose | 2304451 | DPZU |
| | Air hose, DN6, 1/4", 7.5 m, for HP double hose | 2304449 | DPZU |
| | HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 10 m | 9984596 | DPHOSE |
| | HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | DPHOSE |
| | HP double hose, material DN3, max. 27 MPa, air DN6, M16x1.5, 7.5 m | 2306802 | DPHOSE |
| | HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m | 2302379 | DPHOSE |
| | HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m | 2302378 | DPHOSE |
| | HP double hose, material DN4, max. 27 MPa, air DN6, M16x1.5, 7.5 m | 2306803 | DPHOSE |
| | | | |

| AirCoat hoses | Article no. | Cat. |
|--|-------------|------|
| Protective tubing, 10 m, for HP double hose | 2305871 | DPET |
| Protective tubing, 7.5 m, for HP double hose | 2305870 | DPET |

| Hopper | | Article no. | Cat. |
|--------|---|-------------|------|
| | 5 litre hopper EX, M36x2 with filter disk | 340265 | ILZU |
| Ų | 5 litre hopper, M36x2 | 341265 | DPZU |
| | 5 litre hopper, for F 230 | 524242 | DPET |

| Connecto | ors / double connectors | Article no. | Cat. |
|----------|---|-------------|------|
| | Double connector $A = 1/4^n \times 1/4^n$ | 34038 | DPZU |
| | Double connector A = 1/4" x M16x1.5 | 34033 | DPZU |
| | Coupling sleeve I = 1/4"NPS x A = M16x1.5 | 34041 | ILZP |

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".



Finish 230 Enamel Spraypack

The entry-level model for professional Airless spraying

- Ideally suited for smaller paint and emulsion jobs (depending on Spraypack equipment) • As the smallest model in its class, the Finish 230 offers exceptional value-for-money
- Easy to move: Practical carrying handle and built-in hose holder
- Not suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| Finish 230 Enamel Spraypack | 311062 | DPGR |
| Basic unit, Finish 230 Enamel | - | |
| HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |



SuperFinish 17ex Airless Enamel Spraypack - Skid version



The painting specialist for perfect surfaces

- Compact and robust: perfect mobility thanks to compact dimensions
- Economical and low-maintenance: extremely low-wear construction for cost-efficient
- Unique, pneumatically powered diaphragm pump: extremely quiet and economical in terms of air and material consumption
- Flexible: Very small volume processing with hopper or work directly from the original
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| SuperFinish 17ex Airless Enamel Spraypack - Skid version | 2364966 | ILGR |
| Basic unit; SuperFinish 17ex | 2364969 | |
| HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538042 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |
| 5L hopper set for Cobra | 341267 | |

Cleaning / storage / preserving / operating materials

Hydraulic oil Divinol 1 litre, for diaphragm pumps

TipClean, container incl. special cleaner

Compressor AirBoost 100, for SF 23 Plus

Fan filter, 5 pieces, for compressor AB 100

Depressor housing service kit; for SF 21 to SF 31

Suction filter, for compressor AB 100

AirCoat regulator, fitting kit

FI-Protection PRCD 230 V / 16 A

TipClean, refill bottle, 1 liter

Compressors

Other

TipClean, container incl. special cleaner, box (24 pieces)

Cat.

DPET

DPZU

DPZU

DPZU

Cat.

DPZU

DPFILT

DPET

Cat.

DPZU

DPET

DPZU

Article no.

21061

97109

97108

97110

Article no.

2347935

2351461

2348863

Article no.

340250

341705



SuperFinish 23 Plus Airless Enamel Spraypack - Skid version



The perfect solution for small paint jobs using diaphragm technology

- Entry-level Airless unit for painting objects up to $800\ m^2$
- Straightforward handling and simple operation: Multifunction switch for greater safety -It is impossible to turn the unit on and off under pressure
- Improved performance: No-maintenance brushless motor
- FineFinish painting with hopper and the special FineFinish nozzle

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| SuperFinish 23 Plus Airless Enamel Spraypack - Skid version | 2341491 | DPFSF |
| Basic unit, SF 23 Plus - Skid version | 2334424 | |
| 5 litre hopper, M36x2 | 341265 | |
| HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538042 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| SuperFinish 23 Plus Airless Enamel Spraypack - Skid version, 110 V | 2346423 | DPFSF |
| Basic unit, SF 23 Plus - Skid version | 2334424 | |
| 5 litre hopper, M36x2 | 341265 | |
| HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538042 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |



SuperFinish 23 Plus Airless Enamel Spraypack - Cart version



The perfect solution for small paint jobs using diaphragm technology

- Entry-level Airless unit for painting objects up to 800 m²
- Straightforward handling and simple operation: Multifunction switch for greater safety -It is impossible to turn the unit on and off under pressure
- Improved performance: No-maintenance brushless motor
- FineFinish painting with hopper and the special FineFinish nozzle

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| SuperFinish 23 Plus Airless Enamel Spraypack - Cart version | 2341492 | DPFSF |
| Basic unit, SF 23 Plus on cart | 2334444 | |
| 5 litre hopper, M36x2 | 341265 | |
| HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538042 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| SuperFinish 23 Plus Airless Enamel Spraypack - Cart version, 110 V | 2346424 | DPFSF |
| Basic unit, SF 23 Plus on cart | 2334444 | |
| 5 litre hopper, M36x2 | 341265 | |
| HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538042 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |

Accessories for conversion (diaphragm pumps)

| Airless emulsion applications (for SF 23 Plus) | Article no. | Cat. |
|--|-------------|--------|
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium | 97024 | DPFILT |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| Suction system, for SF 23 Plus, incl. PumpRunner | 2342879 | DPET |

| Airless rollers (for SF 23 Plus) | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

| AirCoat painting applications | Article no. | Cat. |
|---|-------------|--------|
| AirCoat gun AC 4500, blue air cap and holder | 2368269 | ILZU |
| AirCoat gun AC 4600 Professional, incl. blue air cap and holder | 394156 | ILZU |
| AirCoat nozzles AC4600 Prof./ GM3000 AC; an overview table can be found in the last chapter "Accessories" | 379XXX | ILTIP |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | DPHOSE |
| AirCoat regulator, fitting kit | 340250 | DPZU |
| Compressor AirBoost 100, for SF 23 Plus | 2347935 | DPZU |



ProSpray 3.23 Enamel Spraypack

The expert for small-area lacquering jobs

- The expert for enamelling jobs with hopper and paint nozzle for small material volumes and fast colour changes
- Easy to handle: Compact design for ease of transport and space-saving storage
- Innovative ProSpray product features: Maintenance-free, brushless motor piston lubricated at the touch of a button - inlet valve depressor for outstandingly reliable operation - and much more.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| ProSpray 3.23 Enamel Spraypack | 2308273 | DPPS |
| Basic unit, PS 3.23 | 558001 | |
| 5 litre hopper; for PS 3.20 / PS 3.21 / PS 3.23 / PS 3.25 skid-mounted | 704-453 | |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538042 | |
| 2SpeedTip, L10, 208 / 510 | 271042 | |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | |
| | | |

Accessories for conversion (piston pumps)

| Airless emulsion applications | Article no. | Cat. |
|--|-------------|--------|
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |

| Airless rollers | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

Airless accessories

| Guns | | Article no. | Cat. |
|------|--|-------------|-------|
| 神 | Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| 神 | Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| 计 | Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| 约 | Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| | Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | DPALG |
| | Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder | 502166 | DPALG |

| Nozzie e | rensions | Article no. | Cat. |
|----------|--|-------------|-------|
| _ | ClearSpray valve, G-thread | 0521012A | DPALG |
| | ClearSpray valve, F-thread | 0521012F | DPALG |
| 9 | Nozzle extension, 15 cm, G-thread, with holder without nozzle | 556074 | DPALG |
| 8 | Nozzle extension, 15 cm, F-thread, with holder, without nozzle | 556051 | DPALG |
| 8 | Nozzle extension, 30 cm, G-thread, with holder without nozzle | 556075 | DPALG |
| 8 | Nozzle extension, 30 cm, F-thread, with holder, without nozzle | 556052 | DPALG |
| 7 | Nozzle extension, 45 cm, G-thread, with holder without nozzle | 556076 | DPALG |
| | | | |

| Cat. | |
|-------|--|
| DPALG | |
| DPALG | |
| DPALG | |
| DPZU | |

Article no.

556053

556077

556054

553300

| Airless nozzles | Article no. | Cat. |
|---|-----------------------------|-------|
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessorie | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessorie | 5" 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessorie | 553XXX | DPTIP |
| TradeTip 3 FineFinish nozzles; a summary table can be found in the final cl | apter, "Accessories" 554XXX | DPTIP |
| Adjustable fan tip nozzles; a summary table can be found in the final chap | eer, "Accessories" 9990XX | DPTIP |

Nozzle extensions

Nozzle extension, 45 cm, F-thread, with holder, without nozzle

Nozzle extension, 60 cm, G-thread, with holder without nozzle

Nozzle extension, 60 cm, F-thread, with holder, without nozzle

Adapter, G- to F-thread, I=7/8", A=11/16"

| Airless nozzle holders | Article no. | Cat. |
|--|-------------|-------|
| 2SpeedTip nozzle holder | 271065 | DPTIP |
| Anti-contact guard, for adjustable fan tip | 97294 | DPET |

| Article no. | Cat. |
|-------------|----------------------------|
| 289390 | DPTIF |
| 289391 | DPTIF |
| 556037 | DPZl |
| 553300 | DPZL |
| | 289390 289391 556037 |

| Gun filter | Gun filter insert | | Cat. |
|------------|---|-------|--------|
| 1 | Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| | Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| \ | Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| | Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine | 97022 | DPFILT |

| Hoses | | Article no. | Cat. |
|-------|---|-------------|--------|
| | HP hose DN3, 27 MPa, M16x1.5, 7.5 m | 9984584 | DPHOSE |
| | HP hose DN3, 27 MPa, NPS 1/4", 10 m | 2301052 | ILZU |
| | HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | DPHOSE |
| 0 | HP hose DN4, 27 MPa, M16x1.5, 7.5 m | 9984510 | DPHOSE |
| | HP hose DN4, 27 MPa, NPS 1/4", 10 m | 2302374 | DPHOSE |
| | HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | DPHOSE |
| | HP hose DN6, 27 MPa, M16x1.5, 30 m | 9984562 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 30 m | 9984575 | DPHOSE |
| | HP hose DN6, max. 27 MPa, M16x1.5, 15 m | 9984507 | DPHOSE |
| | | | |

| Hose whi | ps | Article no. | Cat. |
|----------|---|-------------|--------|
| 9 | Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE | 9984458 | DPHOSE |
| | Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PFTE | 9984456 | DPHOSE |
| | Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m | 9984569 | DPHOSE |

| Hopper | | Article no. | Cat. |
|--------|---|-------------|------|
| Ţ | 5 litre hopper EX, M36x2 with filter disk | 340265 | ILZU |
| V | 5 litre hopper, M36x2 | 341265 | DPZU |
| | 5 litre hopper, for F 230 | 524242 | DPET |

| Connectors / double connectors | | Article no. | Cat. |
|--------------------------------|---|-------------|------|
| | Double connector $A = 1/4^{\prime\prime} \times 1/4^{\prime\prime}$ | 34038 | DPZU |
| | Double connector A = 1/4" x M16x1.5 | 34033 | DPZU |
| | Coupling sleeve $I = 1/4$ "NPS x $A = M16x1.5$ | 34041 | ILZP |

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".

| Cleaning | / storage / preserving / operating materials | Article no. | Cat. |
|----------|--|-------------|------|
| | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZU |
| | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZU |
| | EasyGlide, special oil, 118 ml | 508619 | DPET |
| | Hydraulic oil Divinol 1 litre, for diaphragm pumps | 21061 | DPET |

| Cleaning | g / storage / preserving / operating materials | Article no. | Cat. |
|----------|--|-------------|------|
| | TipClean, container incl. special cleaner, box (24 pieces) | 97109 | DPZU |
| | TipClean, container incl. special cleaner | 97108 | DPZU |
| | TipClean, refill bottle, 1 liter | 97110 | DPZU |

| Other | | Article no. | Cat. |
|--------------|-----------------------------------|-------------|------|
| Ø | FI-Protection PRCD 230 V / 16 A | 9956257 | DPZU |
| (2) | Pressure gauge set assy. HEA(MPa) | 2383995 | DPZU |
| D e | SpeedShield | 538905 | DPZU |


2

2

•

6

9



For valuable individual items.

Most carpentry, joinery and metalworking workshops produce high-class workmanship. They create individual items of furniture, windows, doors, staircases, railing and much more besides. The perfect surface finish is essential here. By ensuring particularly fine material atomisation, our AirCoat pumps always meet the very highest requirements. The devices are explosion-proof and can consequently be used in paint booths.

wagner-group.com 115 114 wagner-group.com

| Material | Zip 52 | Zip 52 Perfect Flow | Zip 52 Spraypack | Cobra 40-10 AirCoat | SuperFinish 17 ex AirCoat | FineFinish 20-30 S AirCoat |
|--|--------|------------------------|------------------|------------------------|------------------------------|-------------------------------|
| Release agent, oils, greases | S-L | S-L | S-L | S-L | S-M | S-M |
| Glazes, stains and impregnating agents | S-L | S-L | S-L | S-L | S-M | S-M |
| Undercoats, primers, fillers, synthetic resin-based paints, acrylic paints | S-L | S-L | S-L | S-L | S-M | S-M |
| Materials sensitive to shearing and moisture, UV paints | S-L | S-L | S-L | S-L | - | - |

Suitable for following object sizes: $S = less than 200 \text{ m}^2$, $M = 200 \text{ m}^2 - 800 \text{ m}^2$, $L = over 800 \text{ m}^2$, - = not suitable

| FineFinish 40-15 Compact | Wildcat 18-40 AirCoat (A) = on 4 legs (B) = with hopper (C) = on trolley | Wildcat 18-40 on wall mount | Puma 28-40 AirCoat (A) = on 4 legs (B) = on trolley | Puma 28-40 on wall mount | FineFinish 40-15 S Airless on 4 legs | Puma 28-40 Airless on 4 legs |
|-----------------------------|--|--------------------------------|--|-----------------------------|---|---------------------------------|
| | | - | | - | | |
| | | 3 | | 3 | | |
| 2363202 | (A) = 366126 (B) = 366127 (C) = 366125 | 2301851 | (A) = 367168 (B) = 367167 | 2301854 | 2309804 | 2303397 |
| ILGR | ILGR | ILGR | ILGR | ILGR | ILGR | ILGR |
| đ | ਰ ď | ® | ন ধ | d d | đ | đ |
| 17 kg | 15 kg | 15 kg | 16 kg | 16 kg | 9 kg | 16 kg |
| ? | P | ? | P | ? | ? | * |
| - | 0.019" | 0.019" | 0.023" | 0.023" | 0.013" | 0.023" |
| 280 bar, 28 MPa | 144 bar, 14.4 MPa | 144 bar, 14.4 MPa | 224 bar, 22.4 MPa | 224 bar, 22.4 MPa | 250 bar, 25 MPa | 224 bar, 22.4 MPa |
| - | 2.4 l/min | 2.4 l/min | 2.4 l/min | 2.4 l/min | 0.9 l/min | 2.4 l/min |
| 40:1 | 18:1 | 18:1 | 28:1 | 28:1 | 40:1 | 28:1 |
| 2-7 bar, 0.2-0.7 MPa | 2.5-8 bar, 0.25-0.8 MPa | 2.5-8 bar, 0.25-0.8 MPa | 2.5-8 bar, 0.25-0.8 MPa | 2.5-8 bar, 0.25-0.8 MPa | 2-8 bar, 0.2-0.8 MPa | 2-8 bar, 0.2-0.8 MPa |

| FineFinish 40-15 Compact | Wildcat 18-40 AirCoat | Wildcat 18-40 on wall mount | Puma 28-40 AirCoat | Puma 28-40 on wall mount | FineFinish 40-15 S Airless | Puma 28-40 Airless |
|-----------------------------|--------------------------|--------------------------------|-----------------------|-----------------------------|-------------------------------|-----------------------|
| S-M | S-L | S-L | S-L | S-L | S-M | S-L |
| S-M | M-L | M-L | M-L | M-L | S-M | M-L |
| S-M | S-L | S-L | S-L | S-L | S-M | S-L |
| - | - | - | - | - | - | - |

116 wagner-group.com 117

3

4

.

_


8

9

The following pump technologies are available in this chapter

Double diaphragm pump

Piston pump





Zip 52 Alu

Lightweight unit for use with air-atomising paint guns

- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- Extremely low pulsation: Making the unit perfect for lower-pressure applications
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| Zip 52 Alu | 2301832 | ILCGR |
| Aluminium housing | - | |
| Diaphragm PTFE | - | |
| Valve seat stainless steel | - | |
| Ball stainless steel | - | |
| Pump mounts on plate | - | |
| 3x air pressure regulator for pump, material pressure and atomiser air | - | |
| Circulation device | - | |
| Suction hose | - | |
| Material pressure regulator in consistal | - | |
| Frame / cart / mounting to be ordered separately (see accessories) | - | |



Zip 52 stainless steel

Lightweight unit for use with air-atomising paint guns



- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- Extremely low pulsation: Making the unit perfect for lower-pressure applications
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| Zip 52 stainless steel | 2301836 | ILCGR |
| Stainless steel housing | - | |
| Diaphragm PTFE | - | |
| Valve seat stainless steel | - | |
| Ball stainless steel | - | |
| Pump mounts on plate | - | |
| 3x air pressure regulator for pump, material pressure and atomiser air | - | |
| Circulation device | - | |
| Suction hose | - | |
| Material pressure regulator in stainless steel | - | |
| Frame / cart / mounting to be ordered separately (see accessories) | - | |







Zip 52 Acetal conductive



Lightweight unit for use with air-atomising paint guns

- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- No pulses thanks to the Fine Flow Controller (FFC)
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| Zip 52 Acetal conductive | 2301837 | ILCGR |
| Acetal housing | - | |
| Diaphragm PTFE | - | |
| Valve seat stainless steel | - | |
| Ball stainless steel | - | |
| Pump mounts on plate | - | |
| 3x air pressure regulator for pump, material pressure and atomiser air | - | |
| Circulation device | - | |
| Suction hose | - | |
| Material pressure regulator in stainless steel | - | |
| Frame / cart / mounting to be ordered separately (see accessories) | - | |



Zip 52 Perfect Flow, 4-legs, flexible





Lightweight unit for use with air-atomising paint guns

- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- Extremely low pulsation: Making the unit perfect for lower-pressure applications
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|-------|
| Zip 52 Perfect Flow, 4-legs, flexible | 2301838 | ILCGR |
| Aluminium housing | - | |
| Diaphragm Polyethylene/Santoprene | - | |
| Valve seat stainless steel | - | |
| Ball stainless steel | - | |
| Pressure regulator for pump and atomised air | - | |
| Large filter | - | |
| Flexible suction hose | - | |



Zip 52 Spraypack

Lightweight unit for use with air-atomising paint guns

- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- Extremely low pulsation: Making the unit perfect for lower-pressure applications
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| Zip 52 Spraypack | 2309669 | ILCGR |
| Zip 52 Finishing Alu | U760.00 | |
| Stand, for Zip 52 | T760.00S | |
| 5L hopper set for Zip | 2328487 | |
| Hose pack DN9, 7.5 m, material 3/8", air 1/4" | 3677250 | |
| PILOT Maxi MD material connection 1.5 mm | V1161605153 | |

FineSpray accessories

| Skid / cart | :/wall mount | Article no. | Cat. |
|-------------|---|-------------|-------|
| | Cart set with wheels, for Zip 52 | T760.00SR | ILCZU |
| % | Clutch and wheel set, for Zip 52, for conversion from stand to cart | T760.00R | ILCZU |
| 4 | Stand, for Zip 52 | T760.00S | ILCZU |
| > | Wall bracket, for Zip 52 | T760.00M | ILCZU |
| | Wall mounting for Zip 52 | T600.573 | ILCZU |

| Guns | | Article no. | Cat. |
|--|--|-------------|--------|
| The state of the s | PILOT Trend MP paint connection 1.5 mm | V1061304153 | ILW001 |
| T | PILOT Trend HD gravity cup 1.5 mm | V1060103153 | ILW001 |

| Filters | | Article no. | Cat. |
|---------|---------------------------|-------------|-------|
| | Filter pad | T500.00 | ILZU |
| 0 | Filter pad 100 meshes | T500.00A | ILCZU |
| | Filter pad 150 meshes | T500.00B | ILZU |
| | Filter, coarse, 60 meshes | T454.00 | ILCZU |

| Filters | Article no. | Cat. |
|----------------------------|-------------|-------|
| Filter, medium, 100 meshes | T455.00 | ILCZU |

| Hoses | | Article no. | Cat. |
|-------|---|-------------|------|
| | Hose pack DN6, 7.5 m, material 3/8", air 1/4" | 3677249 | ILZU |
| U | Hose pack DN9, 7.5 m, material 3/8", air 1/4" | 3677250 | ILW0 |
| | Restricted fitting: A = R3/8": I = Rp1/4" | 3202252 | ILET |

2

3

6

9



Cobra 40-10 AC Spraypack with 5 litre hopper



The best-selling unit in the AirCoat range: To satisfy the most demanding coating needs

- Flexible: Very small volume processing with hopper or work directly from the original
- · When used with hopper: Frequent colour changes are no problem thanks to the unit's easy-to-clean design
- Unique double diaphragm technology: Perfect for materials sensitive to shearing and moisture as well as for premixed 2K materials
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| Cobra 40-10 AC Spraypack with 5 litre hopper | 322112 | ILGR |
| Basic unit, Cobra 40-10 - Skid version | 2301858 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat regulator assy. Cobra | 2333479 | |
| 5 litre hopper EX, for Cobra | 2344505 | |



SuperFinish 17ex AirCoat **Spraypack - Skid version**



The FineFinish specialist for perfect surfaces:

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- · Compact and robust: perfect mobility thanks to compact dimensions
- · Economical and low-maintenance: extremely low-wear construction for cost-efficient working operation
- Unique, pneumatically powered diaphragm pump: extremely quiet and economical in terms of air and material consumption
- Flexible: Very small volume processing with hopper or work directly from the original
- · Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| SuperFinish 17ex AirCoat Spraypack - Skid version | 2364967 | ILGR |
| Basic unit; SuperFinish 17ex | 2364969 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| AC 4500 Professional | 2365346 | |
| Red air cap for solvent-based materials, incl. union nut | 394910 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat controller set; complete | 9991932 | |
| 5L hopper set for Cobra | 341267 | |
| | | |



FineFinish 20-30 S AirCoat **Spraypack - Cart version with** 5 litre hopper



Introduction to the world of AirCoat technology with proven piston pump performance

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Compact and lightweight: Ideal for small painting jobs
- Flexible: Optionally available with hopper for handling small material quantities or with direct intake for medium-sized projects.
- Suitable for use in potentially explosive atmospheres

| Article no. | Cat. |
|-------------|--|
| 2309799 | ILGR |
| 2329452 | |
| 9984595 | |
| 394157 | |
| 379411 | |
| T6145.00A | |
| T6196.00 | |
| 2334488 | |
| 2331752 | |
| 2332169 | |
| | 2309799 2329452 9984595 394157 379411 T6145.00A T6196.00 2334488 2331752 |



FineFinish 20-30 S AirCoat Spraypack on stand



Introduction to the world of AirCoat technology with proven piston pump performance

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Compact and lightweight: Ideal for small painting jobs
- Flexible: Optionally available with hopper for handling small material quantities or with direct intake for medium-sized projects.
- · Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| FineFinish 20-30 S AirCoat Spraypack on stand | 2309802 | ILGR |
| Piston pump EvoMotion 20-30 S | 2329452 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat controller set; for pneumatic piston pumps | T6145.00A | |
| Stand 4" complete | 2332374 | |
| Ball valve R 1/4"; G 1/4"; PN 350-SSt | 2334488 | |
| Return pipe DN6-G1/4"-100mm-PE | 2331752 | |
| Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 | 2324158 | |
| | | |







FineFinish 40-15 Compact Spraypack



Compact entry-level device for versatile AirCoat applications

- Optimum suction performance: the pre-installed hopper allows small quantities and viscous materials to be processed economically, as well as quick paint changes
- · Versatile: easy to convert to airless
- Quick cleaning: only a little cleaning agent is needed, saving time and money and protecting the environment
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| FineFinish 40-15 Compact Spraypack | 2363202 | ILGR |
| EvoMotion 40-15 compact piston pump | U6S40015HEB | |
| HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m | 2302378 | |
| AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | |
| Nozzle ACF3000 11/40 | 379411 | |
| Ball valve R 1/4"; G 1/4"; PN 350-SSt | 2334488 | |
| Return pipe DN6-G1/4"-100mm-PE | 2331752 | |



Wildcat 18-40 AirCoat Spraypack 🗲 🖥 with 5 litre hopper



Versatile solution - modular equipment

- Flexible, thanks to its modular construction: Standard four-leg version, mobile cart version, for small quantities with hopper or with a wall mount for stationary operation
- No more icing in continuous operation IceBreaker motor
- Outstandingly economical: Operates even at low inlet air pressures of > 1 bar
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| Wildcat 18-40 AirCoat Spraypack with 5 litre hopper | 366127 | ILGR |
| Pneumatic pump Wildcat 18-40 PE / TG | 2329456 | |
| Stand 4" complete | 2332374 | |
| 5 litre hopper, for pneumatic piston pumps, incl. intake elbow | 2332169 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat controller add-on kit; without sight glass; for Puma / Cobra | 2328611 | |
| Release combination assy. | 2329023 | |
| Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt | 2329978 | |



Wildcat 18-40 AirCoat Spraypack on stand



Versatile solution - modular equipment

- Flexible, thanks to its modular construction: Standard four-leg version, mobile cart version, for small quantities with hopper or with a wall mount for stationary operation
- No more icing in continuous operation IceBreaker motor
- Outstandingly economical: Operates even at low inlet air pressures of > 1 bar
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| Wildcat 18-40 AirCoat Spraypack on stand | 366126 | ILGR |
| Pneumatic pump Wildcat 18-40 PE / TG | 2329456 | |
| Stand 4" complete | 2332374 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 | 2324158 | |
| AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat controller add-on kit; without sight glass; for Puma / Cobra | 2328611 | |
| Release combination assy. | 2329023 | |
| Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt | 2329978 | |



Wildcat 18-40 AirCoat Spraypack

- Cart version



Versatile solution - modular equipment

- Flexible, thanks to its modular construction: Standard four-leg version, mobile cart version, for small quantities with hopper or with a wall mount for stationary operation
- No more icing in continuous operation IceBreaker motor
- Outstandingly economical: Operates even at low inlet air pressures of > 1 bar
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat |
|--|-------------|------|
| Wildcat 18-40 AirCoat Spraypack - Cart version | 366125 | ILGF |
| Pneumatic pump Wildcat 18-40 PE / TG | 2329456 | |
| Cart 4" complete | 2325901 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | |
| AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat controller add-on kit; without sight glass; for Puma / Cobra | 2328611 | |
| Release combination assy. | 2329023 | |
| Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt | 2329978 | |





Wildcat 18-40 on wall mount, without hose and gun



Versatile solution - modular equipment

- Flexible, thanks to its modular construction: Standard four-leg version, mobile cart version, for small quantities with hopper or with a wall mount for stationary operation
- No more icing in continuous operation IceBreaker motor
- Outstandingly economical: Operates even at low inlet air pressures of > 1 bar
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| Wildcat 18-40 on wall mount, without hose and gun | 2301851 | ILGR |
| Pneumatic pump Wildcat 18-40 PE / TG | 2329456 | |
| Wall mounting 4" complete | 2332143 | |
| Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | |
| AirCoat controller add-on kit; without sight glass; for Puma / Cobra | 2328611 | |
| Release combination assy. | 2329023 | |
| Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt | 2329978 | |



Puma 28-40 AirCoat Spraypack on stand



The classic AirCoat piston pump powerful and versatile

- The most powerful AirCoat piston pump in our product range
- · Also available as an Airless variant
- No more icing in continuous operation IceBreaker motor
- Small details that simplify maintenance: Lightweight, replaceable fluid section, swivelling suction hose etc.
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| Puma 28-40 AirCoat Spraypack on stand | 367168 | ILGR |
| Piston pump Puma 28-40 PE / TG | 2329467 | |
| Stand 4" complete | 2332374 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 | 2324158 | |
| AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat controller add-on kit; without sight glass; for Puma / Cobra | 2328611 | |
| Release combination assy. | 2329023 | |
| Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt | 2329978 | |



Puma 28-40 AirCoat Spraypack -**Cart version**



The classic AirCoat piston pump powerful and versatile

- The most powerful AirCoat piston pump in our product range
- · Also available as an Airless variant
- No more icing in continuous operation IceBreaker motor
- Small details that simplify maintenance: Lightweight, replaceable fluid section, swivelling suction hose etc.
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| Puma 28-40 AirCoat Spraypack - Cart version | 367167 | ILGR |
| Piston pump Puma 28-40 PE / TG | 2329467 | |
| Cart 4" complete | 2325901 | |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | |
| Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | |
| AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | |
| Nozzle ACF3000 11/40 | 379411 | |
| AirCoat controller add-on kit; without sight glass; for Puma / Cobra | 2328611 | |
| Release combination assy. | 2329023 | |
| Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt | 2329978 | |



Puma 28-40 with wall mount, without hose and gun



The classic AirCoat piston pump powerful and versatile

- The most powerful AirCoat piston pump in our product range
- No more icing in continuous operation: IceBreaker motor
- Small details that simplify maintenance: Lightweight, replaceable fluid section, swivelling suction hose etc.
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| Puma 28-40 with wall mount, without hose and gun | 2301854 | ILGR |
| Piston pump Puma 28-40 PE / TG | 2329467 | |
| Wall mounting 4" complete | 2332143 | |
| Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | |
| Release combination assy. | 2329023 | |
| Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt | 2329978 | |

AirCoat accessories

| Guns | | Article no. | Cat. |
|------|--|-------------|------|
| f/c | AirCoat gun AC 4500, blue air cap and holder | 2368269 | ILZU |
| F/F | AirCoat gun AC 4500, green air cap and holder | 2368270 | ILZU |
| ff* | AirCoat gun AC 4500, red air cap and holder | 2368271 | ILZU |
| 1 | AirCoat gun AC 4600 Professional, incl. blue air cap and holder | 394156 | ILZU |
| İb | AirCoat gun AC 4600 Professional, incl. blue air cap, holder and nozzle | 394150 | ILZU |
| 1 | AirCoat gun AC 4600 Professional, incl. green air cap and holder | 394158 | ILZU |
| Íh | AirCoat gun AC 4600 Professional, incl. green air cap, holder and nozzle | 394152 | ILZU |
| T. | AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | ILZU |
| T) | AirCoat gun AC 4600 Professional, incl. red air cap, holder and nozzle | 394151 | ILZU |

| Nozzle extensions | Article no. | Cat. |
|---------------------------------|-------------|------|
| AirCoat nozzle extension: 30 cm | 394090 | ILZU |

| AirCoat | nozzles | Article no. | Cat. |
|---------|---|-------------|-------|
| | AirCoat ACF 3000 Plus nozzles; a summary table can be found in the final chapter, "Accessories" | 321XXX | ILTIP |
| | AirCoat nozzles AC4600 Prof./ GM3000 AC; an overview table can be found in the last chapter "Accessories" | 379XXX | ILTIP |

| Air caps | | Article no. | Cat. |
|----------|--|-------------|------|
| | Blue air cap for water-based materials (water-based paints), incl. union nut | 394911 | ILZU |
| | Green air cap for water-based materials and solvent-based materials (low air consumption), incl. union nut | 394912 | ILZU |
| | Red air cap for solvent-based materials, incl. union nut | 394910 | ILZU |
| Œ | Union nut complete | 394921 | ILET |

| Gun filter | insert | Article no. | Cat. |
|------------|---|-------------|--------|
| \ | Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| | Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine | 97022 | DPFILT |
| 1 | Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| | Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| \ | Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| | Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium | 97024 | DPFILT |

| Suction | n systems | Article no. | Cat. |
|---------|---|-------------|------|
| | Inlet elbow (stainless steel) complete, rigid for Wildcat /Puma, DN25 | 2323239 | ILZU |

Pictures may differ from the original product. Pictures may differ from the original product. wagner-group.com 131

| Air hose, DN6, 1/4", 10 m, for HP double hose | 2304451 | DPZU |
|--|---------|--------|
| Air hose, DN6, 1/4", 7.5 m, for HP double hose | 2304449 | DPZU |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 10 m | 9984596 | DPHOSE |
| HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | DPHOSE |
| HP double hose, material DN3, max. 27 MPa, air DN6, M16x1.5, 7.5 m | 2306802 | DPHOSE |
| HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m | 2302379 | DPHOSE |
| HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m | 2302378 | DPHOSE |
| HP double hose, material DN4, max. 27 MPa, air DN6, M16x1.5, 7.5 m | 2306803 | DPHOSE |
| | | |

| Suction s | ystems | Article no. | Cat. |
|------------|--|-------------|------|
| | Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 | 2324158 | ILZU |
| \Diamond | Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | ILZU |
| | Filter DN16, MW = 1.0 mm | 2323396 | ILZU |
| 9 | Suction hose DN 25, for piston pumps, Zip and Cobra | 2324116 | ILZU |
| | Filter DN25 MW = 1.0 mm, for SF 23 Plus | 2323325 | ILZU |
| 7 | QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra | 341263 | DPZU |
| | Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| 0 | Metex filter support cage | 34950 | DPZU |
| V | Filter bag for paint, for Metex filter support cage, 5 pieces | 34952 | DPZU |
| | | | |

| Hopper | | Article no. | Cat. |
|--------|--|-------------|------|
| | 5 litre hopper EX, M36x2 with filter disk | 340265 | ILZU |
| V | 5 litre hopper, for pneumatic piston pumps, incl. intake elbow | 2332169 | ILZU |
| | Cover, for 5 litre hopper EX | 340429 | ILZU |

| Hopper | Article no. | Cat. |
|--|-------------|------|
| Filter bag for lacquer, for 5 litre hopper | 97258 | DPET |
| Filter disk D57, 0.4 fine, for hoppers | 3756 | DPZU |
| Filter disk D57, 0.8 coarse, for hoppers | 37607 | DPZU |
| Return hose DN6-PN310-G1/4"-PA | 2329046 | ILZU |
| Return pipe DN6-G1/4"-100mm-PE | 2331752 | ILZU |
| Skid / cart / wall mount | Article no. | Cat. |

| -00 | Cart 4" complete | 2325901 | ILZU |
|-----------|--|-------------|-------|
| R | EvoMotion cart rollers | T6196.00 | ILCZU |
| رب | Wall mounting 4" complete | 2332143 | ILZU |
| | | | |
| AirCoat h | oses | Article no. | Cat. |
| | Air hose, DN6, 1/4", 10 m, for HP double hose | 2304451 | DPZU |
| | Air hose, DN6, 1/4", 7.5 m, for HP double hose | 2304449 | DPZU |

Protective tubing, 10 m, for HP double hose

2305871

DPET

| AirCoat hoses | Article no. | Cat. |
|--|-------------|------|
| Protective tubing, 7.5 m, for HP double hose | 2305870 | DPET |

| Connectors / double connectors | Article no. | Cat. |
|--|-------------|------|
| Double connector A = G 1/4" x G 1/4"; 53 MPa | 3204611 | ILZP |

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".

| Cleanin | g / storage / preserving | Article no. | Cat. |
|---------------------------------------|--|-------------|------|
| S IIII | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZ |
| 1100 | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZ |
| | EasyGlide, special oil, 118 ml | 508619 | DPE |
| IIIII | Hydraulic oil Divinol 1 litre, for diaphragm pumps | 21061 | DPE |
| A A A A A A A A A A A A A A A A A A A | Antifreeze lubricant 0.25 litre | 9992509 | DPE |
| 0 | TipClean, container incl. special cleaner | 97108 | DPZ |
| | TipClean, container incl. special cleaner, box (24 pieces) | 97109 | DPZ |
| 11 (11 11 11 11 | TipClean, refill bottle, 1 liter | 97110 | DPZ |
| 1 | Release agent, 0.25 litre | 9992504 | DPZ |
| | Release oil / Messamoll, 0.5 litre | 9992505 | DPE |

| Tools | Article no. | Cat. |
|-------------------|-------------|------|
| Adjusting spanner | 9991114 | DPZU |

| Other | | Article no. | Cat. |
|--------------|---|-------------|-------|
| 1 | AirCoat regulator assy. Cobra | 2333479 | ILZU |
| 0 | AirCoat controller add-on kit; without sight glass; for Puma / Cobra | 2328611 | ILZU |
| - | AirCoat controller set; for pneumatic piston pumps | T6145.00A | ILCZU |
| P | Pressure gauge combination 250 - 400 bar, $I = 1/4^{\prime\prime}$, $A = 1/4^{\prime\prime}$ | 340256 | DPZU |
| 9 | Pressure gauge combination complete 250 - 400 bar, I = M16x1.5, A = M16x1.5 | 97061 | DPZU |
| | Shut-off cock for atomiser air | M101.00 | ILCZU |

| Spare pa | rts / service kits | Article no. | Cat. |
|------------|--|-------------|------|
| | AC 4600 P service kit | 394942 | ILET |
| | Air cap gasket; for AirCoat AC 4600 guns | 394339 | ILET |
| | Nozzle seal, for AirCoat Pistole AC 4600 | 394338 | ILET |
| Samuel Bar | Swivel joint air | 364938 | ILET |
| | Swivel joint, material, for AC 4600 | 347706 | DPET |

Cdt.

2

3

4

5

6

7

8



FineFinish 40-15 S Airless Spraypack on stand



The entry-level Airless unit for woodworking applications

- Perfect finish: Thanks to the special FineFinish Airless paint nozzle
- Ideal entry-level unit: A lot of power at an attractive price
- Compact and lightweight: Ideal for small painting jobs
- Delivery direct from original container: Handles low to high-viscosity materials
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| FineFinish 40-15 S Airless Spraypack on stand | 2309804 | ILGR |
| Basic unit, FineFinish 40-15 S on stand | 2329450 | |
| Stand 4" complete | 2332374 | |
| HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | |
| Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 | 2324158 | |
| Return pipe DN6-G1/4"-100mm-PE | 2331752 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| TradeTip 3 FineFinish nozzle, 512 | 554512 | |
| Ball valve R 1/4"; G 1/4"; PN 350-SSt | 2334488 | |



Puma 28-40 Airless Spraypack on stand



The classic pneumatic piston pump – powerful and versatile

- Most powerful piston pump in our product range
- · Also available as AirCoat variant
- No more icing in continuous operation IceBreaker motor
- Small details that simplify maintenance: Lightweight, replaceable fluid section, swivelling suction hose etc.
- Suitable for use in potentially explosive atmospheres

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| Puma 28-40 Airless Spraypack on stand | 2303397 | ILGR |
| Piston pump Puma 28-40 PE / TG | 2329467 | |
| Stand 4" complete | 2332374 | |
| HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | |
| Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 | 2324158 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| TradeTip 3 FineFinish nozzle, 512 | 554512 | |
| Release combination assy. | 2329023 | |
| Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt | 2329978 | |

Airless accessories

| | Article no. | Cat. |
|--|--|---|
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | DPALG |
| Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder | 502166 | DPALG |
| | Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger 538040 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger 538041 Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger 538043 Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger 538085 Airless gun AG 14, G-thread 1/4", incl. TradeTip 3 nozzle holder 0502081A |

| lozzle e | xtensions | Article no. | Cat. |
|----------|--|-------------|-------|
| _ | ClearSpray valve, G-thread | 0521012A | DPALG |
| | ClearSpray valve, F-thread | 0521012F | DPALG |
| 9 | Nozzle extension, 15 cm, G-thread, with holder without nozzle | 556074 | DPALG |
| 8 | Nozzle extension, 15 cm, F-thread, with holder, without nozzle | 556051 | DPALG |
| 8 | Nozzle extension, 30 cm, G-thread, with holder without nozzle | 556075 | DPALG |
| 1 | Nozzle extension, 30 cm, F-thread, with holder, without nozzle | 556052 | DPALG |
| 78 | Nozzle extension, 45 cm, G-thread, with holder without nozzle | 556076 | DPALG |

| Airless nozzle holders | | Article no. | C |
|------------------------|--|-------------|---|
| D | Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles | 289391 | D |
| | Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles | 289390 | D |
| | | | |

| Gun filter inse | ert | Article no. | Cat. |
|-----------------|---|-------------|--------|
| Gunt | filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| Gunf | filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine | 97022 | DPFILT |
| Gunt | filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| Gunf | filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium | 97024 | DPFILT |
| Gunf | filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gunf | filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |

| Suction | systems | Article no. | Cat. |
|---------|---|-------------|------|
| pile | Filter DN16, MW = 1.0 mm | 2323396 | ILZU |
| | Filter DN25 MW = 1.0 mm, for SF 23 Plus | 2323325 | ILZU |
| V | Filter bag for paint, for Metex filter support cage, 5 pieces | 34952 | DPZU |
| | Inlet elbow (stainless steel) complete, rigid for Wildcat /Puma, DN25 | 2323239 | ILZU |
| 0 | Metex filter support cage | 34950 | DPZU |

| Nozzle e | rtensions | Article no. | Cat. |
|----------|--|-------------|-------|
| 8 | Nozzle extension, 45 cm, F-thread, with holder, without nozzle | 556053 | DPALG |
| 6 | Nozzle extension, 60 cm, G-thread, with holder without nozzle | 556077 | DPALG |
| 8 | Nozzle extension, 60 cm, F-thread, with holder, without nozzle | 556054 | DPALG |
| | Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |

| Airless n | ozzles | Article no. | Cat. |
|-----------|---|-------------|-------|
| 6 | Adjustable fan tip nozzles; a summary table can be found in the final chapter, "Accessories" | 9990XX | DPTIP |
| × | Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| 7 | Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| | StandardTip nozzles; you will find an overview table in the last chapter "Accessories" | 90xxx | ILTIP |
| 7 | TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories" | 554XXX | DPTIP |

| Airless n | ozzle holders | Article no. | Cat. |
|-----------|---|-------------|------|
| | Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |
| 8 | Anti-contact guard, for adjustable fan tip | 97294 | DPET |
| 5 | Double seal set, 5 pieces, for TradeTip 3 nozzles | 556037 | DPZU |

| DEI | Article no. | Cal. |
|--------------------------------|-------------|------|
| Return pipe DN6-G1/4"-100mm-PE | 2331752 | ILZU |

| Hoses | | Article no. | Cat. |
|-------|---|-------------|--------|
| | HP hose DN3, 27 MPa, M16x1.5, 7.5 m | 9984584 | DPHOSE |
| | HP hose DN3, 27 MPa, NPS 1/4", 10 m | 2301052 | ILZU |
| | HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | DPHOSE |
| | HP hose DN4, 27 MPa, M16x1.5, 7.5 m | 9984510 | DPHOSE |
| | HP hose DN4, 27 MPa, NPS 1/4", 10 m | 2302374 | DPHOSE |
| | HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | DPHOSE |
| | HP hose DN6, 27 MPa, M16x1.5, 30 m | 9984562 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 30 m | 9984575 | DPHOSE |
| | HP hose DN6, max. 27 MPa, M16x1.5, 15 m | 9984507 | DPHOSE |

| Hose wh | ips | Article no. | Cat. |
|---------|---|-------------|--------|
| 9 | Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE | 9984458 | DPHOSE |
| | Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PFTE | 9984456 | DPHOSE |
| | Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m | 9984569 | DPHOSE |
| | | | |

| Connectors / double connectors | | Article no. | Cat. |
|--------------------------------|---|-------------|------|
| | Coupling sleeve $I = 1/4$ "NPS x $A = M16x1.5$ | 34041 | ILZP |
| | Double connector A = 1/4" x 1/4" | 34038 | DPZU |
| | Double connector A = 1/4" x M16x1.5 | 34033 | DPZU |
| | Transition fitting $I = M16x1.5 \times A = 1/4$ " | 97201 | DPZU |

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".


| Suction systems | Article no. | Cat. |
|--|-------------|------|
| QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra | 341263 | DPZU |
| Suction hose DN 25, for piston pumps, Zip and Cobra | 2324116 | ILZU |
| Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | ILZU |
| Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 | 2324158 | ILZU |
| Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |

| Hopper | | Article no. | Cat. |
|------------|--|-------------|------|
| 5 | litre hopper EX, M36x2 with filter disk | 340265 | ILZU |
| 5 | litre hopper, for pneumatic piston pumps, incl. intake elbow | 2332169 | ILZU |
| <u>_</u> c | over, for 5 litre hopper EX | 340429 | ILZU |
| Fi | ilter bag for lacquer, for 5 litre hopper | 97258 | DPET |
| F | ilter disk D57, 0.4 fine, for hoppers | 3756 | DPZU |
| F | ilter disk D57, 0.8 coarse, for hoppers | 37607 | DPZU |
| R | leturn hose DN6-PN310-G1/4"-PA | 2329046 | ILZU |

| Cleaning | / storage / preserving | Article no. | Cat. |
|----------|--|-------------|------|
| 4 | Antifreeze lubricant 0.25 litre | 9992509 | DPET |
| | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZU |
| | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZU |
| 100 | EasyGlide, special oil, 118 ml | 508619 | DPET |
| | Hydraulic oil Divinol 1 litre, for diaphragm pumps | 21061 | DPET |
| 4 | Release agent, 0.25 litre | 9992504 | DPZU |
| | Release oil / Messamoll, 0.5 litre | 9992505 | DPET |
| | TipClean, container incl. special cleaner | 97108 | DPZU |
| | TipClean, container incl. special cleaner, box (24 pieces) | 97109 | DPZU |
| | TipClean, refill bottle, 1 liter | 97110 | DPZU |

| Tools | Article no. | Cat. |
|-------------------|-------------|------|
| Adjusting spanner | 9991114 | DPZU |

Notes





The effects of weather, UV rays, salty air, temperature fluctuations, acids and aggressive substances: the list of influences that can attack surfaces is a long one. Structures used for power generation and distribution, industrial buildings and infrastructure projects are particularly badly affected. Consequent maintenance work in the form of regular protective coatings is essential. WAGNER offers the perfect hardware solutions for especially tough, uneven surfaces.

wagner-group.com wagner-group.com 145

Product comparison





| | SuperFinish 23i | HeavyCoat 750 E | HeavyCoat 750 G | HeavyCoat 950 E | HeavyCoat 950 G |
|-------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Spraying method | Injection | | < | | |
| Product image (may differ) | | | | | |
| Art. No. | 2361599 | 2371027 | 2371029 | 2332184 | 2332186 |
| Cat. | DPFSF | DPHC | DPHC | DPHC | DPHC |
| Technology | © | đ | đ | ₽ | đ |
| Weight | 29 kg | 85 kg | 81 kg | 76 kg | 76 kg |
| Motor output | 1.3 kW | 3.1 kW | 4.1 kW | 4.1 kW | 4.1 kW |
| Drive | | | | | |
| Voltage | 230 V / 50 Hz |
| Max. nozzle size | 0.023" | 0.043" | 0.043" | 0.052" | 0.052" |
| Max. operating pressure | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa | 250 bar, 25 MPa |
| Max. delivery rate | 2.6 l/min | 6 l/min | 7.6 l/min | 8 l/min | 8 l/min |
| Max. viscosity | 20.000 mPas | 50.000 mPas | 65.000 mPas | 50.000 mPas | 50.000 mPas |

| Material | SuperFinish 23i | HeavyCoat 750 E | HeavyCoat 750 G | HeavyCoat 950 E | HeavyCoat 950 G |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|
| Injections with Epoxy and Polyurethanes (PU), SPUR foam, aqueous solutions | S-L | + | - | - | - |
| Epoxy paints, water- based acrylics, primers and polyurethanes | - | М | М | S-M | S-M |
| Fire protective coatings, zinc dust paints, silicone / roof coatings | - | М | М | S-M | S-M |

Suitable for following object sizes: $S = less than 200 \text{ m}^2$, $M = 200 \text{ m}^2 - 800 \text{ m}^2$, $L = over 800 \text{ m}^2$, - = not suitable

| HeavyCoat 970 E | HeavyCoat 970 G |
|-----------------|-----------------|
| | \blacksquare |
| | |
| 2332191 | 2332192 |
| DPHC | DPHC |
| đ | đ |
| 100 kg | 88 kg |
| 5.5 kW | 6 kW |
| ST. | · A |
| 400 V / 50 Hz | 400 V / 50 Hz |
| 0.056" | 0.056" |
| 250 bar, 25 MPa | 250 bar, 25 MPa |
| 10 l/min | 12 l/min |
| 65.000 mPas | 65.000 mPas |

| HeavyCoat 970 E | HeavyCoat 970 G |
|-----------------|-----------------|
| | |
| - | - |
| | |
| S-L | S-L |
| S-L | S-L |
| | |

The following pump technologies are available in this chapter

Diaphragm pump

Piston pump

| Technology | Ō | đ |
|-----------------------------|--|--|
| Description | The material is transported by means of a stroke movement in the diaphragm. Products featuring this technology are robust and yet easy to handle units for construction site use. Electrically driven diaphragm pumps can be used as both Airless and AirCoat Spraypacks. | Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol. |
| Benefits and applications | Flexible material intake: It is possible to use small amounts with a hopper or apply the material directly from the original container The pressure can be continuously regulated from 0 to 25 MPa Ease of maintenance Very low wear Low operating costs WAGNER quality: Long stroke technology and extremely robust design | Perfect for high-viscosity materials Optimal suction performance High delivery volumes, including with high-viscosity materials High material pressure: long hose lengths possible Use of large nozzle sizes possible WAGNER quality: Extra durable packings |
| Recommended spraying method | Injection | |



SuperFinish 23 Injection



Professional crack repair

- Powerful: big diaphragm surface for perfect usage with high viscosity materials
- Variety of materials: suitable for Epoxy and Polyurethanes (PU), SPUR foam, aqueous solutions
- Smple: service, cleaning and maintenance directly on the job site is no problem at all
- Ease of use: handy pressure regulation in low pressure areas (starting from 10 bar)

| Scope of delivery | Article no. | Cat. |
|---|-------------|-------|
| SuperFinish 23i with hopper and pressure regulator | 2361599 | DPFSF |
| No Spraypack | - | |
| Basic unit, SF 23i | 2357691 | |
| Complete hopper; for injection | 2357506 | |
| Pressure gauge combination 250 - 400 bar, $I = 1/4^{\prime\prime}$, $A = 1/4^{\prime\prime}$ | 340256 | |
| | | |



HeavyCoat 750 E Spraypack / 230 V

New compact power pack for heavy material

- Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such a bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- Maximum user-friendliness thanks to simple operation

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 750 E Spraypack / 230 V | 2371027 | DPHC |
| Basic unit; HC 750 E | 537004 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, S10, 235 / 527 | 271049 | |





HeavyCoat 750 G Spraypack/ Petrol



New compact power pack for heavy material

- Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such a bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- Maximum user-friendliness thanks to simple operation

| Article no. | Cat. |
|-------------|--|
| 2371029 | DPHC |
| 537006 | |
| 2336585 | |
| 2336582 | |
| 814-005 | |
| 0502081A | |
| 271049 | |
| | 2371029 537006 2336585 2336582 814-005 0502081A |

Accessories for conversion (diaphragm pumps)

| Airless emulsion applications (for SF 23i) | Article no. | Cat. |
|--|-------------|--------|
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| Suction system; flexible; for emulsion; DN25 | 34630 | DPZU |

| Airless rollers (for SF 23i) | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

| Airless painting applications | Article no. | Cat. |
|---|-------------|--------|
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles HEA ProTip, please find an overview in the last chapter "Accessories" | 0554XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories" | 554XXX | DPTIP |
| Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | DPHOSE |
| HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | DPHOSE |
| HP hose DN3, 27 MPa, NPS 1/4", 10 m | 2301052 | ILZU |
| HP hose DN4, 27 MPa, NPS 1/4", 10 m | 2302374 | DPHOSE |
| 5 litre hopper, M36x2 | 341265 | DPZU |

150 wagner-group.com







HeavyCoat 950 E Spraypack /



Power pack for heavy materials

- · Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 950 E Spraypack / 230 V | 2332184 | DPHC |
| Basic unit, HC 950 E | 528501 | |
| HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, D40, 117 / 427 | 271048 | |



HeavyCoat 950 G Spraypack / **Petrol**



Power pack for heavy materials

- · Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- · Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 950 G Spraypack / Petrol | 2332186 | DPHC |
| Basic unit, HC 950 G | 528500 | |
| HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, D40, 117 / 427 | 271048 | |



HeavyCoat 970 E Spraypack / 400 V



All-round Xtra speed for XL projects

With a delivery volume of 10 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 10 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more perfor $mance\ with\ the\ SSP-Fast\ container\ change overs,\ easy\ to\ clean\ and\ transport\ thanks\ to$ the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 970 E Spraypack / 400 V | 2332191 | DPHC |
| Basic unit, HC 970 E | 528509 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, S20, 243 / 539 | 271050 | |



HeavyCoat 970 G Spraypack / **Petrol**



All-round Xtra speed for XL projects

With a delivery volume of 12 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 12 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

| Scope of delivery | Article no. | Cat. |
|--|-------------|------|
| HeavyCoat 970 G Spraypack / Petrol | 2332192 | DPHC |
| Basic unit, HC 970 G | 528508 | |
| HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | |
| Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | |
| Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | |
| Connector 3/8" x 1/2" | 814-005 | |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | |
| 2SpeedTip, S20, 243 / 539 | 271050 | |

Accessories for conversion (piston pumps)

| Airless emulsion applications | Article no. | Cat. |
|--|-------------|--------|
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | DPALG |
| Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder | 502166 | DPALG |
| Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8" | 296441 | DPALG |
| Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16" | 296443 | DPALG |
| Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8" | 296442 | DPALG |
| Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16" | 296444 | DPALG |
| Nozzle extension, 15 cm, G-thread, with holder without nozzle | 556074 | DPALG |
| Nozzle extension, 15 cm, F-thread, with holder, without nozzle | 556051 | DPALG |
| Nozzle extension, 30 cm, G-thread, with holder without nozzle | 556075 | DPALG |
| Nozzle extension, 30 cm, F-thread, with holder, without nozzle | 556052 | DPALG |
| Nozzle extension, 45 cm, G-thread, with holder without nozzle | 556076 | DPALG |
| Nozzle extension, 45 cm, F-thread, with holder, without nozzle | 556053 | DPALG |
| Nozzle extension, 60 cm, G-thread, with holder without nozzle | 556077 | DPALG |
| Nozzle extension, 60 cm, F-thread, with holder, without nozzle | 556054 | DPALG |
| Knee joint with screw (G-thread) | 286908 | DPET |
| Knee joint, F-thread, for nozzle extension | 97009 | DPZU |
| Nozzle extension, 1 m with swivelling knee joint; F-thread | 96015 | DPALG |
| Nozzle extension, 2 m with swivelling knee joint; F-thread | 96016 | DPALG |
| Nozzle extension, 3 m with swivelling knee joint; F-thread | 96017 | DPALG |
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| TwinTip nozzles; a summary table can be found in the final chapter, "Accessories" | 1009XXX | DPTIP |
| Adjustable fan tip nozzles; a summary table can be found in the final chapter, "Accessories" | 9990XX | DPTIP |
| Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse | 89323 | DPFILT |
| HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| HP hose DN6, 27 MPa, NPSM 1/4", 30 m | 9984575 | DPHOSE |
| Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE | 9984458 | DPHOSE |
| Double connector $A = 1/4'' \times 1/4''$ | 34038 | DPZU |
| | | |

| Airless rollers | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

| Processing of large volumes | Article no. | Cat. |
|---|-------------|------|
| Inlet elbow, 2-C, for HeavyCoat | 349252 | DPET |
| Large volume containers | 2309956 | DPZU |
| Large volume container, incl. sack support and roller press | 2309960 | DPZU |
| Large volume container incl. sack support, roller press and adaptor set for HeavyCoat | 2309955 | DPZU |
| Press table incl. guide rail for roller | 2323178 | DPZU |
| Container Connector PS 39/HC | 2383128 | DPZU |
| | | |

Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

| Converting to petrol HC950/970 | Article no. | Cat. |
|--|-------------|------|
| Kit for conversion to petrol operation, 4.8 PS, Honda | 0290614A | DPET |
| Kit for conversion to petrol-driven operation, 8.5 PS, Honda | 0290456A | DPET |

| Converting for electrical operation HC950/970 | Article no. | Cat. |
|---|-------------|------|
| Kit for conversion to electric motor, 230 V | 0528611A | DPZU |
| Kit for conversion to electric motor, 400 V | 0528612A | DPET |

| Guns | | Article no. | Cat. |
|------------|--|-------------|-------|
| 神 | Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger | 538040 | DPALG |
| 神 | Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger | 538041 | DPALG |
| 计 | Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger | 538043 | DPALG |
| 17 | Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| | Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | DPALG |
| | Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder | 502166 | DPALG |
| 5.3 | Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | DPALG |
| 1 | Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder | 2341126 | DPALG |
| | Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8" | 296441 | DPALG |
| | Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16" | 296443 | DPALG |
| | Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8" | 296442 | DPALG |
| <i>A</i> D | Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16" | 296444 | DPALG |

| Nozzle e | xtensions | Article no. | Cat. |
|----------|--|-------------|-------|
| _ | ClearSpray valve, G-thread | 0521012A | DPALG |
| | ClearSpray valve, F-thread | 0521012F | DPALG |
| 9 | Nozzle extension, 15 cm, G-thread, with holder without nozzle | 556074 | DPALG |
| 8 | Nozzle extension, 15 cm, F-thread, with holder, without nozzle | 556051 | DPALG |
| 1 | Nozzle extension, 30 cm, G-thread, with holder without nozzle | 556075 | DPALG |

| Nozzle ex | Nozzle extensions | | Cat. |
|-----------|--|--------|-------|
| 8 | Nozzle extension, 30 cm, F-thread, with holder, without nozzle | 556052 | DPALG |
| | Nozzle extension, 45 cm, G-thread, with holder without nozzle | 556076 | DPALG |
| 18 | Nozzle extension, 45 cm, F-thread, with holder, without nozzle | 556053 | DPALG |
| 6 | Nozzle extension, 60 cm, G-thread, with holder without nozzle | 556077 | DPALG |
| 8 | Nozzle extension, 60 cm, F-thread, with holder, without nozzle | 556054 | DPALG |
| | Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |

| Nozzles | Article no. | Cat. |
|--|-------------|-------|
| Nozzles 2SpeedTip, please find an overview in the last chapter "Accessories" | 271XXX | DPTIP |
| Nozzles TradeTip 3, please find an overview in the last chapter "Accessories" | 553XXX | DPTIP |
| Nozzles TradeTip 3 HighPressure, please find an overview in the last chapter "Accessories" | 559XXX | DPTIP |

| Nozzle ł | older | Article no. | Cat. |
|----------|--|-------------|-------|
| 2 | Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles | 289390 | DPTIP |
| 0 | Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles | 289391 | DPTIP |
| | TradeTip HP nozzle holder, G-thread 7/8" | 289395 | DPTIP |
| | TradeTip HP nozzle holder, F-thread 11/16" | 289396 | DPTIP |
| 5 | Double seal set, 5 pieces, for TradeTip 3 nozzles | 556037 | DPZU |
| | | | |

Cat.

DPET

DPZU

DPZU

Article no.

349252

97305

9991651

| | | þ |
|--|--|---|
| | | |

Inlet elbow, for HeavyCoat 349580 DPET

lnlet elbow, 2", for HeavyCoat 950/970 342205 DPZU

Container suction system, incl. C-coupling adapter, for HeavyCoat 349907 DPZU Metex filter support cage DPZU 34950

| Hoses | | Article no. | Cat. |
|-------|--|-------------|--------|
| | HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | DPHOSE |
| | HP hose DN10, max. 25 MPa, NPSM 3/8", 30 m | 2336584 | DPHOSE |
| | HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | DPHOSE |
| 9 | HP hose DN19, max. 25 MPa, NPSM 3/4", 15 m | 2336586 | DPHOSE |
| | HP hose DN6, 27 MPa, M16x1.5, 30 m | 9984562 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 30 m | 9984575 | DPHOSE |
| | HP hose DN6, max. 27 MPa, M16x1.5, 15 m | 9984507 | DPHOSE |

| Hose wh | ips | Article no. | Cat. |
|---------|---|-------------|--------|
| | Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE | 9984458 | DPHOSE |
| | Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PFTE | 9984456 | DPHOSE |
| | Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m | 9984569 | DPHOSE |

| Nozzle holder | | Article no. | Cat. |
|---------------|---|-------------|------|
| | Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |

| Gun filter | insert | Article no. | Cat. |
|------------|---|-------------|--------|
| \ | Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| | Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium | 97024 | DPFILT |
| \ | Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse | 89323 | DPFILT |
| | Gun filter green, set of 10 pieces, 30 MA, 0.56 mm MW, coarse | 97025 | DPFILT |

| High-pre | ssure filter pads (for HeavyCoat) | Article no. | Cat. |
|----------|--|-------------|------|
| (MARCO) | Filter cartridge, 0 MA, for HeavyCoat / LineCoat | 930-004 | DPET |
| (6.00) | Filter cartridge, 5 MA, for HeavyCoat / LineCoat | 349431 | DPET |
| | Filter cartridge, 50 MA, for HeavyCoat / LineCoat | 930-006 | DPET |
| | Filter cartridge, 100 MA, for HeavyCoat / LineCoat | 930-007 | DPET |

| Suction | systems (for HeavyCoat) | Article no. | Cat. |
|---------|---|-------------|------|
| I | Intake elbow for fillers, for HeavyCoat | 2340003 | DPET |

Suction systems (for HeavyCoat)

Blind plug for C-coupling

Reducing adapter B- to C-coupling, for HeavyCoat

Inlet elbow, 2-C, for HeavyCoat


| Accesso | ries for injections (for SF 23i) | Article no. | Cat. |
|----------|---|-------------|------|
| | Complete hopper; for injection | 2357506 | DPZU |
| 1 | HD ball valve; with slide coupling | 2353775 | DPZU |
| - | HP ball cock, with mouth piece | 2353754 | DPZU |
|) de | HP ball cock, with whip hose and mouth piece | 2353788 | DPZU |
| <i></i> | HP ball cock, with whip hose and slide coupling | 2353789 | DPZU |
| | Hose whip with mouthpiece | 97057 | DPET |
| (P) | Pressure gauge combination 250 - 400 bar, $I = 1/4^{\circ}$, $A = 1/4^{\circ}$ | 340256 | DPZU |
| (3) July | Pressure measuring unit; 400 bar | 2353487 | DPZU |


| Large volume containers | Article no. | Cat. |
|---|-------------|------|
| Container Connector PS 39/HC | 2383128 | DPZU |
| Large volume container incl. sack support, roller press and adaptor set for HeavyCoat | 2309955 | DPZU |
| Large volume container, incl. sack support and roller press | 2309960 | DPZU |
| Large volume containers | 2309956 | DPZU |
| Press table incl. guide rail for roller | 2323178 | DPZU |

| Cleaning | / storage / preserving | Article no. | Cat. |
|---|--|-------------|------|
| | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZU |
| 1 to 1 to 1 to 1 to 1 to 1 to 1 to 1 to | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZU |
| 200 | EasyGlide, special oil, 118 ml | 508619 | DPET |
| | Hydraulic oil Divinol 1 litre, for diaphragm pumps | 21061 | DPET |
| 1 | Antifreeze lubricant 0.25 litre | 9992509 | DPET |
| | TipClean, container incl. special cleaner, box (24 pieces) | 97109 | DPZL |
| 9 | TipClean, container incl. special cleaner | 97108 | DPZU |
| | TipClean, refill bottle, 1 liter | 97110 | DPZU |
| 7 | TopClean cleaning set, for hoppers | 340930 | DPZL |
| 1 | Release agent, 0.25 litre | 9992504 | DPZL |

| Tools | Article no. | Cat. |
|---|-------------|--------|
| Adjusting spanner | 9991114 | DPZU |
| Coupling spanner with thermally insulated handle (2x) | 9100099 | DPPCZU |
| Relief combination, for HeavyCoat | 349911 | DPZU |
| Strap spanner for HP filters | 349720 | DPET |

Notes





Need to strip off wallpaper or to refresh the favourite furnitures of a client? Before a professional coating can be applied you first have to remove the old wallpaper. This is usually exhausting and time consuming. Now you can work more conveniently and faster with the practical tools from WAGNER, e.g. the wallpaper steamer.

wagner-group.com 165 wagner-group.com

Product comparison

SteamForce Pro

| | SteamForce Pro |
|-------------------------------|-------------------------------|
| Product image (may differ) | |
| Art. No. | 2351453 |
| Cat. | DPPE |
| Motor output | 2.75 kW |
| Drive | * |
| Voltage | 230 V / 50 Hz |
| Size of the steamer plates | 253 x 305 mm / 140 x 70 mm |
| Hose length | 5 m |
| Tank volume | 7.51 |
| Steaming time max. | 90 min |
| Heating time | ca. 18 min |
| Cable length | 5 m |
| Temperature stages | - |
| Fan | - |
| Air volume | - |



SteamForce Pro



The professional wallpaper steamer

- Powerful: ideal for removing large areas of wallpaper even coated wallpaper
- Efficient without chemicals: no pre-processing with cleaning agents required the natural force of the steam removes even small particles with no residue
- Robust professional device with a sturdy frame you can stand on to tackle difficult to reach areas without using a ladder
- Durable: the water tank is anodised to provide protection from corrosion
- Safe and comfortable: heat-insulated working hose

| Scope of delivery | Article no. | Cat. |
|---|-------------|------|
| SteamForce Pro | 2351453 | DPPE |
| Base unit; SteamForce Pro | - | |
| Steaming bar, small, for SteamForce Pro | ST7/B | |



Practical accessories

Rollers and more ...

WAGNER provides innovative accessories that offer you additional options for using your spraying system. These include the practical "inside fillable delivery paint roller" for processing emulsions indoors and outdoors, as well as a wide range of accessories, which makes your daily work easier for you.

168 wagner-group.com 169

XVLP

| Spraying | g attachments XVLP | Article no. | Cat. |
|----------|--------------------------------|-------------|--------|
| 2 | FineSpray spray attachment | 2321877 | DPXVZU |
| | StandardSpray spray attachment | 2321879 | DPXVZU |
| 2 | WallSpray spray attachment | 2321880 | DPXVZU |

| Filters | Article no. | Cat. |
|--|-------------|--------|
| Air filters, 3 pieces, for FC 5000 | 2322446 | DPXVET |
| Air filters, 3 pieces, for FinishControl 3500 | 2343947 | DPXVET |
| Feed tube filter, coarse, 5 pcs, for FinishControl spray attachments | 2324249 | DPXVET |
| Feed tube filter, fine, 5 pcs, for FinishControl spray attachments | 2324248 | DPXVET |

| Hoses | Article no. | Cat. |
|---|-------------|--------|
| Air hose including handle, for FinishControl 5000 | 2314573 | DPXVET |

| Cleaning | and storage | Article no. | Cat. |
|----------|---|-------------|--------|
| | Carrying case, for FC 3500 | 2341100 | DPXVET |
| | Carrying strap, for FC 3500 | 2341187 | DPXVET |
| | Cleaning brush | 514209 | DHET |
| | Cleaning kit for HVLP and XVLP spraying guns | 2354639 | DHZU |
| | Cleaning set, for XVLP spray attachments | 935364 | DPZU |
| | Strap holder FinishControl 3500, incl. screws | 2343948 | DPXVET |
| | Tanos Systainer | 2340218 | DPXVZU |

| Other | | Article no. | Cat. |
|-------|---|-------------|--------|
| V | Can Adapter, for FinishControl | 2350692 | DPXVZU |
| | Container seal, for all XVLP spray attachments | 2319223 | DPXVET |
| | Container with cover, 1000 ml, stainless steel, for FinishControl spray attachments | 2322451 | DPXVET |
| | Container with cover, 1400 ml, for WallPaint spray attachments | 2324749 | DPXVET |
| | Feed tube, emulsion | 2323674 | DPXVET |
| | Feed tube, standard | 2319222 | DPXVET |
| Xu. | Filling hopper, 3 pieces, for FinishControl spray attachments | 2324745 | DPXVET |
| | Nozzle seal, for FinishControl | 2323934 | DPXVET |
| | Turbine housing with handle | 2350780 | DPXVET |

wagner-group.com 171

HVLP – **Nozzles**

172 wagner-group.com

FineCoat nozzles are made of high-quality, robust metal and have an extremely easy-to-clean design. In combination with the air cap, the precise nozzle aperture enables enamel application with low overspray. Several nozzles in different sizes are available for different guns. This enables work to be carried out with a wide variety of materials.

| | | Product name | Art. No. | Cat. |
|-----------|------------------------------------|---|----------|------|
| - | FineCoat radiator extension nozzle | FineCoat radiator extension nozzle RN30, only for FineCoat guns (item no. 0277 035) | 261020 | DPZU |
| | Nozzle set for FineCoat | Nozzle set, for FineCoat Split Gun, no. 2, Ø 0.8 mm | 529209 | DPZU |
| | Split Gun | Nozzle set, for FineCoat Split Gun, no. 3, Ø 1.3 mm | 529210 | DPZU |
| | | Nozzle set, for FineCoat Split Gun, no. 4, Ø 1.8 mm | 529211 | DPZU |
| - et- fir | | Nozzle set, for FineCoat Split Gun, no. 5, Ø 2.2 mm | 529212 | DPZU |
| | | Nozzle set, for FineCoat Split Gun, no. 6, Ø 2.4 mm | 529213 | DPZU |
| | | Nozzle set, for FineCoat Split Gun, no. 7, Ø 2.6 mm | 529214 | DPZU |
| | Nozzle set for FineCoat | Nozzle set, for FineCoat gun, no. 1, Ø 0.5 mm | 276155 | DPET |
| | gun | Nozzle set, for FineCoat gun, no. 2, Ø 0.8 mm | 276254 | DPET |
| | | Nozzle set, for FineCoat gun, no. 3, Ø 1.3 mm | 276227 | DPET |
| | | Nozzle set, for FineCoat gun, no. 4, Ø 1.8 mm | 276228 | DPET |
| | | Nozzle set, for FineCoat gun, no. 5, Ø 2.2 mm | 276229 | DPET |
| | | Nozzle set, for FineCoat gun, no. 6, Ø 2.5 mm | 276245 | DPET |
| | | Nozzle set, for FineCoat gun, no. 7, Ø 2.7 mm | 524211 | DPET |
| | Nozzles for WSL 50/60 | Nozzle, d = 04 mm, 6KT.22, for WSL 50/60 | 261463 | DPET |
| | | Nozzle, d = 06 mm, 6KT.22, for WSL 50/60 | 261464 | DPZU |
| | | Nozzle, d = 08 mm, 6KT.22, for WSL 50/60 | 261465 | DPZU |
| | | Nozzle, d = 10 mm, 6KT.22, for WSL 50/60 | 261466 | DPZU |

HVLP – Additional accessories

| Guns | | Article no. | Cat. |
|------|--|-------------|------|
| P | Conversion kit FineCoat Split Gun, for gravity feed cup | 524045 | DPZU |
| 1 | FineCoat Split Gun; suction cup; 1000 ml | 524028 | DPZU |
| T | FineCoat gun; 1-litre pressure cup; incl. nozzle set No. 4; for FC 7000 / FC 8800 / FC 9900 | 277035 | DPZU |
| À | FineCoat gun; 1-litre pressure cup; incl. nozzle set No. 4; for FineCoat Controller | 279094 | DPZU |
| 1 | FineCoat gun; material connection; incl. nozzle set No. 5; for FineCoat 9900 PowerCart | 277058 | DPZU |
| | FineCoat spraying lance WSL 60 with hopper; for liquid raw fibres; texture effects or plaster; only usable with quick release coupling (art. No. 0275 625) | 261024 | DPZU |
| 下 | Flocking gun WF-20; 20 mm; for the application of dry chips to a wet undercoat | 261025 | DPZU |
| 4 | Gravity feed cup, for FineCoat Split Gun, 600 ml | 524053 | DPZU |

| Air caps | | Article no. | Cat. |
|----------|----------------------------|-------------|------|
| | Air cap, $d = 09$ mm, RD45 | 261460 | DPET |
| | Air cap, d = 12 mm, RD45 | 261461 | DPET |
| 73 | Air cap, d = 14.5 mm, RD45 | 261462 | DPET |

| Filters | Article no. | Cat. |
|-----------------------------------|-------------|------|
| Filter kit, for FC 9900 / FC 9800 | 279938 | DPET |

Pictures may differ from the original product.

Pictures may differ from the original product.

wagner-group.com 173


5

6

| Hoses | Article no. | Cat. |
|---|-------------|------|
| Air hose, 4.5 m, for FineCoat turbines incl. quick release coupling | 276233 | DPET |
| Air hose assy. FC-9900 Plus | 277236 | DPET |
| Air hose, 9 m, for FC Controller | 275249 | DPET |
| Hose pack, consisting of material and air hose DN10, 8.2 m | 261255 | DPET |
| Hose whip, 152 cm, for FineCoat | 524405 | DPET |

| Other | | Article no. | Cat. |
|----------|--|-------------|------|
| | Cleaning kit for HVLP and XVLP spraying guns | 2354639 | DHZU |
| ② | Pressure gauge 0-4 bar, 1/8", for pressure tank FineCoat 9950 PP | 261342 | DPZU |
| 9 | Pressure tank insert, solvent resistant, plastic | 261374 | DPET |
| 5 | Quick release coupling | 275625 | DPET |
| | Remote pressure pot | 524232 | DPZU |
| 0 | Service kit, for FC gun with pressure cup | 295981 | DPZU |

Notes



FineSpray

| Guns | | Article no. | Cat. |
|--|--|-------------|--------|
| The state of the s | PILOT Trend MP paint connection 1.5 mm | V1061304153 | ILW001 |
| 7 | PILOT Trend HD gravity cup 1.5 mm | V1060103153 | ILW001 |

| Filters | | Article no. | Cat. |
|---------|------------------------|-------------|-------|
| Filte | er pad | T500.00 | ILZU |
| Filte | er pad 100 meshes | T500.00A | ILCZU |
| Filte | er pad 150 meshes | T500.00B | ILZU |
| Filte | er, coarse, 60 meshes | T454.00 | ILCZU |
| Filte | er, medium, 100 meshes | T455.00 | ILCZU |

| Hoses | | Article no. | Cat. |
|------------|--|-------------|------|
| | Hose pack DN6, 7.5 m, material 3/8", air 1/4" | 3677249 | ILZU |
| U | Hose pack DN9, 7.5 m, material 3/8", air 1/4" | 3677250 | ILW0 |
| | Restricted fitting: A = R3/8": I = Rp1/4" | 3202252 | ILET |
| \Diamond | Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | ILZU |

| Skid / cart / wall mount | Article no. | Cat. |
|---|-------------|-------|
| Cart set with wheels, for Zip 52 | T760.00SR | ILCZU |
| Clutch and wheel set, for Zip 52, for conversion from stand to cart | T760.00R | ILCZU |
| Stand, for Zip 52 | T760.00S | ILCZU |
| Wall bracket, for Zip 52 | T760.00M | ILCZU |
| Wall mounting for Zip 52 | T600.573 | ILCZU |
| Low-pressure double screw connections | Article no. | Cat. |
| Double screw connection A = G 1" x G 1 1/2"; 1.5 MPa; low pressure | 368964 | ILZP |

Double screw connection $A = G 3/4^{\circ} \times G 1^{\circ}$; 1.5 MPa; low pressure

•

M344.00

ILZP

1. AirCoat nozzles ACF 3000

The dome-shaped geometry and high-tech sanding and erosion methods during manufacture ensure extremely fine atomisation with low energy consumption (material pressure). For a long service life and low wear and tear, the nozzle is made from resistant hard metal. The WAGNER AirCoat nozzle ensures brilliant paint finishes: An even spray pattern and extremely gentle graduated borders are guaranteed. This applies to both small and large quantities of atomised air.



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm¹ | Gun filter ² | Art. No. ³ |
|-------------------------------|-------------------|------------------------|---------------------|--------------------|-------------------------|-----------------------|
| natural colour paints, | 07.10 | 0.007/0,18 | 10 | 55 | red | 379107 |
| colourless paints, oils | 07.20 | 0.007/0,18 | 20 | 100 | red | 379207 |
| | 07.40 | 0.007/0,18 | 40 | 195 | red | 379407 |
| | 09.20 | 0.009/0,23 | 20 | 100 | red | 379209 |
| | 09.30 | 0.009/0,23 | 30 | 145 | red | 379309 |
| | 09.40 | 0.009/0,23 | 40 | 195 | red | 379409 |
| | 09.50 | 0.009/0,23 | 50 | 250 | red | 379509 |
| | 09.60 | 0.009/0,23 | 60 | 300 | red | 379609 |
| synthetic resin-based | 11.10 | 0.011/0,28 | 80 | 55 | red | 379111 |
| paints, PVC paints, 2K paints | 11.20 | 0.011/0,28 | 20 | 100 | red | 379211 |
| | 11.30 | 0.011/0,28 | 30 | 145 | red | 379311 |
| | 11.40 | 0.011/0,28 | 40 | 195 | red | 379411 |
| | 11.50 | 0.011/0,28 | 50 | 250 | red | 379511 |
| | 11.60 | 0.011/0,28 | 60 | 300 | red | 379611 |
| | 11.80 | 0.011/0,28 | 80 | 400 | red | 379811 |
| paints, undercoats, primers, | 13.10 | 0.013/0,33 | 10 | 55 | red, yellow | 379113 |
| fillers | 13.20 | 0.013/0,33 | 20 | 100 | red, yellow | 379213 |
| | 13.30 | 0.013/0,33 | 30 | 145 | red, yellow | 379313 |
| | 13.40 | 0.013/0,33 | 40 | 195 | red, yellow | 379413 |
| | 13.50 | 0.013/0,33 | 50 | 250 | red, yellow | 379513 |
| | 13.60 | 0.013/0,33 | 60 | 300 | red, yellow | 379613 |
| | 13.80 | 0.013/0,33 | 80 | 400 | red, yellow | 379813 |
| filler, anti-corrosive paints | 15.10 | 0.015/0,38 | 10 | 55 | yellow | 379115 |
| | 15.20 | 0.015/0,38 | 20 | 100 | yellow | 379215 |
| | 15.30 | 0.015/0,38 | 30 | 145 | yellow | 379315 |
| | 15.40 | 0.015/0,38 | 40 | 195 | yellow | 379415 |
| | 15.50 | 0.015/0,38 | 50 | 250 | yellow | 379515 |
| | 15.60 | 0.015/0,38 | 60 | 300 | yellow | 379615 |
| | 15.80 | 0.015/0,38 | 80 | 400 | yellow | 379815 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. ILTIP



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|------------------------------|-------------------|------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| anti-corrosive paints, latex | 17.20 | 0.017/0,43 | 20 | 100 | yellow | 379217 |
| paints | 17.30 | 0.017/0,43 | 30 | 145 | yellow | 379317 |
| | 17.40 | 0.017/0,43 | 40 | 195 | yellow | 379417 |
| | 17.50 | 0.017/0,43 | 50 | 250 | yellow | 379517 |
| | 17.60 | 0.017/0,43 | 60 | 300 | yellow | 379617 |
| | 17.80 | 0.017/0,43 | 80 | 400 | yellow | 379817 |
| | 19.20 | 0.019/0,48 | 20 | 100 | yellow, white | 379219 |
| | 19.30 | 0.019/0,48 | 30 | 145 | yellow, white | 379319 |
| | 19.40 | 0.019/0,48 | 40 | 195 | yellow, white | 379419 |
| | 19.50 | 0.019/0,48 | 50 | 250 | yellow, white | 379519 |
| | 19.60 | 0.019/0,48 | 60 | 300 | yellow, white | 379619 |
| | 19.80 | 0.019/0,48 | 80 | 400 | yellow, white | 379819 |
| anti-corrosive paints | 21.20 | 0.021/0,53 | 20 | 100 | white | 379221 |
| | 21.40 | 0.021/0,53 | 40 | 195 | white | 379421 |
| | 21.50 | 0.021/0,53 | 50 | 250 | white | 379521 |
| | 21.60 | 0.021/0,53 | 60 | 300 | white | 379621 |
| | 21.80 | 0.021/0,53 | 80 | 400 | white | 379821 |
| | 23.40 | 0.023/0,58 | 40 | 195 | white | 379423 |
| | 23.60 | 0.023/0,58 | 60 | 300 | white | 379623 |
| | 23.80 | 0.023/0,58 | 80 | 400 | white | 379823 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

³Cat. ILTIP

__

5

6

7

8

AirCoat pre-atomisation nozzles provide extra fine atomisation even with low inlet air pressure. This is especially important for processing water- or solvent-based paints. Using a pre-atomisation nozzle allows you to work with less material and air quantity. There is significantly less overspray and material consumption decreases. Compared to the standard AirCoat nozzle the material is pre-atomised directly at the outer edge of the nozzle. The result: an especially even and soft spray pattern.



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|-------------------------------------|-------------------|------------------------|---------------------|-----------------------------------|-------------------------|-----------------------|
| natural colour paints, | 208 | 0.008/0,20 | 20 | 100 | red | 321208 |
| colourless paints, oils | 308 | 0.008/0,20 | 30 | 145 | red | 321308 |
| | 408 | 0.008/0,20 | 40 | 195 | red | 321408 |
| | 508 | 0.008/0,20 | 50 | 250 | red | 321508 |
| synthetic resin-based | 210 | 0.010/0,25 | 20 | 100 | red, blue | 321210 |
| paints, PVC paints, 2K paints | 310 | 0.010/0,25 | 30 | 145 | red, blue | 321310 |
| | 410 | 0.010/0,25 | 40 | 195 | red, blue | 321410 |
| | 510 | 0.010/0,25 | 50 | 250 | red, blue | 321510 |
| | 610 | 0.010/0,25 | 60 | 300 | red, blue | 321610 |
| paints, undercoats, primers, | 212 | 0.012/0,30 | 20 | 100 | blue | 321212 |
| fillers | 312 | 0.012/0,30 | 30 | 145 | blue, yellow | 321312 |
| | 412 | 0.012/0,30 | 40 | 195 | blue | 321412 |
| | 512 | 0.012/0,30 | 50 | 250 | blue, yellow | 321512 |
| | 612 | 0.012/0,30 | 60 | 300 | blue, yellow | 321612 |
| | 214 | 0.014/0,36 | 20 | 100 | blue, yellow | 321214 |
| | 314 | 0.014/0,36 | 30 | 145 | blue, yellow | 321314 |
| | 414 | 0.014/0,36 | 40 | 195 | blue, yellow | 321414 |
| | 514 | 0.014/0,36 | 50 | 250 | blue, yellow | 321514 |
| | 614 | 0.014/0,36 | 60 | 300 | blue, yellow | 321614 |
| filler, anti-corrosive paints | 216 | 0.016/0,41 | 20 | 100 | yellow | 321216 |
| | 316 | 0.016/0,41 | 30 | 145 | yellow | 321316 |
| | 416 | 0.016/0,41 | 40 | 195 | yellow | 321416 |
| | 516 | 0.016/0,41 | 50 | 250 | yellow | 321516 |
| | 616 | 0.016/0,41 | 60 | 300 | yellow | 321616 |
| anti-corrosive paints, latex paints | 218 | 0.018/0,46 | 20 | 100 | yellow, white | 321218 |
| | 318 | 0.018/0,46 | 30 | 145 | yellow, white | 321318 |
| | 418 | 0.018/0,46 | 40 | 195 | yellow, white | 321418 |
| | 518 | 0.018/0,46 | 50 | 250 | yellow, white | 321518 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.




| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|-------------------------------------|-------------------|------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| anti-corrosive paints, latex paints | 618 | 0.018/0,46 | 60 | 300 | yellow, white | 321618 |
| anti-corrosive paints | 320 | 0.020/0,51 | 30 | 145 | white | 321320 |
| | 420 | 0.020/0,51 | 40 | 195 | white | 321420 |
| | 620 | 0.020/0,51 | 60 | 300 | white | 321620 |
| | 422 | 0.022/0,56 | 40 | 195 | white | 321422 |
| | 622 | 0.022/0,56 | 60 | 300 | white | 321622 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. ILTIP

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. ILTIP



| Nozzle extensions | Article no. | Cat. |
|---------------------------------|-------------|------|
| AirCoat nozzle extension: 30 cm | 394090 | ILZU |

| Nozzle accessories | Article no. | Cat. |
|---|-------------|------|
| Nozzle cleaning needle set, 0.05-0.50 mm, 12 pieces | 8612001 | ILET |

| Air caps | | Article no. | Cat. |
|----------|--|-------------|------|
| | Blue air cap for water-based materials (water-based paints), incl. union nut | 394911 | ILZU |
| | Red air cap for solvent-based materials, incl. union nut | 394910 | ILZU |
| | Green air cap for water-based materials and solvent-based materials (low air consumption), incl. union nut | 394912 | ILZU |
| E | Union nut complete | 394921 | ILET |

| icle no. | Cat. |
|----------|--------|
| 34383 | DPFILT |
| 97022 | DPFILT |
| | |



| Guns | | Article no. | Cat. |
|----------|--|-------------|------|
| ff. | AirCoat gun AC 4500, blue air cap and holder | 2368269 | ILZU |
| ff" | AirCoat gun AC 4500, green air cap and holder | 2368270 | ILZU |
| F/F | AirCoat gun AC 4500, red air cap and holder | 2368271 | ILZU |
| 1 | AirCoat gun AC 4600 Professional, incl. blue air cap and holder | 394156 | ILZU |
| İh | AirCoat gun AC 4600 Professional, incl. blue air cap, holder and nozzle | 394150 | ILZU |
| 30 | AirCoat gun AC 4600 Professional, incl. green air cap and holder | 394158 | ILZU |
| Íh | AirCoat gun AC 4600 Professional, incl. green air cap, holder and nozzle | 394152 | ILZU |
| The same | AirCoat gun AC 4600 Professional, incl. red air cap and holder | 394157 | ILZU |

| Release | combinations | Article no. | Cat. |
|---------|---------------------------|-------------|------|
| 4 | Release combination assy. | 2329023 | ILZU |

| AirCoat | hoses | Article no. | Cat. |
|---------|--|-------------|--------|
| | Air hose, DN6, 1/4", 10 m, for HP double hose | 2304451 | DPZU |
| | Air hose, DN6, 1/4", 7.5 m, for HP double hose | 2304449 | DPZL |
| | HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 10 m | 9984596 | DPHOSE |
| | HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m | 9984595 | DPHOSE |
| | HP double hose, material DN3, max. 27 MPa, air DN6, M16x1.5, 7.5 m | 2306802 | DPHOSE |
| | HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m | 2302379 | DPHOSE |
| | HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m | 2302378 | DPHOSE |
| | HP double hose, material DN4, max. 27 MPa, air DN6, M16x1.5, 7.5 m | 2306803 | DPHOSE |
| · · | Protective tubing, 10 m, for HP double hose | 2305871 | DPET |
| 9 | Protective tubing, 7.5 m, for HP double hose | 2305870 | DPE |

Cat.

DPFILT

DPFILT

DPFILT

DPFILT

DPFILT

DPFILT

Article no.

43235

97023

34377

97024

89323

97025

| systems | Article no. | Cat. |
|--|---|--|
| Inlet elbow (stainless steel) complete, rigid for Wildcat /Puma, DN25 | 2323239 | ILZU |
| Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 | 2324158 | ILZU |
| Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | ILZU |
| Suction hose DN 25, for piston pumps, Zip and Cobra | 2324116 | ILZU |
| Filter DN25 MW = 1.0 mm, for SF 23 Plus | 2323325 | ILZU |
| Filter DN16, MW = 1.0 mm | 2323396 | ILZU |
| QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra | 341263 | DPZU |
| Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose | 250243 | DPFILT |
| Return hose Niro elbow | 97089 | DPET |
| Metex filter support cage | 34950 | DPZU |
| Filter bag for paint, for Metex filter support cage, 5 pieces | 34952 | DPZU |
| Filter bag for lacquer, for 5 litre hopper | 97258 | DPET |
| | Inlet elbow (stainless steel) complete, rigid for Wildcat / Puma, DN25 Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 Suction hose DN16, for piston pumps, Zip and Cobra Suction hose DN 25, for piston pumps, Zip and Cobra Filter DN25 MW = 1.0 mm, for SF 23 Plus Filter DN16, MW = 1.0 mm QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra Suction system for containers, C-coupling, curved connection, 1.4 m Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose Return hose Niro elbow Metex filter support cage Filter bag for paint, for Metex filter support cage, 5 pieces | Inlet elbow (stainless steel) complete, rigid for Wildcat / Puma, DN25 2323239 Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15 2324158 Suction hose DN16, for piston pumps, Zip and Cobra 2324110 Suction hose DN 25, for piston pumps, Zip and Cobra 2324116 Filter DN25 MW = 1.0 mm, for SF 23 Plus 2323325 Filter DN16, MW = 1.0 mm 2323396 QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra 341263 Suction system for containers, C-coupling, curved connection, 1.4 m 97082 Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose 250243 Return hose Niro elbow 97089 Metex filter support cage 34950 Filter bag for paint, for Metex filter support cage, 5 pieces |

Gun filter insert

Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine

Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine

Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium

Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium

Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse

Gun filter green, set of 10 pieces, 30 MA, 0.56 mm MW, coarse

Cat.

Article no.

| Hopper | | Article no. | Cat. |
|----------|--|-------------|------|
| | 5 litre hopper, for F 230 | 524242 | DPET |
| V | 5 litre hopper, M36x2 | 341265 | DPZU |
| V | 5 litre hopper, for pneumatic piston pumps, incl. intake elbow | 2332169 | ILZU |
| Ţ | 5 litre hopper EX, M36x2 with filter disk | 340265 | ILZU |
| 0 | Cover, for 5 litre hopper EX | 340429 | ILZU |
| V | 5 litre hopper EX, for Cobra | 2344505 | ILZU |
| | Filter disk D57, 0.4 fine, for hoppers | 3756 | DPZU |
| | Filter disk D57, 0.8 coarse, for hoppers | 37607 | DPZU |
| P | Filter bag for lacquer, for 5 litre hopper | 97258 | DPET |
| | Return pipe DN6-G1/4"-100mm-PE | 2331752 | ILZU |
| \\\ | Return hose DN6-PN310-G1/4"-PA | 2329046 | ILZU |
| D11 | | - 111 | |
| Double c | onnectors | Article no. | Cat. |

| Double c | onnectors | Article no. | Cat. |
|----------|---|-------------|-------|
| | Double connector A = R 1/4" x M12; 27 MPa | 2325343 | ILZU |
| - | Double connector A = 1/2" x 1/2" (hose connector) | 3202901 | ILSET |
| | Double connector A = 1/4"NPSM x 1/4"NPSM; 53 MPa | 367560 | ILZP |
| - | Double connector A = 1/4"NPSM x 3/8"NPSM; 53 MPa | 367561 | DPZU |
| | Double connector A = 1/4"NPT x 1/4"NPS; 53 MPa | 3505045 | DPZU |

| | Double connector A = 1/4" x 1/4" | 34038 | DPZU |
|--------|--|---------|------|
| | Double connector A = 1/4" x M16x1.5 | 34033 | DPZU |
| | Double connector A = 3/4"NPSM x 1/2"NPSM; 53 MPa | 9985782 | DPZU |
| | Double connector A = 3/4"NPSM x 3/4"NPSM; 53 MPa | 9985781 | DPZU |
| | Double connector A = 3/4"NPSM x 3/8"NPSM; 53 MPa | 9985783 | DPZU |
| | Double connector A = 3/8" NPT x A = 1/2" NPS | 815-005 | DPET |
| | Double connector A = 3/8"NPS x 3/8"NPS; 53 MPa | 256343 | DPZU |
| | Double connector A = G 1" x G 1"; 53 MPa | 3678387 | ILZP |
| | Double connector A = G 1/2" x G 3/4"; 53 MPa | 3207692 | ILZP |
| | Double connector A = G 1/2" x G 1/2"; 53 MPa | 3676778 | ILZP |
| | Double connector A = G 1/2" x G 1/4"; 53 MPa | 3204623 | ILZP |
| | Double connector A = G 1/2" x G 3/4"; 53 MPa | 370915 | ILZP |
| | Double connector A = G 1/4" x G 1/4"; 53 MPa | 3204611 | ILZP |
| | Double connector A = G 1/4" x M16x1.5; 25 MPa | 9998860 | ILZP |
| | Double connector A = G 1/8" x G 1/4"; 53 MPa | 3206710 | ILZP |
| | Double connector A = G 1/8" x M16x1.5; 53 MPa | 97548 | DPZU |
| | Double connector A = G 3/4" x G 1/2"; 53 MPa | 3677079 | ILZP |
| | Double connector A = G 3/4" x G 1/4" | 3206429 | ILZP |
| | Double connector A = G 3/4" x G 3/4" | 3676773 | ILZP |
| | Double connector A = G 3/4" x M16x1.5 | 369913 | ILZP |
| -0 | Double connector A = G 3/8" x 1/2"NPS; 53 MPa | 367554 | ILZP |
| | Double connector A = G 3/8" x 1/4"NPS; 53 MPa | 367555 | ILZP |
| | Double connector A = G 3/8" x G 1/4"; 53 MPa | M803.03 | ILZP |
| | Double connector A = G 3/8" x G 3/8"; 53 MPa | 3206676 | ILZP |
| | Double connector A = G 3/8" x M16x1.5; 53 MPa | 367923 | ILZP |
| | Double connector A = G 3/8" x M16x1.5; 53 MPa | 367913 | ILZP |
| | Double connector A = G 3/8" x M20x2; 53 MPa | 367962 | ILZP |
| | Double connector A = G3/8" x 3/8"NPS; 53 MPa | 367556 | ILZP |
| | Double connector A = M16x1.5 x 1/4"NPS; 53 MPa | 105313 | ILZP |
| | Double connector A = M16x1.5 x 3/8" | 2308887 | DPET |
| | Double connector A = M16x1.5 x 3/8"NPS | 256320 | DPZU |
| | Double connector A = M16x1.5 x G 1/2"; 53 MPa | 357436 | ILZP |
| | Double connector A = M16x1.5 x M16x1.5 | 123510 | DPET |
| | Double connector A = M16x1.5 x M16x1.5 / 2x60° | 34030 | DPZU |
| | Double connector A = M16x1.5 x M16x1.5; 53 MPa | 123446 | ILZP |
| | Double connector A = M16x1.5 x M16x1.5; 53 MPa | 341350 | DPET |
| | Double connector A = M16x1.5 x M16x1.5; 53 MPa | 104475 | ILZP |
| - - | Double connector A = M16x1.5 x M16x1.5; 53 MPa / 1x60° | 97529 | DPET |
| | Double connector A = M16x1.5 x M18x1.5; 53 MPa | 104618 | ILZP |

Double connectors

| Double o | onnectors | Article no. | Cat. |
|----------|---|-------------|------|
| | Double connector $A = M16x1.5 \times R 3/8$ " | 104527 | ILZF |
| | Double connector A = NPSM 3/8" x G 3/4"; 53 MPa | 369657 | ILZF |
| | Double connector A = R 1" x R 1"; 35 MPa | 3201325 | ILZF |
| | Double connector A = R 1/2" x R 3/4"; 35 MPa | 3201471 | ILZI |
| - | Double connector A = R 1/4" x G 1/4"; 53 MPa | M801.03B | ILZI |
| | Double connector A = R 1/4" x R 1/4"; 35 MPa | M801.03A | ILZF |
| | Double connector A = R 3/4" x R 3/4"; 35 MPa | 3201102 | ILZF |
| | Double connector A = R 3/8" x 1/4"NPSM; 53 MPa | M8022.03 | ILZF |
| | Double connector A = R 3/8" x G 3/8"; 53 MPa | 3676419 | ILZF |
| | Double connector A = R 3/8" x R 3/8" | 3201607 | ILZI |
| | Double connector G3/4" | 367958 | |

| nnecto | ors | Article no. | Cat. |
|--------|---|-------------|------|
| | Connector 3/8" x 1/2" | 814-005 | DPET |
| | Coupling sleeve I = 1/2"JIC x A = 1/4"NPS; 27 MPa | 2324417 | ILZP |
| | Coupling sleeve I = 1/4"NPS x A = M16x1.5 | 34041 | ILZP |
| | Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | ILZP |
| | Coupling sleeve I = 1/4"NPSMx A = G 1/4"; 53 MPa | 179247 | ILZP |
| | Coupling sleeve I = 3/8"NPS x A = M16x1.5; 53 MPa | 367563 | ILZP |
| | Coupling sleeve I = 3/8"NPSM x A = 1/4"NPSM; 53 MPa | 367562 | ILZP |
| | Coupling sleeve I = G 1/4" x A = 1/4"NPSM; 53 MPa | 2332619 | ILZP |
| | Coupling sleeve I = G 1/4" x A = G 3/8"; 53 MPa | 2353265 | ILZP |
| | Coupling sleeve I = G 1/4" x M16x1.5; 27 MPa | 256321 | DPZU |
| | Coupling sleeve I = G 3/8" x A = 1/4"NPSM; 53 MPa | 2332621 | ILZP |
| | Coupling sleeve I = G 3/8" x A = 3/8"NPSM; 53 MPa | 2332620 | ILZP |
| | Coupling sleeve I = G 3/8" x A = 3/8"NPT; 53 MPa | 2308541 | ILZP |
| | Coupling sleeve I = G 3/8" x A = M16x1.5 | 115378 | ILZP |
| | Coupling sleeve I = G 3/8" x A = M16x1.5; 25 MPa | 115672 | ILZP |
| | Coupling sleeve I = M16x1.5 x A = 1/4"NPS; 53 MPa | 384555 | ILZP |
| | Coupling sleeve I = M16x1.5 x A = 3/8"NPS; 53 MPa | 384556 | ILZP |
| | Coupling sleeve I = M16x1.5 x A = G 1/2"; 27 MPa | 115897 | ILZP |
| | Coupling sleeve I = M16x1.5 x A = G 3/8"; 53 MPa | 377342 | ILZP |
| | Coupling sleeve I = M16x1.5 x A = M20x2; 27 MPa | 118231 | ILZP |
| | Coupling sleeve I = M20x1.5 x A = 3/8"NPS; 53 MPa | 367564 | ILZP |
| | Transition fitting $I = 1/4$ " x A = NPS1/2" | 2302993 | DPZU |
| | Transition fitting $I = M16x1.5 \times A = 1/2$ " | 349256 | DPET |
| | Transition fitting $I = M16x1.5 \times A = 1/4$ " | 97201 | DPZU |
| | Transition fitting $I = M16x1.5 \times A = 3/8''$ | 97204 | DPZU |

| 350550 | ILZF |
|-----------|------|
| | |
| 350499 | ILZF |
| 2332966 | ILZF |
| B0461.03A | ILZF |
| B0461.03 | ILZF |
| | |

| Cleanin | g / storage / preserving | Article no. | Cat. |
|---------|--|-------------|------|
| | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZU |
| | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZU |
| | EasyGlide, special oil, 118 ml | 508619 | DPET |
| IIIII | Hydraulic oil Divinol 1 litre, for diaphragm pumps | 21061 | DPET |
| | Antifreeze lubricant 0.25 litre | 9992509 | DPET |
| 9 | TipClean, container incl. special cleaner | 97108 | DPZU |
| | TipClean, container incl. special cleaner, box (24 pieces) | 97109 | DPZU |
| 11 | TipClean, refill bottle, 1 liter | 97110 | DPZU |
| | Release agent, 0.25 litre | 9992504 | DPZU |

| Cleaning / storage / preserving | Article no. | Cat. |
|------------------------------------|-------------|------|
| Release oil / Messamoll, 0.5 litre | 9992505 | DPET |

| Compressors | Article no. | Cat. |
|---|-------------|--------|
| Compressor AirBoost 100, for SF 23 Plus | 2347935 | DPZU |
| Fan filter, 5 pieces, for compressor AB 100 | 2351461 | DPFILT |
| Suction filter, for compressor AB 100 | 2348863 | DPET |

| AirCoat F | Regulator | Article no. | Cat. |
|-----------|---|-------------|-------|
| 1 | AirCoat regulator assy. Cobra | 2333479 | ILZU |
| | AirCoat controller add-on kit; without sight glass; for Puma / Cobra | 2328611 | ILZU |
| | AirCoat controller set; for pneumatic piston pumps | T6145.00A | ILCZU |
| | AirCoat regulator, fitting kit | 340250 | DPZU |
| 2 | Pressure gauge combination 250 - 400 bar, $I = 1/4^{\prime\prime}$, $A = 1/4^{\prime\prime}$ | 340256 | DPZU |
| 9 | Pressure gauge combination complete 250 - 400 bar, I = M16x1.5, A = M16x1.5 | 97061 | DPZU |
| | Shut-off cock for atomiser air | M101.00 | ILCZU |

| Ball valv | es | Article no. | Cat. |
|-----------|---------------------------------------|-------------|------|
| 300 | Ball valve R 1/4"; G 1/4"; PN 350-CS | 2334472 | ILZU |
| 1 | Ball valve R 1/4"; G 1/4"; PN 350-SSt | 2334488 | ILZU |

Pictures may differ from the original product.

| Pressure gauges | Article no. | Cat. |
|---|-------------|------|
| Pressure gauge combination 250 - 400 bar, I = 1/4", A = 1/4" | 340256 | DPZU |
| Pressure gauge combination complete 250 - 400 bar, I = M16x1.5, A = M16x1.5 | 97061 | DPZU |

| Skid / cart / wall mount | Article no. | Cat. |
|---------------------------|-------------|-------|
| Cart 4" complete | 2325901 | ILZU |
| EvoMotion cart rollers | T6196.00 | ILCZU |
| Stand 4" complete | 2332374 | ILZU |
| Wall mounting 4" complete | 2332143 | ILZU |

| Tools | | Article no. | Cat. |
|------------|---|-------------|--------|
| | Adjusting spanner | 9991114 | DPZU |
| _ ~ | Coupling spanner with thermally insulated handle (2x) | 9100099 | DPPCZU |
| - | Strap spanner for HP filters | 349720 | DPET |
| | | | |

Pictures may differ from the original product. wagner-group.com 191

| Spare parts | Article no. | Cat. |
|--|-------------|------|
| Air cap gasket; for AirCoat AC 4600 guns | 394339 | ILET |
| Nozzle seal, for AirCoat Pistole AC 4600 | 394338 | ILET |
| Swivel joint air | 364938 | ILET |
| Swivel joint, material, for AC 4600 | 347706 | DPET |

| Other | Article no. | Cat. |
|---------------------------------|-------------|------|
| Earth cable | 236219 | IPET |
| FI-Protection PRCD 230 V / 16 A | 9956257 | DPZU |


Airless – Nozzles

1. High Efficiency Airless — Up to 55% less overspray with maximum control

The new WAGNER HEA ProTip airless nozzle provides a perfect surface finish at reduced spraying pressure. Compared to standard airless technology the spray pattern is gently feathered and free from edge strips. Fatigue-free working: low-pressure spraying ensures low gun recoil, allowing particularly pleasant and fatigue-free working. Reduced coverage efforts: the work required to achieve coverage, especially for indoor projects, is reduced.

Nozzle angle

The nozzle angle determines the width of the spray angle, e.q. in this case 50°.



The ideal distance from the object is always around 300 mm.

Bore diameter

The bore diameter (in this case, 0.017 inch) determines the flow volume and thus the amount of paint applied.

Extra durable


The high-quality stainless steel nozzle cylinder, as well as the nozzles made from carbide, reduce wear and allow a constant spray angle.



Easy to clean

WAGNER HEA nozzles are reversible nozzles and can be cleaned in a matter of seconds. Simply twist the nozzle and spray - and the nozzle is already clean, without the need for any tools.

Patent-registered dual nozzle technology



Pre-atomiser nozzle (Pre-Tip)

wagner-group.com 193

Two nozzle bores, one directly after the other, guarantee a perfect spray pattern with high material throughput even in low pressure ranges. Overspray is reduced to a minimum.

FOR FREE

FREE IN THE SET:

purchase a HEA nozzle and receive the matching gun filter and a double seal for FREE.





| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|--------------------------|-------------------|------------------------|---------------------|-----------------------------------|-------------------------|-----------------------|
| Primers, lacquers | 211 | 0.011/0,28 | 20 | 120 | red | 554211 |
| | 311 | 0.011/0,28 | 30 | 150 | red | 554311 |
| | 411 | 0.011/0,28 | 40 | 190 | red | 554411 |
| | 213 | 0.013/0,33 | 20 | 120 | red | 554213 |
| | 313 | 0.013/0,33 | 30 | 150 | red | 554313 |
| | 413 | 0.013/0,33 | 40 | 190 | red | 554413 |
| Primers, lacquers, emul- | 415 | 0.015/0,38 | 40 | 190 | yellow | 554415 |
| sions, vinyl paints | 515 | 0.015/0,38 | 50 | 225 | yellow | 554515 |
| | 615 | 0.015/0,38 | 60 | 270 | yellow | 554615 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. DPTIP

192 wagner-group.com Pictures may differ from the original product. Pictures may differ from the original product.



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm¹ | Gun filter ² | Art. No. ³ |
|-------------------------|-------------------|---------------------------|---------------------|-----------------------|-------------------------|-----------------------|
| Emulsions, latex paints | 417 | 0.017/0,43 | 40 | 190 | white | 554417 |
| | 517 | 0.017/0,43 | 50 | 225 | white | 554517 |
| | 617 | 0.017/0,43 | 60 | 270 | white | 554617 |
| | 519 | 0.019/0,48 | 50 | 225 | white | 554519 |
| | 619 | 0.019/0,48 | 60 | 270 | white | 554619 |
| | 421 | 0.021/0,53 | 40 | 190 | white | 554421 |
| | 521 | 0.021/0,53 | 50 | 225 | white | 554521 |
| | 621 | 0.021/0,53 | 60 | 270 | white | 554621 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

2. Airless TradeTip 3 nozzles – perfect and durable

The nozzle core determines the coating results because the material passes through it and is transformed into a spray jet. TradeTip 3 nozzles are extra durable: The innovative nozzle aperture and carbide metal alloy reduce wear and enable a constant spray angle. Another advantage: The nozzle is very easy to clean - just twist and rinse - without any tools.



2.1 Airless TradeTip 3 FineFinish nozzles

Top painting nozzle with optimised third generation properties. With double special core for ultrafine droplet formation and particularly high-quality surfaces, even in low pressure ranges. FineFinish nozzles are coloured purple.



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|--|-------------------|------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| water-soluble and solvent- | 208 | 0.008/0,20 | 20 | 120 | red | 554208 |
| based enamels and paints, oils, release agents | 308 | 0.008/0,20 | 30 | 150 | red | 554308 |
| | 408 | 0.008/0,20 | 40 | 190 | red | 554408 |
| synthetic resin-based paints, PVC paints | 210 | 0.010/0,25 | 20 | 120 | red | 554210 |
| | 310 | 0.010/0,25 | 30 | 150 | red | 554310 |
| | 410 | 0.010/0,25 | 40 | 190 | red | 554410 |
| | 510 | 0.010/0,25 | 50 | 225 | red | 554510 |
| paints, undercoats, primers, | 212 | 0.012/0,30 | 20 | 120 | red | 554212 |
| Fillers | 312 | 0.012/0,30 | 30 | 150 | red | 554312 |
| | 412 | 0.012/0,30 | 40 | 190 | red | 554412 |
| | 512 | 0.012/0,30 | 50 | 225 | red | 554512 |
| fillers, anti-corrosive paints | 214 | 0.014/0,36 | 20 | 120 | red | 554214 |
| | 314 | 0.014/0,36 | 30 | 150 | red | 554314 |
| | 414 | 0.014/0,36 | 40 | 190 | red | 554414 |
| | 514 | 0.014/0,36 | 50 | 225 | red | 554514 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN

2.2 Airless TradeTip 3 nozzles

The yellow standard nozzles offer a wide spectrum of applications for working with primers, paints, glazes, emulsions, flame retardants and corrosion protection to Airless fillers.



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|-------------|-------------------|---------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| | 107 | 0.007/0,18 | 10 | 100 | red | 553107 |
| | 207 | 0.007/0,18 | 20 | 120 | red | 553207 |
| | 307 | 0.007/0,18 | 30 | 150 | red | 553307 |
| | 407 | 0.007/0,18 | 40 | 190 | red | 553407 |
| | 109 | 0.009/0,23 | 10 | 100 | red | 553109 |
| | 209 | 0.009/0,23 | 20 | 120 | red | 553209 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse 3Cat. DPTIP

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. DPTIP

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. DPTIP



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|--------------------------------|-------------------|------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| water- and solvent-based | 309 | 0.009/0,23 | 30 | 150 | red | 553309 |
| paints, oils, release agents | 409 | 0.009/0,23 | 40 | 190 | red | 553409 |
| | 509 | 0.009/0,23 | 50 | 225 | red | 553509 |
| | 609 | 0.009/0,23 | 60 | 270 | red | 553609 |
| synthetic resin-based | 111 | 0.011/0,28 | 10 | 100 | red | 553111 |
| paints, PVC paints | 211 | 0.011/0,28 | 20 | 120 | red | 553211 |
| | 311 | 0.011/0,28 | 30 | 150 | red | 553311 |
| | 411 | 0.011/0,28 | 40 | 190 | red | 553411 |
| | 511 | 0.011/0,28 | 50 | 225 | red | 553511 |
| | 611 | 0.011/0,28 | 60 | 270 | red | 553611 |
| paints, undercoats, primers, | 113 | 0.013/0,33 | 10 | 100 | red | 553113 |
| fillers | 213 | 0.013/0,33 | 20 | 120 | red | 553213 |
| | 313 | 0.013/0,33 | 30 | 150 | red | 553313 |
| | 413 | 0.013/0,33 | 40 | 190 | red | 553413 |
| | 513 | 0.013/0,33 | 50 | 225 | red | 553513 |
| | 613 | 0.013/0,33 | 60 | 270 | red | 553613 |
| | 813 | 0.013/0,33 | 80 | 330 | red | 553813 |
| fillers, anti-corrosive paints | 115 | 0.015/0,38 | 10 | 100 | yellow | 553115 |
| | 215 | 0.015/0,38 | 20 | 120 | yellow | 553215 |
| | 315 | 0.015/0,38 | 30 | 150 | yellow | 553315 |
| | 415 | 0.015/0,38 | 40 | 190 | yellow | 553415 |
| | 515 | 0.015/0,38 | 50 | 225 | yellow | 553515 |
| | 615 | 0.015/0,38 | 60 | 270 | yellow | 553615 |
| | 715 | 0.015/0,38 | 70 | 300 | yellow | 553715 |
| | 815 | 0.015/0,38 | 80 | 330 | yellow | 553815 |
| anti-corrosive paints, latex | 117 | 0.017/0,43 | 10 | 100 | yellow | 553117 |
| paints, emulsions | 217 | 0.017/0,43 | 20 | 120 | white | 553217 |
| | 317 | 0.017/0,43 | 30 | 150 | white | 553317 |
| | 417 | 0.017/0,43 | 40 | 190 | white | 553417 |
| | 517 | 0.017/0,43 | 50 | 225 | white | 553517 |
| | 617 | 0.017/0,43 | 60 | 270 | white | 553617 |
| | 717 | 0.017/0,43 | 70 | 300 | white | 553717 |
| | 817 | 0.017/0,43 | 80 | 330 | white | 553817 |
| | 219 | 0.019/0,48 | 20 | 120 | white | 553219 |
| | 319 | 0.019/0,48 | 30 | 150 | white | 553319 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.



Pictures may differ from the original product.

| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm¹ | Gun filter ² | Art. No. ³ |
|---|-------------------|---------------------------|---------------------|-----------------------|-------------------------|-----------------------|
| anti-corrosive paints, latex | 419 | 0.019/0,48 | 40 | 190 | white | 553419 |
| paints, emulsions | 519 | 0.019/0,48 | 50 | 225 | white | 553519 |
| | 619 | 0.019/0,48 | 60 | 270 | white | 553619 |
| | 719 | 0.019/0,48 | 70 | 300 | white | 553719 |
| | 819 | 0.019/0,48 | 80 | 330 | white | 553819 |
| | 919 | 0.019/0,48 | 90 | 385 | white | 553919 |
| flame retardants | 221 | 0.021/0,53 | 20 | 120 | white | 553221 |
| | 321 | 0.021/0,53 | 30 | 150 | white | 553321 |
| | 421 | 0.021/0,53 | 40 | 190 | white | 553421 |
| | 521 | 0.021/0,53 | 50 | 225 | white | 553521 |
| | 621 | 0.021/0,53 | 60 | 270 | white | 553621 |
| | 721 | 0.021/0,53 | 70 | 300 | white | 553721 |
| | 821 | 0.021/0,53 | 80 | 330 | white | 553821 |
| roof linings | 223 | 0.023/0,58 | 20 | 120 | white | 553223 |
| | 323 | 0.023/0,58 | 30 | 150 | white | 553323 |
| | 423 | 0.023/0,58 | 40 | 190 | white | 553423 |
| | 523 | 0.023/0,58 | 50 | 225 | white | 553523 |
| | 623 | 0.023/0,58 | 60 | 270 | white | 553623 |
| | 723 | 0.023/0,58 | 70 | 300 | white | 553723 |
| | 823 | 0.023/0,58 | 80 | 330 | white | 553823 |
| thick coating materials, | 225 | 0.025/0,64 | 20 | 120 | white | 553225 |
| corrosion-proofing, spraying fillers | 325 | 0.025/0,64 | 30 | 150 | white | 553325 |
| ilieis | 425 | 0.025/0,64 | 40 | 190 | white | 553425 |
| | 525 | 0.025/0,64 | 50 | 225 | white | 553525 |
| | 625 | 0.025/0,64 | 60 | 270 | white | 553625 |
| | 725 | 0.025/0,64 | 70 | 300 | white | 553725 |
| | 825 | 0.025/0,64 | 80 | 330 | white | 553825 |
| | 227 | 0.027/0,69 | 20 | 120 | white | 553227 |
| | 327 | 0.027/0,69 | 30 | 150 | white | 553327 |
| | 427 | 0.027/0,69 | 40 | 190 | white | 553427 |
| | 527 | 0.027/0,69 | 50 | 225 | white | 553527 |
| | 627 | 0.027/0,69 | 60 | 270 | white | 553627 |
| | 827 | 0.027/0,69 | 80 | 330 | white | 553827 |
| | 229 | 0.030/0,75 | 20 | 120 | white | 553229 |
| | 329 | 0.030/0,75 | 30 | 150 | white | 553329 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

196 wagner-group.com Pictures may differ from the original product.

3

4

5

6

7

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. DPTIP

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. DPTIP



| Application | Nozzle | Nozzle hole in | Spray | Spray width | Gun filter ² | Art. No. ³ |
|--------------------------------------|---------|----------------|------------|--------------------|-------------------------|-----------------------|
| Аррисации | marking | inch/mm | angle in ° | in mm ¹ | duii iiitei | AIL. NO. |
| thick coating materials, | 429 | 0.030/0,75 | 40 | 190 | white | 553429 |
| corrosion-proofing, spraying fillers | 529 | 0.030/0,75 | 50 | 225 | white | 553529 |
| | 629 | 0.030/0,75 | 60 | 270 | white | 553629 |
| | 231 | 0.031/0,79 | 20 | 120 | white | 553231 |
| | 331 | 0.031/0,79 | 30 | 150 | white | 553331 |
| | 431 | 0.031/0,79 | 40 | 190 | white | 553431 |
| | 531 | 0.031/0,79 | 50 | 225 | white | 553531 |
| | 631 | 0.031/0,79 | 60 | 270 | white | 553631 |
| | 731 | 0.031/0,79 | 70 | 300 | white | 553731 |
| | 831 | 0.031/0,79 | 80 | 330 | white | 553831 |
| | 233 | 0.033/0,84 | 20 | 120 | white | 553233 |
| | 333 | 0.033/0,84 | 30 | 150 | white | 553333 |
| | 433 | 0.033/0,84 | 40 | 190 | white | 553433 |
| | 533 | 0.033/0,84 | 50 | 225 | white | 553533 |
| | 633 | 0.033/0,84 | 60 | 270 | white | 553633 |
| | 235 | 0.035/0,90 | 20 | 120 | white | 553235 |
| | 335 | 0.035/0,90 | 30 | 150 | white | 553335 |
| | 435 | 0.035/0,90 | 40 | 190 | white | 553435 |
| | 535 | 0.035/0,90 | 50 | 225 | white | 553535 |
| | 635 | 0.035/0,90 | 60 | 270 | white | 553635 |
| | 735 | 0.035/0,90 | 70 | 300 | white | 553735 |
| | 439 | 0.039/0,99 | 40 | 190 | white | 553439 |
| | 539 | 0.039/0,99 | 50 | 225 | white | 553539 |
| | 639 | 0.039/0,99 | 60 | 270 | white | 553639 |
| Heavy duty applications | 243 | 0.043/1,10 | 20 | 120 | green | 553243 |
| | 443 | 0.043/1,10 | 40 | 190 | green | 553443 |
| | 543 | 0.043/1,10 | 50 | 225 | green | 553543 |
| | 643 | 0.043/1,10 | 60 | 270 | green | 553643 |
| | 445 | 0.045/1,14 | 40 | 190 | green | 553445 |
| | 545 | 0.045/1,14 | 50 | 225 | green | 553545 |
| | 451 | 0.051/1,30 | 40 | 190 | green | 553451 |
| | 551 | 0.051/1,30 | 50 | 225 | green | 553551 |
| | 651 | 0.051/1,30 | 60 | 270 | green | 553651 |
| | 252 | 0.052/1,32 | 20 | 120 | green | 553252 |
| | 455 | 0.055/1,40 | 40 | 190 | green | 553455 |
| | | | | | | |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.




| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|-------------------------|-------------------|------------------------|---------------------|-----------------------------------|-------------------------|-----------------------|
| Heavy duty applications | 555 | 0.055/1,40 | 50 | 225 | green | 553555 |
| | 655 | 0.055/1,40 | 60 | 270 | green | 553655 |
| | 261 | 0.061/1,55 | 20 | 120 | green | 553261 |
| | 461 | 0.061/1,55 | 40 | 190 | green | 553461 |
| | 561 | 0.061/1,55 | 50 | 225 | green | 553561 |
| | 661 | 0.061/1,55 | 60 | 270 | green | 553661 |
| | 263 | 0.063/1,60 | 20 | 120 | green | 553263 |
| | 463 | 0.063/1,60 | 40 | 190 | green | 553463 |
| | 565 | 0.065/1,65 | 50 | 225 | green | 553565 |
| | 665 | 0.065/1,65 | 60 | 270 | green | 553665 |
| | 267 | 0.067/1,70 | 20 | 120 | green | 553267 |
| | 467 | 0.067/1,70 | 40 | 190 | green | 553467 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

3. Airless 2SpeedTip nozzles – Two nozzles combined in one

The innovative changeover nozzle from WAGNER combines two nozzle cores into one nozzle. Just by simply rotating, you always have the correct size of nozzle available. This facilitates optimum adaptation to the surface that has to be coated and ensures a time-saving work sequence. Additionally, the colour identification on the nozzle indicates the corresponding gun plug-in filter.



198 wagner-group.com Pictures may differ from the original product. Pictures may differ from the original product. wagner-group.com 199

7

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. DPTIP

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. DPTIP



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|-------------|-------------------|------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| enamel | L10 208/510 | 0.008/0,20 | 20 | 120 - 225 | red | 271042 |
| | L20 210/512 | 0.010/0,25 | 20 | 120 - 225 | red | 271043 |
| | L30 212/514 | 0.012/0,30 | 20 | 120 - 225 | red | 271044 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

3.2 Airless 2SpeedTip nozzles — Emulsion

Wide spectrum of applications for working with primers, emulsions, flame retardants and corrosion protection. For top-class surfaces. Emulsion nozzles are coloured yellow.



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|-------------|-------------------|------------------------|---------------------|-----------------------------------|-------------------------|-----------------------|
| emulsion | D10 111/419 | 0.010/0,25 | 10 | 100 - 190 | white | 271045 |
| | D05 111/415 | 0.011/0,28 | 10 | 100 - 190 | white | 271062 |
| | D07 113/417 | 0.013/0,33 | 10 | 100 - 190 | white | 271063 |
| | D20 115/ 421 | 0.015/0,38 | 10 | 100 - 190 | white | 271046 |
| | D30 115/423 | 0.015/0,38 | 10 | 100 - 190 | white | 271047 |
| | D40 117/427 | 0.017/0,43 | 10 | 100 - 190 | white | 271048 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse 3Cat. DPTIP

3.3 Airless 2SpeedTip nozzles – Filler

This nozzle is specially designed for high-viscosity materials such as Airless spray filler and ensures optimum material coverage. Filling nozzles are coloured



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Art. No. ² |
|-------------|-------------------|------------------------|---------------------|--------------------------------|-----------------------|
| filler | S05 225/629 | 0.025/0,64 | 20 - 60 | 120 - 270 | 271064 |
| | S10 527/235 | 0.027/0,69 | 50 - 20 | 225 - 120 | 271049 |
| | S20 539/243 | 0.039/0,99 | 50 - 20 | 225 - 120 | 271050 |
| | S30 543/252 | 0.043/1,10 | 50 - 20 | 225 - 120 | 271051 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN

²Cat. DPTIP

4. Airless TwinTip nozzles

Special nozzles for low overspray



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|--|-------------------|---------------------------|---------------------|-----------------------------------|-------------------------|-----------------------|
| trimming jobs (facades) | D215 | 0.021/0,53 | 20 | 100 | white | 1009215 |
| smooth surfaces (indoors) | D316 | 0.021/0,53 | 25 | 130 | white | 1009316 |
| rough surfaces (indoors), smooth surfaces (facades) | D317 | 0.023/0,59 | 25 | 130 | white | 1009317 |
| rough surfaces (facades) | D319 | 0.027/0,69 | 25 | 130 | white | 1009319 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

³Cat. DPTIP

Adjustable fan tips offer maximum flexibility. Spray width and nozzle aperture can be set. This means that the nozzle can perfectly match the material and the object to be coated. With just one nozzle, a large area can be coated or intricate work carried out. The high-quality material guarantees the long service life of the nozzle which also features an impressive timesaving self-cleaning function.



| Application | Nozzle marking | Nozzle hole in inch/ mm | Spray width in mm ¹ | Art. No. ² |
|---|----------------|----------------------------|--------------------------------|-----------------------|
| paints | 15 | 0.005/0,13 | 50 - 350 | 999057 |
| paints, filler | 20 | 0.007/0,18 | 50 - 500 | 999053 |
| paints, emulsions | 28 | 0.011/0,28 | 80 - 550 | 999054 |
| paints, emulsions, anti-corrosive paints | 41 | 0.017/0,43 | 100 - 600 | 999055 |
| coatings for large areas | 49 | 0.021/0,53 | 100 - 400 | 999056 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

6. Airless standard adjustable fan nozzles

Airless standard flat jet nozzle are especially suitable for painting applications, but can be used also for high viscosity materials. They are ideal for the fast processing of large quantities of material. The high-quality nozzles are robust and suitable for all common Airless guns.



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|-----------------------------|-------------------|------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| Natural lacquers, colorless | 407 | 0.007/0,18 | 40 | 163 | red | 90407 |
| lacquers, oils | 507 | 0.007/0,18 | 50 | 190 | red | 90507 |
| | 209 | 0.009/0,23 | 20 | 148 | red | 90209 |
| | 309 | 0.009/0,23 | 30 | 158 | red | 90309 |
| | 409 | 0.009/0,23 | 40 | 198 | red | 90409 |
| | 509 | 0.009/0,23 | 50 | 215 | red | 90509 |
| | 609 | 0.009/0,23 | 60 | 225 | red | 90609 |
| Synthetic resin lacquers, | 111 | 0.011/0,28 | 10 | 87 | red | 90111 |
| PVC lacquers | 211 | 0.011/0,28 | 20 | 93 | red | 90211 |
| | 311 | 0.011/0,28 | 30 | 127 | red | 90311 |
| | 411 | 0.011/0,28 | 40 | 210 | red | 90411 |
| | 511 | 0.011/0,28 | 50 | 225 | red | 90511 |
| | 611 | 0.011/0,28 | 60 | 270 | red | 90611 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|--|-------------------|------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| Lacquers, undercoat | 113 | 0.013/0,33 | 10 | 103 | red | 90113 |
| lacquers, zinc chromate base, base coat, filler | 213 | 0.013/0,33 | 20 | 107 | red | 90213 |
| | 313 | 0.013/0,33 | 30 | 142 | red | 90313 |
| | 413 | 0.013/0,33 | 40 | 207 | red, yellow | 90413 |
| | 513 | 0.013/0,33 | 50 | 255 | red, yellow | 90513 |
| | 613 | 0.013/0,33 | 60 | 282 | yellow | 90613 |
| | 813 | 0.013/0,33 | 80 | 375 | yellow | 90813 |
| Filler, spraying plaster, | 115 | 0.015/0,38 | 10 | 98 | yellow | 90115 |
| corrosion protection | 215 | 0.015/0,38 | 20 | 100 | yellow | 90215 |
| | 315 | 0.015/0,38 | 30 | 162 | yellow | 90315 |
| | 415 | 0.015/0,38 | 40 | 202 | yellow | 90415 |
| | 515 | 0.015/0,38 | 50 | 252 | yellow | 90515 |
| | 615 | 0.015/0,38 | 60 | 268 | yellow | 90615 |
| | 715 | 0.015/0,38 | 70 | 295 | yellow | 90715 |
| | 815 | 0.015/0,38 | 80 | 395 | yellow | 90815 |
| Spraying plaster, corrosion | 217 | 0.017/0,43 | 20 | 117 | yellow | 90217 |
| protection, red lead, latex paints | 317 | 0.017/0,43 | 30 | 153 | yellow | 90317 |
| | 417 | 0.017/0,43 | 40 | 190 | yellow | 90417 |
| | 517 | 0.017/0,43 | 50 | 235 | yellow | 90517 |
| | 617 | 0.017/0,43 | 60 | 283 | yellow | 90617 |
| | 717 | 0.017/0,43 | 70 | 342 | yellow | 90717 |
| | 219 | 0.019/0,48 | 20 | 147 | yellow, white | 90219 |
| | 319 | 0.019/0,48 | 30 | 168 | yellow, white | 90319 |
| | 419 | 0.019/0,48 | 40 | 192 | yellow, white | 90419 |
| | 519 | 0.019/0,48 | 50 | 272 | yellow, white | 90519 |
| | 619 | 0.019/0,48 | 60 | 315 | white | 90619 |
| | 719 | 0.019/0,48 | 70 | 330 | white | 90719 |
| | 819 | 0.019/0,48 | 80 | 402 | white | 90819 |
| Glimmer paints, zinc dust | 221 | 0.021/0,53 | 20 | 148 | white | 90221 |
| paints, dispersions | 421 | 0.021/0,53 | 40 | 183 | white | 90421 |
| | 521 | 0.021/0,53 | 50 | 252 | white | 90521 |
| | 621 | 0.021/0,53 | 60 | 313 | white | 90621 |
| | 821 | 0.021/0,53 | 80 | 380 | white | 90821 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

wagner-group.com Pictures may differ from the original product. Pictures may differ from the original product. wagner-group.com 203

2

3

6

7

²Cat. DPTIP

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. ILTIP

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. ILTIP



| Application | Nozzle marking | Nozzle hole in inch/mm | Spray angle in ° | Spray width in mm ¹ | Gun filter ² | Art. No. ³ |
|-----------------------|-------------------|------------------------|---------------------|--------------------------------|-------------------------|-----------------------|
| Corrosion protection | 223 | 0.023/0,58 | 20 | 130 | white | 90223 |
| | 423 | 0.023/0,58 | 40 | 185 | white | 90423 |
| | 523 | 0.023/0,58 | 50 | 253 | white | 90523 |
| | 623 | 0.023/0,58 | 60 | 298 | white | 90623 |
| | 723 | 0.023/0,58 | 70 | 340 | white | 90723 |
| | 823 | 0.023/0,58 | 80 | 355 | white | 90823 |
| Emulsion | 225 | 0.025/0,64 | 20 | 133 | white | 90225 |
| | 425 | 0.025/0,64 | 40 | 198 | white | 90425 |
| | 525 | 0.025/0,64 | 50 | 250 | white | 90525 |
| | 625 | 0.025/0,64 | 60 | 265 | white | 90625 |
| | 825 | 0.025/0,64 | 80 | 360 | white | 90825 |
| | 227 | 0.027/0,69 | 20 | 143 | green | 90227 |
| | 427 | 0.027/0,69 | 40 | 222 | green | 90427 |
| | 527 | 0.027/0,69 | 50 | 233 | green | 90527 |
| | 627 | 0.027/0,69 | 60 | 270 | green | 90627 |
| | 827 | 0.027/0,69 | 80 | 353 | green | 90827 |
| | 629 | 0.030/0,75 | 60 | 288 | green | 90629 |
| | 231 | 0.031/0,79 | 20 | 130 | green | 90231 |
| | 431 | 0.031/0,79 | 40 | 220 | green | 90431 |
| | 531 | 0.031/0,79 | 50 | 223 | green | 90531 |
| | 631 | 0.031/0,79 | 60 | 273 | green | 90631 |
| | 235 | 0.035/0,90 | 20 | 120 | green | 90235 |
| | 435 | 0.035/0,90 | 40 | 220 | green | 90435 |
| | 535 | 0.035/0,90 | 50 | 270 | green | 90535 |
| | 635 | 0.035/0,90 | 60 | 310 | green | 90635 |
| | 839 | 0.039/0,99 | 80 | 480 | green | 90839 |
| Large surface coating | 243 | 0.043/1,10 | 20 | 135 | green | 90243 |
| | 543 | 0.043/1,10 | 50 | 260 | green | 90543 |
| | 552 | 0.051/1,30 | 50 | 280 | green | 90552 |

¹Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN

²Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse ³Cat. ILTIP

Airless – Additional accessories

Infinity Packing System

and spring assembly is reduced.

Improved flow due to direct material supply.

extends the life of the Airless gun quickly and

cost-efficiently. Thanks to the replaceable ball and

reversible seat the need to change the entire needle

Extra light All-Day trigger

can be sprayed easily.

Free-moving swivel allows comfortable working.

for fatigue-free work. This way also large projects



1-finger-lock

work again with only one hand.

Perfect for any hand due to Finger-Print+ Grip


two dials allow the user to adjust the grip perfectly to their hand. That is unique in the market!

Exchangeable grip

for the perfect fit the hand grip is available in four different sizes: the customizable FingerPrint+ Grip (included with delivery) and additionally in the fixed sizes small, medium and large.



Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger DPALG 538041



| Grip for Vector-Grip gun; small | 538228 | DPZU |
|----------------------------------|--------|------|
| Grip for Vector-Grip gun; medium | 538229 | DPZU |
| Grip for Vector-Grip gun; large | 538230 | DPZU |

for ease of use. Stop and resume

wagner-group.com Pictures may differ from the original product.

| Guns | | Article no. | Cat. |
|------|--|-------------|-------|
| 们 | Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger | 538085 | DPALG |
| | Small grip (S); metal — Vector Infinity | 538264 | DPALG |
| | Medium grip (M); metal — Vector Infinity | 538265 | DPALG |
| | Large grip (L); plastic — Vector Infinity | 538266 | DPALG |
| | Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder | 0502081A | DPALG |
| | Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder | 502166 | DPALG |
| 5.2 | Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder | 2341127 | DPALG |
| 111 | Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder | 2341126 | DPALG |
| 4 | Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8" | 296441 | DPALG |
| | Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16" | 296443 | DPALG |
| | Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8" | 296442 | DPALG |
| | Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16" | 296444 | DPALG |

| Nozzle e | ktensions | Article no. | Cat. |
|----------|--|-------------|-------|
| _ | ClearSpray valve, G-thread | 0521012A | DPALG |
| | ClearSpray valve, F-thread | 0521012F | DPALG |
| 9 | Nozzle extension, 15 cm, G-thread, with holder without nozzle | 556074 | DPALG |
| 8 | Nozzle extension, 15 cm, F-thread, with holder, without nozzle | 556051 | DPALG |
| 8 | Nozzle extension, 30 cm, G-thread, with holder without nozzle | 556075 | DPALG |
| 1 | Nozzle extension, 30 cm, F-thread, with holder, without nozzle | 556052 | DPALG |
| / | Nozzle extension, 45 cm, G-thread, with holder without nozzle | 556076 | DPALG |
| 18 | Nozzle extension, 45 cm, F-thread, with holder, without nozzle | 556053 | DPALG |
| 6 | Nozzle extension, 60 cm, G-thread, with holder without nozzle | 556077 | DPALG |
| | | | |

| Nozzle ex | tensions | Article no. | Cat. |
|------------|--|-------------|-------|
| 10 | Nozzle extension, 60 cm, F-thread, with holder, without nozzle | 556054 | DPALG |
| | Knee joint with screw (G-thread) | 286908 | DPET |
| d | Knee joint, F-thread, for nozzle extension | 97009 | DPZU |
| | Nozzle extension, 1 m with swivelling knee joint; F-thread | 96015 | DPALG |
| | Nozzle extension, 2 m with swivelling knee joint; F-thread | 96016 | DPALG |
| | Nozzle extension, 3 m with swivelling knee joint; F-thread | 96017 | DPALG |
| | Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |
| | Adapter, F- to G-thread; I=11/16"; A=7/8" | 2389689 | DPZU |
| D e | SpeedShield | 538905 | DPZU |

| Cavity la | nces | Article no. | Cat. |
|-----------|--|-------------|------|
| | Cavity lance A, rigid, 12 cm, with nozzle R11 | 97252 | DPET |
| | Cavity lance B, rigid, 70 cm, with nozzle R15 | 97208 | DPZU |
| 9 | Cavity lance, flexible, 130 cm, with nozzle 0.5 mm, 25 Mpa | 97004 | DPZU |
| | | | |

| Nozzle ac | ccessories | Article no. | Cat. |
|-----------|---|-------------|------|
| · w | Nozzle case 2SpeedTip Emulsion, content: - 3x gun filter white, 50 MA, 0.31 mm MW, middle - 1x gun filter red, 180 MA, 0.084 mm MW, extra fine - 1x Nozzle extension, 15 cm, G-thread, with holder without nozzle - 1x HEA ProTip 311 - 1x 2SpeedTip nozzle D10 111/419 - 1x 2SpeedTip nozzle D20 115/421 - 1x 2SpeedTip nozzle D30 115/423 | 2391872 | DPZU |
| | Nozzle case 2SpeedTip Enamel, content: - 4x gun filter red, 180 MA, 0.084 mm MW, extra fine - 1x Nozzle extension, 15 cm, G-thread, with holder without nozzle - 1x TradeTip 3 FineFinish nozzle 308 - 1x TradeTip 3 FineFinish nozzle 410 - 1x 2SpeedTip nozzle L20 210/512 - 1x 2SpeedTip nozzle L30 212/514 | 2391873 | DPZU |

| Nozzle acc | essories | Article no. | Cat. |
|------------|---|-------------|-------|
| | Nozzle case HEA Pro Tip Emulsion, content: - 3x gun filter white, 50 MA, 0.31 mm MW, middle - 1x gun filter red, 180 MA, 0.084 mm MW, extra fine - 1x Nozzle extension, 15 cm, G-thread, with holder without nozzle - 1x HEA ProTip nozzle 311 - 1x HEA ProTip nozzle 421 - 1x HEA ProTip nozzle 517 - 1x HEA ProTip nozzle 519 | 2391870 | DPZU |
| | Nozzle case TradeTip 3 Enamel, content: - 4x gun filter red, 180 MA, 0.084 mm MW, extra fine - 1x Nozzle extension, 15 cm, G-thread, with holder without nozzle - 1x TradeTip 3 FineFinish nozzle 308 - 1x TradeTip 3 FineFinish nozzle 410 - 1x TradeTip 3 FineFinish nozzle 412 - 1x TradeTip 3 FineFinish nozzle 510 | 2391871 | DPZL |
| | Nozzle cleaning needle set, 0.05-0.50 mm, 12 pieces | 8612001 | ILET |
| | Texture-effect set for applying spray filler | 258720 | DPZU |
| 620 | TipClick, holder for TradeTip 3 nozzles | 149702 | DPTIF |

| Nozzle h | older | Article no. | Cat. |
|----------|--|-------------|-------|
| 2 | Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles | 289390 | DPTIP |
| Ö, | Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles | 289391 | DPTIP |
| | TradeTip HP nozzle holder, F-thread 11/16" | 289396 | DPTIP |
| | TradeTip HP nozzle holder, G-thread 7/8" | 289395 | DPTIP |
| 5 | Double seal set, 5 pieces, for TradeTip 3 nozzles | 556037 | DPZU |
| Co. | 2SpeedTip nozzle holder | 271065 | DPTIP |
| 9 | Anti-contact guard, for adjustable fan tip | 97294 | DPET |
| 0 | Seal, for nozzle installation | 43052 | DPET |

| Nozzle holder | Article no. | Cat. |
|---|-------------|--------|
| Nozzle holder, for low overspray, for TwinTip nozzles | 1006001 | ILET |
| Nozzle holder, for low overspray, for TwinTip nozzles | 1006002 | ILET |
| Saddle seal, for nozzle holder, for TwinTip nozzles | 1006700 | ILPCZU |
| Adapter, G- to F-thread, I=7/8", A=11/16" | 553300 | DPZU |

| Gun filter | insert | Article no. | Cat. |
|------------|---|-------------|--------|
| \ | Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine | 34383 | DPFILT |
| | Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine | 97022 | DPFILT |
| \ | Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine | 43235 | DPFILT |
| | Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine | 97023 | DPFILT |
| \ | Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium | 34377 | DPFILT |
| | Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium | 97024 | DPFILT |
| \ | Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse | 89323 | DPFILT |
| | Gun filter green, set of 10 pieces, 30 MA, 0.56 mm MW, coarse | 97025 | DPFILT |

Cat.

Article no.

| 2 | Pressure gauge combination 250 - 400 bar, $I = 1/4^{\prime\prime}$, $A = 1/4^{\prime\prime}$ | 340256 | DPZU |
|---|---|---------|------|
| | Pressure measuring unit; 400 bar | 2353487 | DPZU |

| Hose reels | Article no. | Cat. |
|--|-------------|------|
| Hose reel HR30; M16x1.5; for SF 27 / SF 31 | 341910 | DPZU |
| Hose reel HR45, incl. 30 m HP hose DN6, for all diaphragm and piston pumps | 341912 | DPZU |

| Tempera | ture-controlled spraying | Article no. | Cat. |
|---------|----------------------------------|-------------|------|
| 00 | TempSpray H 126 Basic Unit, 10 m | 2311659 | DPTS |
| 20 | TempSpray H 126 Spraypack, 10 m | 2311852 | DPTS |
| O, | TempSpray H 226 Basic Unit, 15 m | 2311660 | DPTS |
| 0, | TempSpray H 226 Spraypack,15 m | 2311853 | DPTS |
| 0, | TempSpray H 326 Basic Unit, 30 m | 2311661 | DPTS |
| 0, | TempSpray H 326 Spraypack, 30 m | 2311854 | DPTS |

| Airless rollers | Article no. | Cat. |
|--|-------------|-------|
| InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on | 345010 | DPROL |

| Hoses | | Article no. | Cat. |
|-------|--|-------------|--------|
| | HP hose DN3, 27 MPa, M16x1.5, 7.5 m | 9984584 | DPHOSE |
| | HP hose DN3, 27 MPa, NPS 1/4", 10 m | 2301052 | ILZU |
| | HP hose DN3, 27 MPa, NPS 1/4", 7.5 m | 9984583 | DPHOSE |
| | HP hose DN4, 27 MPa, M16x1.5, 7.5 m | 9984510 | DPHOSE |
| | HP hose DN4, 27 MPa, NPS 1/4", 10 m | 2302374 | DPHOSE |
| | HP hose DN4, 27 MPa, NPS 1/4", 7.5 m | 9984573 | DPHOSE |
| | HP hose DN6, max. 27 MPa, M16x1.5, 15 m | 9984507 | DPHOSE |
| | HP hose DN6, 27 MPa, M16x1.5, 30 m | 9984562 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 15 m | 9984574 | DPHOSE |
| | HP hose DN6, 27 MPa, NPSM 1/4", 30 m | 9984575 | DPHOSE |
| | HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m | 2336583 | DPHOSE |
| | HP hose DN10, max. 25 MPa, NPSM 3/8", 30 m | 2336584 | DPHOSE |
| | HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m | 2336585 | DPHOSE |
| | HP hose DN19, max. 25 MPa, NPSM 3/4", 15 m | 2336586 | DPHOSE |

| Hose wh | ips | Article no. | Cat. |
|---------|---|-------------|--------|
| | Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m | 2336582 | DPHOSE |
| | Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE | 9984458 | DPHOSE |
| | Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PFTE | 9984456 | DPHOSE |
| 6 | Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m | 9984569 | DPHOSE |

| Accessori | es for injection | Article no. | Cat. |
|-----------|---|-------------|------|
| | Complete hopper; for injection | 2357506 | DPZU |
| - | HD ball valve; with slide coupling | 2353775 | DPZU |
| | HP ball cock, with mouth piece | 2353754 | DPZU |
| J. | HP ball cock, with whip hose and mouth piece | 2353788 | DPZU |
| <i>_</i> | HP ball cock, with whip hose and slide coupling | 2353789 | DPZU |
| ^ | Hose whip with mouthpiece | 97057 | DPET |

Accessories for injection

| High-pre | ssure filter pads (for HeavyCoat) | Article no. | Cat. |
|----------|---|-------------|------|
| (313) | Filter cartridge, 0 MA, for HeavyCoat / LineCoat | 930-004 | DPET |
| (5 | Filter cartridge, 5 MA, for HeavyCoat / LineCoat | 349431 | DPET |
| | Filter cartridge, 50 MA, for HeavyCoat / LineCoat | 930-006 | DPET |

Filter cartridge, 100 MA, for HeavyCoat / LineCoat

| Suction system (for SuperFinish) | Article no. | Cat. |
|--|-------------|------|
| Suction system, for SF 23 Plus, incl. PumpRunner | 2342879 | DPET |
| Filter DN25 MW = 1.0 mm, for SF 23 Plus | 2323325 | ILZU |
| QuickClean suction system, for SF 21 / SF 23 / SF 1500 | 341262 | DPZU |
| QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra | 341263 | DPZU |
| Filter for suction system, M38x1.5 1 mm MW (SF 27 / SF 31 / SF 1750 and F 500) | 341435 | DPET |
| Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| Suction system for containers, with suction filter, 3.5 m | 97083 | DPZU |
| Metex filter support cage | 34950 | DPZU |

| Airless ro | llers | Article no. | Cat. |
|------------|--|-------------|------|
| | Woven plush paint roller, padded, short pile 13 mm | 345324 | DPZU |
| V. | Woven plush paint roller, padded, long pile 20 mm, incl. roller frame seal | 345902 | DPZU |
| | Roller frame seal | 345323 | DPET |
| / | Telescopic extension, 60 - 100 cm | 345901 | DPET |
| | Extension, Rd. 32x1/8, 0.3 m | 345915 | DPET |
| | Extension, Rd. 32x1/8, 1.2 m | 345916 | DPET |
| | Roller box $D = 100x320$ | 345912 | DPET |

| High-pressure filter (for SuperFinish) | Article no. | Cat. |
|--|-------------|------|
| HP-filter HF-01, for diaphragm pumps | 97120 | DPZU |

| High-pre | ssure filter pads (for ProSpray / high-pressure filter HF-01) | Article no. | Cat. |
|----------|---|-------------|------|
| 0 | Filter cartridge, 30 MA, for ProSpray / high-pressure filter HF-01 | 730-067-30 | DPZU |
| | Filter cartridge, 60 MA, for ProSpray / high-pressure filter HF-01 | 730-067 | DPZU |
| | Filter cartridge, 100 MA, for ProSpray / high-pressure filter HF-01 | 730-067-10 | DPET |
| / | Supporting shell, for ProSpray / high-pressure filter HF-01 | 757-105 | DPET |
| | Supporting disc, for ProSpray / high-pressure filter HF-01 | 702-251 | DPET |

212 wagner-group.com Pictures may differ from the original product.

DPET

930-007

| Suction s | ystem (for SuperFinish) | Article no. | Cat. |
|-----------|---|-------------|------|
| V | Filter bag for emulsions, for Metex filter support cage, 5 pieces | 34951 | DPZU |
| V | Filter bag for paint, for Metex filter support cage, 5 pieces | 34952 | DPZU |

| Suction | ystems (for ProSpray) | Article no. | Cat. |
|---------|--|-------------|--------|
| | Suction hose, for rigid suction system, for PS 3.29 / PS 26 on cart | 705-054 | DPET |
| | Intake elbow for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on trolley | 451-241 | DPET |
| | Return hose for rigid suction system, for PS 3.29 / PS 26 on trolley | 702-239 | DPET |
| | Return hose for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart | 800-904 | DPET |
| 7 | Clamp for rigid suction system, PS 3.29 / PS 26 / PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart | 730-334 | DPET |
| | Suction system for containers, C-coupling, curved connection, 1.4 m | 97082 | DPZU |
| 0 | Blind plug for C-coupling | 97305 | DPZU |
| 0 | Suction system for containers, with suction filter, 3.5 m | 97083 | DPZU |
| 0 | Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose | 250243 | DPFILT |
| 1 | Suction hose, flexible, for PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 on stand or cart | 704-300A | DPET |
| 0 | Filter for suction system, PS 3.21 / P 20 | 295565 | DPET |
| 1 | Filter for suction system, MA 10, PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 | 700-805 | DPET |

| 349602 | DPET |
|--------|----------------|
| 34950 | DPZU |
| 34951 | DPZU |
| 34952 | DPZU |
| | 34950 34951 |

| Suction s | ystems (for HeavyCoat) | Article no. | Cat. |
|-----------|---|-------------|------|
| | Inlet elbow, for HeavyCoat | 349580 | DPET |
| I | Intake elbow for fillers, for HeavyCoat | 2340003 | DPET |
| - | Container suction system, incl. C-coupling adapter, for HeavyCoat | 349907 | DPZU |
| 0 | Inlet elbow, 2-C, for HeavyCoat | 349252 | DPET |
| - | Inlet elbow, 2", for HeavyCoat 950/970 | 342205 | DPZU |
| 0 | Blind plug for C-coupling | 97305 | DPZU |
| | Reducing adapter B- to C-coupling, for HeavyCoat | 9991651 | DPZU |
| 0 | Metex filter support cage | 34950 | DPZU |

| Suction systems (for HeavyCoat) | Article no. | Cat. |
|---|-------------|------|
| Filter bag for emulsions, for Metex filter support cage, 5 pieces | 34951 | DPZU |
| Suction system for emulsion | Article no. | Cat. |

| Suction system for emulsion | Article no. | Cat. |
|---|-------------|------|
| Suction system; flexible; for emulsion; DN25 | 34630 | DPZU |
| Filter basket; for flexible suction system; for emulsion; 0.8 mm MW | 36580 | DPET |
| Extension pipe assy., Niro emulsion | 97077 | DPZU |
| Suction hose DN 25, for piston pumps, Zip and Cobra | 2324116 | ILZU |
| Metex filter support cage | 34950 | DPZU |
| Filter bag for emulsions, for Metex filter support cage, 5 pieces | 34951 | DPZU |

| Suctions | systems for enamel | Article no. | Cat. |
|------------|---|-------------|--------|
| \Diamond | Suction hose DN16, for piston pumps, Zip and Cobra | 2324110 | ILZU |
| 0 | Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose | 250243 | DPFILT |
| 200 | Filter DN16, MW = 1.0 mm | 2323396 | ILZU |
| | Filter DN25 MW = 1.0 mm, for SF 23 Plus | 2323325 | ILZU |
| | Return hose Niro elbow | 97089 | DPET |
| 0 | Metex filter support cage | 34950 | DPZU |
| V | Filter bag for paint, for Metex filter support cage, 5 pieces | 34952 | DPZU |

| Hopper | | Article no. | Cat |
|--------|--|-------------|-----|
| | 20 litre hopper, M36x2 | 341266 | DPZ |
| Ų | 5 litre hopper, M36x2 | 341265 | DPZ |
| | 5 litre hopper, for F 230 | 524242 | DPE |
| | 5 litre hopper, with TopClean | 341268 | DPZ |
| | 5 litre hopper; for PS 3.20 / PS 3.21 / PS 3.23 / PS 3.25 skid-mounted | 704-453 | DPZ |
| P | Filter bag for lacquer, for 5 litre hopper | 97258 | DPE |
| | Filter disk D57, 0.4 fine, for hoppers | 3756 | DPZ |
| | Filter disk D57, 0.8 coarse, for hoppers | 37607 | DPZ |
| 0 | TopClean cleaning set, for hoppers | 340930 | DPZ |
| | Filter disk, coarse | 97521 | DPE |

| Large volume containers Article no | | Cat. |
|---|---------|------|
| Large volume containers | 2309956 | DPZU |
| Large volume container, incl. sack support and roller press | 2309960 | DPZU |
| Large volume container incl. sack support, roller press and adaptor set for HeavyCoat | 2309955 | DPZU |

| Large vo | olume containers | Article no. | Cat. |
|-------------------------|---|-------------|------|
| - | Press table incl. guide rail for roller | 2323178 | DPZU |
| | Adapter set for large volume container, for PS 3.25 | 2312155 | DPZU |
| | Adapter set for large volume container, for PS 3.29 - PS 3.34 | 2312156 | DPZU |
| | Adapter set for large volume container, for PS 3.39 | 2312157 | DPZU |
| 3 | Container Connector SF27/SF31 | 2371930 | DPZU |
| B 1 ² | Container Connector PS 39/HC | 2383128 | DPZU |

| Connecto | ors / double connectors | Article no. | Cat. |
|----------|--|-------------|-------|
| | Coupling sleeve I = 1/4"NPS x A = M16x1.5 | 34041 | ILZP |
| | Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa | 179732 | ILZP |
| | Coupling sleeve I = G 3/8" x A = M16x1.5; 25 MPa | 115672 | ILZP |
| | Double connector A = 1/2" x 1/2" (hose connector) | 3202901 | ILSET |
| | Double connector A = 1/2" x 3/8" (hose reducer) | 3203026 | ILZP |
| | Double connector A = 1/4"NPSM x 3/8"NPSM; 53 MPa | 367561 | DPZU |
| | Double connector A = 1/4" x 1/4" | 34038 | DPZU |
| | Double connector A = 1/4" x M16x1.5 | 34033 | DPZU |
| | Double connector A = 3/4"NPSM x 1/2"NPSM; 53 MPa | 9985782 | DPZU |
| million. | Double connector A = 3/4"NPSM x 3/4"NPSM; 53 MPa | 9985781 | DPZU |
| | Double connector A = 3/4"NPSM x 3/8"NPSM; 53 MPa | 9985783 | DPZU |
| | Double connector A = 3/8" NPT x A = 1/2" NPS | 815-005 | DPET |
| | Double connector A = 3/8"NPS x 3/8"NPS; 53 MPa | 256343 | DPZU |
| | Double connector A = M16x1.5 x 1/4"NPS; 53 MPa | 105313 | ILZP |
| | Double connector A = M16x1.5 x 3/8" | 2308887 | DPET |
| | Double connector A = M16x1.5 x M16x1.5 / 2x60° | 34030 | DPZU |
| | Double connector A = M16x1.5 x M16x1.5; 53 MPa / 1x60° | 97529 | DPET |
| | Transition fitting $I = 1/4^{\circ} \times A = NPS1/2^{\circ}$ | 2302993 | DPZU |
| | Transition fitting $I = M16x1.5 x A = 1/2$ " | 349256 | DPET |
| | Transition fitting I = M16x1.5 x A = $1/4$ " | 97201 | DPZU |
| | Transition fitting I = M16x1.5 x A = $3/8$ " | 97204 | DPZU |

| Cleaning | g / storage / preserving / operating materials | Article no. | Cat. |
|----------|--|-------------|------|
| | EasyClean cleaning and conservation agent, 118 ml | 508620 | DPZU |
| | EasyClean cleaning and conservation agent, 1 litre | 508281 | DPZU |
| | EasyGlide, special oil, 118 ml | 508619 | DPET |
| MILL | Hydraulic oil Divinol 1 litre, for diaphragm pumps | 21061 | DPET |
| | Hydraulic oil 5 litre, for HeavyCoat | 349909 | DPET |
| | TipClean, container incl. special cleaner | 97108 | DPZU |
| | TipClean, container incl. special cleaner, box (24 pieces) | 97109 | DPZU |
| | TipClean, refill bottle, 1 liter | 97110 | DPZU |
| 1 | PumpRunner, for SF 23 Plus / SF 27 / SF 31 / PS 3.25 / PS 3.29 / PS 3.34 | 2306987 | DPZU |

| Pressure gauges | Article no. | Cat. |
|--|-------------|------|
| Pressure gauge combination 250 - 400 bar, I = 1/4", A = 1/4" | 340256 | DPZU |
| Pressure gauge set assy. HEA(MPa) | 2383995 | DPZU |

| Conversion to petrol (for HeavyCoat devices 950/970) | Article no. | Cat. |
|--|-------------|------|
| Kit for conversion to petrol operation, 4.8 PS, Honda | 0290614A | DPET |
| Kit for conversion to petrol-driven operation, 8.5 PS, Honda | 0290456A | DPET |

| Conversion to electrical operation (for HeavyCoat devices 950/970) | Article no. | Cat. |
|--|-------------|------|
| Kit for conversion to electric motor, 230 V | 0528611A | DPZU |
| Kit for conversion to electric motor, 400 V | 0528612A | DPET |

| Tools | | Article no. | Cat. |
|----------|--|-------------|--------|
| • | Adjusting spanner | 9991114 | DPZU |
| <u> </u> | Coupling spanner with thermally insulated handle (2x) | 9100099 | DPPCZU |
| - | Double open ended spanner for inlet valve for SF 21 / SF 23 | 344340 | DPET |
| 1 | Double open-ended spanner for inlet valve, for SF 27 / SF 31 | 341434 | DPET |
| - | Relief combination, for HeavyCoat | 349911 | DPZU |
| | Strap spanner for HP filters | 349720 | DPET |

Plaster spraying – Nozzles

1. Texture nozzles for plaster spraying

The robust texture nozzles perfectly match the automatic and pneumatic spraying lances. Made from high-quality stainless steel, they are extremely robust and resistant even when used with filled media. A choice of different sizes is available for perfectly matching the respective material. The nozzles are available individually or in a nozzle set.

| | | Product name | Art. No. ¹ |
|--|--------------------|--|-----------------------|
| D. D. D. D. D. D. D. D. D. D. D. D. D. D | Texture nozzle set | Texture nozzle set, stainless steel, 4/6/8/10 mm | 268905 |
| | Texture nozzles | Texture nozzle, stainless steel, 04 mm | 268779 |
| | | Texture nozzle, stainless steel, 05 mm | 348915 |
| | | Texture nozzle, stainless steel, 06 mm | 268780 |
| | | Texture nozzle, stainless steel, 07 mm | 348916 |
| | | Texture nozzle, stainless steel, 08 mm | 268781 |
| 2 | | Texture nozzle, stainless steel, 09 mm | 348917 |
| | | Texture nozzle, stainless steel, 10 mm | 268782 |
| | | Texture nozzle, stainless steel, 12 mm | 342327 |
| | | Texture nozzle, stainless steel, 15 mm | 342328 |

¹Cat. DPPCZU

2. In-wall nozzles for plaster spraying

 $Specially \ designed \ for \ in-wall \ work. \ The \ nozzles \ enable \ particularly \ high \ coating \ thicknesses \ to \ be \ applied.$

| | Product name | Art. No. ¹ |
|-----------------|-----------------------|-----------------------|
| In-wall nozzles | In-wall nozzle, 10 mm | 2362235 |
| | In-wall nozzle, 12 mm | 2362236 |
| | In-wall nozzle, 14 mm | 268746 |
| | In-wall nozzle, 16 mm | 268747 |
| | In-wall nozzle, 18 mm | 268748 |

¹Cat. DPPCZU

| Flow mixer | Article no. | Cat. |
|---|-------------|------|
| PlastMix 15 flow mixer | 2348669 | DPPC |
| PlastMix 15 flow mixer, PUR mixing tube, incl. booster pump | 2360039 | DPPC |
| PlastMix 15 flow mixer, incl. booster pump | 2351507 | DPPC |
| PlastMix 15 flow mixer; PUR mixing pipe | 2359240 | DPPC |

| PlastMax | Article no. | Cat. |
|--|-------------|--------|
| Accessory box, complete, for PlastMax | 2362233 | DPPC |
| PlastMax Mixing shaft, light materials | 2366915 | DPPCZU |
| PlastMax Turbo Mixer | 2371521 | DPPCET |
| Rotor PlastMAX D5-2,5 | 2363614 | DPPCET |
| Rotor PlastMax D4-1/2 | 2366947 | DPPCET |
| Rotor PlastMax D4-1/4 | 2366951 | DPPCET |
| Rotor PlastMax D8-1,5 | 2369949 | DPPCET |
| Stator PlastMAX D5-2,5 | 2363615 | DPPCET |
| Stator PlastMax D4-1/2 | 2366948 | DPPCET |
| Stator PlastMax D4-1/4 | 2366952 | DPPCET |
| Stator PlastMax D8-1,5 | 2369950 | DPPCET |

| Coat HP 10 | Article no. | Cat. |
|--|-------------|--------|
| Cleaning and conservation agent (1 l) | 2368525 | DPPCET |
| Cleaning ball; for PlastCoat HP 10 (DN 20mm) | 2368524 | DPPCZU |
| Extension cable for remote operation (10 m) | 2368540 | DPPCZU |
| Extension cable for remote operation (20 m) | 2368544 | DPPCZU |
| Extension cable for remote operation (40 m) | 2368546 | DPPCZU |
| Extension cable for remote operation (5 m) | 2368535 | DPPCZU |
| Extension hose (DN 19, 10m) | 2368627 | DPPCZU |
| | | |

| PlastCoat HP 10 | Article no. | Cat. |
|---|-------------|--------|
| Extension hose (DN 19, 20m) | 2368628 | DPPCZU |
| Extension hose (DN 19, 30m) | 2368629 | DPPCZU |
| Mobility hose (DN 13; 2.5 m) | 2368631 | DPPCZU |
| Mortar hose (DN 19; 10 m) | 2368630 | |
| PlastCoat HP10 sack press table | 2367229 | DPPCZU |
| Rotor and stator; complete; for PlastCoat HP 10 | 2367496 | DPPCZU |
| Spray lance (without nozzle holder and nozzle) | 2368604 | DPPCZU |

| Accessories for PlastMix 15 flow mixer | Article no. | Cat. |
|--|-------------|--------|
| Flow meter | 2349234 | DPPCZU |
| Mixing shaft, for PlastMix 15 | 2349436 | DPPCET |
| PUR mixing tube | 2359241 | DPPCET |
| Power cable, 6 m, for PlastMix 15 | 2349166 | DPPCET |
| Solenoid valve | 2349458 | DPPCET |
| Transport shaft, for PlastMix 15 | 2349434 | DPPCET |

| Spraying la | ance | Article no. | Cat. |
|--|-------------------------------|-------------|--------|
| The state of the s | Angle head 70° | 2337672 | DPPCZU |
| | Fill and dosing attachment | 2335388 | DPPCZU |
| - | Slue attachment | 2335394 | DPPCZU |
| 0 | n-wall lance, automatic | 2334121 | DPPCZU |
| | n-wall lance, pneumatic | 2334122 | DPPCZU |
| 9 | Spray lance extension, 150 cm | 2339400 | DPPCZU |
| | | | |

| Spraying lance | Article no. | Cat. |
|--|-------------|--------|
| ———— Spray lance extension, 200 cm | 2334124 | DPPCZU |
| Spray lance extension, 80 cm | 2334123 | DPPCZU |
| Spraying lance, automatic, incl. 6 mm nozzle | 2334115 | DPPCZU |
| Hoses | Article no. | Cat. |

| Hoses | no. Cat. |
|---|-------------|
| Adapter V25/M35 hose connection 34 | 8920 DPPCE |
| Adapter fix connector V35/M25 | 2321 DPPCE |
| Air hose DN9, 10.5 m 231 | 1644 DPPCE |
| Hose holder 34 | 2215 DPPCE |
| Mortar hose DN19, M/V25, 10 m incl. air hose | 5194 DPPCZI |
| Mortar hose DN19, M/V25, 10 m, incl. air hose and control cable | 5193 DPPCZI |
| Mortar hose DN19, M/V25, 2 m incl. swivel joint: including air hose | 4927 DPPCZI |
| Mortar hose DN19, M/V25, 2 m incl. swivel joint: including air hose and control cable | 4131 DPPCZI |
| Mortar hose DN25, M/V25, 10 m incl. air hose | 5182 DPPCZI |
| Mortar hose DN25, M/V35, 10 m, including air hose and control cable | 5197 DPPCZI |
| Mortar hose DN35, V35, 13.3 m, including air hose and control cable | 5199 DPPCZI |
| Mortar hose DN35: V35; 13.3 m; incl. air hose | 3405 DPPCZI |

| Compressors | Article no. | Cat. |
|--|-------------|--------|
| Air compressor C 330/03 | 2337718 | DPPCZU |
| VKM 592 compressor, with automatic switch-off, 230V / 50Hz | 2311921 | DPPCZU |

| Pump cas | ings and pump worms | Article no. | Cat. |
|----------|--|-------------|--------|
| | Pump casing W10/2.5, 270x89, black, for PC 1030 / PC 25 / PC 35 | 348311 | DPPCET |
| - | Pump casing W10/3, 270x89, yellow, for PC 1030 / PC 25 / PC 35 | 348315 | DPPCET |
| | Pump casing W15/2, 270x89, brown, for PC 1030 / PC 25 / PC 35 | 348925 | DPPCZU |
| | Pump casing, for PC 430 / PC 830 | 2304954 | DPPCET |
| | Pump worm W10/2.5, Ø = 40 mm, L = 317 mm, black, for PC 1030 / PC 25 / PC 35 | 348312 | DPPCET |
| - | Pump worm W10/3, Ø = 40 mm, L = 320 mm, yellow, for PC 1030 / PC 25 / PC 35 | 348316 | DPPCET |
| 1 | Pump worm W15/2, Ø = 40 mm, L = 320 mm, brown, for PC 1030 / PC 25 / PC 35 | 348926 | DPPCZU |
| da. | Pump worm, for PC 830 | 2304986 | DPPCET |
| 1995 | Rotor D8-1,5 | 2385520 | DPPCET |
| | Stator D8-1,5 | 2385532 | DPPCET |

| Large volume containers | Article no. | Cat. |
|---|-------------|--------|
| Large volume containers | 2309956 | DPZU |
| Large volume container, incl. sack support and roller press | 2309960 | DPZU |
| Press table incl. guide rail for roller | 2323178 | DPZU |
| Adapter set for large volume container, for PC 430 | 2312159 | DPPCZU |

| Cleaning | and storage | Article no. | Cat. |
|----------|--|-------------|--------|
| ** | Bottle brush for cleaning interior of outlet unit and spraying lance | 342329 | DPPCET |
| | Brush with handle and cap | 9100095 | DPPCZU |
| 000 | Cleaning adapter M27GK | 342241 | DPPCZU |
| | Cleaning ball DN19, 25 mm | 342330 | DPPCET |
| | Cleaning ball DN27, 30 mm | 342331 | DPPCET |
| | Cleaning ball DN35, 40 mm | 342332 | DPPCET |
| 9 | Cleaning brush, 280 to 420 mm long | 348959 | DPZU |
| | Cleaning needle, for plaster spraying nozzles | 342916 | DPPCET |
| | Tool box, premium, without content | 348450 | DPPCET |

| Other | | Article no. | Cat. |
|-------|---|-------------|--------|
| | Adapter machine plug to Harting | 2337504 | DPPCZU |
| | Cleaning and conservation agent (1 I) | 2368525 | DPPCET |
| | Cleaning ball; for PlastCoat HP 10 (DN 20mm) | 2368524 | DPPCZU |
| O | Control cable for automatic lance, 14 m | 2311692 | DPPCZU |
| | Extension cable for remote operation (10 m) | 2368540 | DPPCZU |
| | Extension cable for remote operation (20 m) | 2368544 | DPPCZU |
| | Extension cable for remote operation (40 m) | 2368546 | DPPCZU |
| | Extension cable for remote operation (5 m) | 2368535 | DPPCZU |
| | Extension hose (DN 19, 10m) | 2368627 | DPPCZU |
| | Extension hose (DN 19, 20m) | 2368628 | DPPCZU |
| | Extension hose (DN 19, 30m) | 2368629 | DPPCZU |
| 来 | Height-adjustable sack press table | 2371563 | DPPCZU |
| | Mobility hose (DN 13; 2.5 m) | 2368631 | DPPCZU |
| | Mortar hose (DN 19; 10 m) | 2368630 | DPPCZU |
| | Pump lubricant 500 ml | 9992824 | DPPCET |
| | Remote operation | 2368460 | DPPCZU |
| | Rotor and stator; complete; for PlastCoat HP 10 | 2367496 | DPPCZU |
| | Seal, fix-coupling M27 | 342314 | DPPCET |
| U | Seal, fix-coupling M35 | 9971531 | DPPCET |
| | Spray lance (without nozzle holder and nozzle) | 2368604 | DPPCZU |
| | Support table cpl. for PC 830 | 2318389 | DPPCZU |
| 0 | Toolbox 24" | 2371412 | DPPCET |
| | Toolbox, for PlastCoat | 348958 | DPPCET |
| | | | |

Work safety

| Safety glasses | Article no. | Cat. |
|---------------------------------------|-------------|-------|
| Full protection safety glasses, clear | 2331967 | DPSAF |
| Safety over-glasses, clear | 2331966 | DPSAF |

Service kits

| Paint stage IceBreaker piston pumps | Article no. | Cat. |
|--|-------------|------|
| Service set pump PP40 ccm PE + TG, Wildcat, Puma | 367990 | ILET |

| Air motor IceBreaker piston pumps | Article no. | Cat. |
|--|-------------|------|
| Service set air motor 4"/75, Wildcat, Puma | 367995 | ILET |

| Paint stage other pumps | Article no. | Cat. |
|---------------------------------|-------------|------|
| ervice set 130S PE + TG | 109705 | ILET |
| ervice set pump; 22-185 PE / TG | 105705 | ILET |

| Pneumatic double diaphragm pump Cobra | Article no. | Cat. |
|--|-------------|------|
| Service set 3"/53 air motor; Cobra 40-10 | 322995 | ILET |
| Service set Cobra 40-10 diaphragm set, with insert | 322913 | ILET |
| Service set Cobra 40-10 inlet valve | 322914 | ILET |
| Service set Cobra 40-10 outlet valve | 322915 | ILET |

| SuperFinish | Article no. | Cat. |
|---|-------------|------|
| Depressor housing service kit; for SF 21 to SF 31 | 341705 | DPET |
| Inlet valve complete service kit SF 27 / SF 31 | 341247 | DPET |
| Inlet valve complete service set F 250 / F 270 / SF 21 / SF 23 / SF 23 Plus | 344700 | DPET |
| Inlet valve pusher complete service kit F 250 / F 270 / SF 27 / SF 31 | 341241 | DPET |
| Pressure regulator compl. F230 | 508138 | DPET |
| Relief valve service kit F 230 | 508199 | DPET |
| Service kit outlet valve F 230 | 508198 | DPET |
| Service kit outlet valve F 250 / F 270 / SF 21 to SF 31 / SF 23 Plus | 341702 | DPET |
| | | |

| ProSpray | Article no. | Cat. |
|--|-------------|------|
| Packings service kit for ProSpray 3.21 / 3.23 / 3.25 | 290201 | DPET |
| Packings service kit for ProSpray 3.29 / 3.31 / 3.34 | 508221 | DPET |

6


7


8

| HeavyCoat | Article no. | Cat. |
|---|-------------|------|
| High-pressure filter service kit | 349700 | DPET |
| Material feed pump service kit, HC 920 E/G | 528105 | DPET |
| Relief valve service kit HC 920 - 960 E/G + SSP | 349706 | DPET |
| Service kit inlet valve - shovelvalve, HC 940 / HC 960 E SSP | 349719 | DPET |
| Service kit packings and shovelvalve HC 950 / HC 970 E/G+SSP | 528705 | DPET |
| Service kit valves and packings, HC 920 E/G | 528104 | DPET |
| Service kit valves and packings, HC 940 E/G+SSP / 960 E/G+SSP | 528101 | DPET |
| Service set; Large, HC 950 SSP (Incl. piston w. pin) | 537901 | DPET |
| Service set; Large, HC 970 SSP (Incl. piston w. pin) | 537900 | DPET |
| Shovel piston service kit, HC 940 / HC 960 E SSP | 349718 | DPET |

| Guns | Article no. | Cat. |
|--|-------------|------|
| AC 4600 P service kit | 394942 | ILET |
| AG 08 service kit, F-thread | 556039 | DPET |
| AG 14 service kit, G-thread | 502144 | DPET |
| AG 14 service kit, G-thread, 1-hole diffuser | 502175 | DPET |
| AG 19 service kit, F-thread | 2347489 | DPET |
| Ball Valve Kit - Vector Grip | 538227 | DPZU |
| Pole gun service kit; 120 mm | 286935 | DPET |
| Pole gun service kit; 200 mm | 286936 | DPET |
| Service kit AG 08, G-thread | 556038 | DPET |
| Service kit AG 19, G-thread | 2348175 | DPET |
| Service set AG 14, F-thread | 502143 | DPET |
| Service set AG 14, F-thread, one-hole-diffusor | 502149 | DPET |
| Service set; Vector Pro | 538225 | DPET |

Notes





wagner-group.com 233

Service at WAGNER

From advice on choosing the right equipment through to warranty processing, the WAGNER Service team will take complete care of you. If there is an unexpected problem with your spraying unit, our sales or service staff are on hand for you. Your personal contact can be found on www.wagner-group.com. In addition, we work closely with our specialist dealers to provide you with expert advice.

This service is unique in the industry.



Our technology and training centre



Comprehensive range of seminars awaits you in our 1500 square metre technology centre for home handymen, trade and industry.

Make use of our one day basic seminars to extend your knowledge in theory and practice. In our seminars we have put together an innovative program with a wealth of interesting information and also practical and invaluable professional tips. We shall be glad to put together for you a quotation for individual, company or training seminars.

Further information can be found on: **www.wagner-group.com.**

WAGNER 3+2 guarantee

You already have a WAGNER professional unit?

Then take five years WAGNER guarantee instead of three years standard guarantee! Simply register online. Our quality is assured. Guaranteed.

Every purchaser of a WAGNER paint spraying unit will get three years manufacturer's guarantee.

But we can do more: This guarantee can be extended for free by a further 2 years by online registration — at any time! Simply register the equipment on www.wagner-group.com/professional-guarantee and get an additional 2 years guarantee.

3+2 WAGNER ProfiGuarantee

Other extended guarantees cost a lot of money, ours only a click online.




Simply scan this code with your smartphone or directly register on **www.wagner-group.com/profi-guarantee**.

WAGNER SprayGuide – all material test reports on a click

You will find just the right device or material for your application in our extensive material test report database. The so-called WAGNER SprayGuide offers you access to a wide range of well-known material manufacturers from the trade. WAGNER has tested over 550 colours, varnishes and glazes and other materials for their spraying characteristics and surface quality. This gives you the possibility and also the security of being able to perfectly match material and equipmenttechnology and to achieve perfect surface finishes.

Guarantee of success

With the detailed specifications in the displayed WAGNER material test report, you are presented with all the important parameters for the optimised adjustment and setup of equipment and material for the corresponding application, at a glance. Further information is made available easily through links to the material manufacturers' Technical data sheets. Print out the test report and the data and you've got all the important information for achieving an optimum spray result.



Operating instructions

| Description | Languages | Article no |
|----------------------------|----------------------|------------|
| Finish & SuperFinish | | |
| Finish 230 | D/GB/F/I/E/S/DK/NL | 508296 |
| F 230 AC compact | D/GB/F/I | 524804 |
| F 230 AC compact | E/NL/DK/S | 524805 |
| F 230 AC compact | P | 524827 |
| SF 17 ex | D/GB/F/E | 2364738 |
| SF 17 ex | NL/I/DK/S | 2364739 |
| SF 17 ex | P | 2364741 |
| SF23i | D/GB/F/I | 2358664 |
| SF23i | E/NL/DK/S | 2358665 |
| SF23i | Р | 2358666 |
| SF 23 Plus | D/GB/F/I | 2341576 |
| SF 23 Pus | E/NL/DK/S | 2341577 |
| SF 23 Plus | P | 2341578 |
| SF 27 / SF 31 | D/GB/F/I | 341855 |
| SF 27 / SF 31 | E/NL/DK/S | 341856 |
| SF 27 / SF 31 | P | 341872 |
| | | |
| ProSpray | | |
| PS 3.20 | GB/E/P | 532861 |
| PS 3.20 | D/F/NL | 532862 |
| PS 3.20 | I/DK/S | 532863 |
| PS 3.21 | D/GB/F/I | 558900 |
| PS 3.21 | E/NL/DK/S/P | 558901 |
| PS 3.23 | D/GB/F/I | 558902 |
| PS 3.23 | E/NL/DK/S/P | 558903 |
| PS 3.25 | D/GB/F/I | 558971 |
| PS 3.25 | E/NL/DK/S/P | 558972 |
| PS 3.29 / PS 3.31 | D/GB/F/I | 558904 |
| PS 3.29 / PS 3.31 | E/NL/DK/S/P | 558905 |
| PS 3.34 | D/GB/F/I | 558906 |
| PS 3.34 | E/NL/DK/S/P | 558907 |
| PS 3.39 | D/GB/F/I | 558975 |
| PS 3.39 | E/NL/DK/S/P | 558976 |
| 133,37 | L/ NL/ DN/ 3/ I | 333710 |
| HeavyCoat | | |
| HC 750 | D/GB/F | 537814 |
| HC 750 | E/I/P | 537815 |
| HC 750 | NL/DK/S | 537816 |
| | D/GB/F/I | |
| HC 950 / HC 970 E/G + SSP | -,,, | 528940 |
| HC 950 / HC 970 E/G + SSP | E/NL/DK/S/P | 528941 |
| XVLP | | |
| FinishControl 3500 | D/CR/E/L/E/C/DV/MI/D | 22/12207 |
| | D/GB/F/I/E/S/DK/NL/P | 2342387 |
| FinishControl 5000 | D/GB/F/NL/E/I/DK/S/P | 2321725 |
| StandardSpray spray | D/GB/F/NL/E/I/DK/S/P | 2324806 |
| attachment | | |
| FineSpray spray attachment | D/GB/F/NL/E/I/DK/S/P | 2324807 |
| WallSpray spray attachment | D/GB/F/NL/E/I/DK/S/P | 2324808 |
| TempSpray spray attachment | D/GB/F/NL/E/I/DK/S/P | 2324809 |

| Description | Languages | Article no. |
|---|-----------------------|---------------------------------------|
| High Efficiency Airless | | |
| Control Pro 350 Extra Spraypack Skid version | D/GB/F/I/E/S/DK/NL/P | 2372677 |
| Control Pro 350 Extra Spraypack Cart version | D/GB/F/I/E/S/DK/NL/P | 2372679 |
| FineCoat | | |
| FC 8800 / FC 9900 / | | |
| FC 9900 PC FC 8800 / FC 9900 / | D/GB/F/I | 524808 |
| FC 9900 PC | E/NL/DK/S | 524809 |
| FC8800 / FC 9900 / FC 9900 PC | Р | 524824 |
| FC PowerCart | D/GB/F/I | 524806 |
| FC PowerCart | E/NL/DK/S | 524807 |
| FC PowerCart | P | 524825 |
| FC Split-Gun | D/GB/F/I | 524839 |
| FC SPlit-Gun | E/NL/DK/S/P | 524191 |
| | | |
| PlastCoat | | |
| PC 830 | D/GB/F/NL | 2309522 |
| PC 830 | E/I/DK/S | 2309523 |
| PC 830 | P | 2309524 |
| PC 1030 | D/GB/F/NL | 2368883 |
| PC 1030 | E/I/DK/S | 2368885 |
| PC 1030 | P | 2368886 |
| PC HP 10 | D/GB/DK/S | 2367283 |
| PC HP 10 | NL/F/I/E/P | 2367284 |
| PC 25 / PC 35 | D/GB/F/NL | 348870 |
| PC 25 / PC 35 | E/I/DK/S | 348871 |
| PC 25 / PC 35 | P | 2301496 |
| PlastMix 15 | D/GB/F/NL/E/I/DK/S/P | 2349169 |
| Automatic spray lance, | D/QD/1/NL/L/1/DIQ 5/1 | 2347107 |
| pneumatic spray lance, automatic ceiling spray lance, pneumatic ceiling spray lance | D/GB/F/NL/E/I/DK/S/P | 2334489 |
| Automatic in-wall lance, pneumatic in-wall lance | D/GB/F/NL/E/I/DK/S/P | 2334491 |
| Guns | | |
| Vector Grip | D/GB/F/I/E/S/DK/NL/P | 538803 |
| Vector Pro | D/GB/F/I/E/S/DK/NL/P | 538802 |
| AG 14 | D/GB/F/I/E/S/DK/NL | 502114 |
| AG 19 | D/GB/F/I/E/S/DK/NL/P | 2347392 |
| AC 4500 Prof. | D | 2365830 |
| AC 4500 Prof. | GB | 2365831 |
| AC 4500 Prof. | F | 2365832 |
| AC 4500 Prof. | NL | 2365833 |
| AC 4500 Prof. | I | 2365834 |
| AC 4500 Prof. | E | 2365835 |
| AC 4500 Prof. | Р | 2365836 |
| AC 4500 Prof. | DK | 2365837 |
| AC 4500 Prof. | S | 2365838 |
| AC 4600 Prof. | D | 394870 |
| 1616000 | cn. | · · · · · · · · · · · · · · · · · · · |

Operating instructions

| Bezeichnung | Sprache | ArtNr. |
|---------------------------------------|----------------------|--------|
| AC 4600 Prof. | F | 394872 |
| AC 4600 Prof. | NL | 394873 |
| AC 4600 Prof. | I | 294874 |
| AC 4600 Prof. | E | 394875 |
| AC 4600 Prof. | DK | 394876 |
| AC 4600 Prof. | S | 394877 |
| Pole gun (120 cm, 200 cm) | D/GB/F/I/E/S/DK/NL/P | 296446 |
| _ | D/GB/F/I/E/S/DK/NL/P | 296446 |

Bezeichnung

Zip 52 Zip 52 Zip 52

Double diaphragm pumps

Sprache

GB

Art.-Nr.

zzb012ger

zzb012eng zzb012fre zzb012ita

2353013

D/GB/F/I/E/S/DK/NL/P 2359766


D/GB/F/E/S/DK/NL/P

| AirCoat accessories | | |
|---------------------|----------------------|---------|
| AirBoost 100 | D/GB/F/I/E/NL/DK/S/P | 2351067 |
| | | |
| Airless accessories | | |
| InlineRoller | D/GB/F/I/E/S/DK/NL | 345850 |
| | | |
| TempSpray | | |
| TS H 126, H 226, | D/GB/F/NL | 2312558 |
| H 326, H 426 | D/QD/F/NL | 2312330 |
| TS H 126, H 226, | E/NL/DK/S | 2312560 |
| H 326, H 426 | L/NL/DN/3 | 2312300 |

| Cobra 40-10 | D | 2303152 |
|-------------|----|---------|
| Cobra 40-10 | GB | 2303675 |
| Cobra 40-10 | F | 2303676 |
| Cobra 40-10 | NL | 2303677 |
| Cobra 40-10 | DK | 2303680 |
| Cobra 40-10 | S | 2303682 |
| Cobra 40-10 | I | 2303678 |
| Cobra 40-10 | E | 2303679 |

| Pneumatic piston pumps | | |
|-------------------------------|----|---------|
| FineFinish 20-30 S / 40 -15 S | D | 2310798 |
| FineFinish 20-30 S / 40 -15 S | GB | 2310799 |
| FineFinish 20-30 S / 40 -15 S | F | 2310800 |
| FineFinish 20-30 S / 40 -15 S | NL | 2310801 |
| FineFinish 20-30 S / 40 -15 S | DK | 2310805 |
| FineFinish 20-30 S / 40 -15 S | S | 2310806 |
| FineFinish 20-30 S / 40 -15 S | I | 2310802 |
| FineFinish 20-30 S / 40 -15 S | E | 2310803 |
| Wildcat 18-40 / | D | 2302505 |
| Puma 28-40 | U | 2302303 |
| Wildcat 18-40 / | GB | 2303659 |
| Puma 28-40 | ďΒ | 2303039 |
| Wildcat 18-40 / Puma 28-40 | F | 2303661 |
| Wildcat 18-40 / Puma 28-40 | NL | 2303662 |
| Wildcat 18-40 / Puma 28-40 | DK | 2303666 |
| Wildcat 18-40 / Puma 28-40 | S | 2303667 |
| Wildcat 18-40 / Puma 28-40 | I | 2303663 |
| Wildcat 18-40 / Puma 28-40 | E | 2303665 |
| | | |

Notes



238 wagner-group.com wagner-group.com 239